

according to Regulation (EC) No. 1907/2006

Print Date: 28.01.2011 Revision Date : Version : 4.2 GB / EN 25.01.2011 GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial Product Name : Original ATE Brake Fluid SL (DOT4)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Hydraulic fluid

1.3 Details of the supplier of the safety data sheet

Company	: Continental Aftermarket GmbH
	Guerickestrasse 7
	60488 Frankfurt
	Germany
	+49-69-7603-1
	+49-69-76 10 61
Contact person E-mail address	 Central Environment & Safety , Central Laboratory ate.sicherheit@contiautomotive.com

1.4 Emergency telephone number

+ 49 61 32 84 46 3

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (67/548/EEC, 1999/45/EC)

2.2 Label elements

Labelling according to EC Directives: 1999/45/EC

Further information	:	Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.

Special labelling of certain mix- : Safety data sheet available on request for professional users. tures

2.3 Other hazards

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.

3. Composition/information on ingredients

3.1 Mixtures



according to Regulation (EC) No. 1907/2006

Print Date: 28.01.2011 Revision Date : Version : 4.2 GB / EN 25.01.2011

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)

Chemical nature

: Formulated product Additives Solvent mixture

Hazardous components

Chemical Name	CAS-No.	Classification	Classification	Concentration	
	EC-No.	(67/548/EEC)	(1272/2008/EC)	[%]	
	Registration				
	number				
2,2'-oxybisethanol	111-46-6	Xn; R22	Acute Tox. 4; H302	>= 12,5 - < 15	
	203-872-2				
Poly(oxy-1,2-ethanediyl),	9004-77-7	Xi; R36	Eye Irrit. 2; H319	>= 12,5 - < 15	
alpha-butyl-omega-					
hydroxy					
2-(2-butoxyethoxy)ethanol	112-34-5	Xi; R36	Eye Irrit. 2; H319	>= 2 - < 3	
	203-961-6				
di-isopropanolamine	110-97-4	Xi; R36	Eye Irrit. 2; H319	>= 1 - < 1,5	
	203-820-9				

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First aid measures

4.1 Description of first aid measures

General advice	:	Never give anything by mouth to an unconscious person. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Remove from exposure, lie down.
If inhaled	:	Move to fresh air in case of accidental inhalation of vapours or de- composition products. Keep patient warm and at rest. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water.
In case of eye contact	:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
If swallowed	:	If swallowed, seek medical advice immediately and show this con- tainer or label. If a person vomits when lying on his back, place him in the recovery position.

4.2 Most important symptoms and effects, both acute and delayed

no data available

🗿 🗿 🔞 TEVES

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Print Date: 28.01.2011

Revision Date : 25.01.2011

Version: 4.2

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)

4.3 Indication of any immediate medical attention and special treatment needed

no data available

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.			
Unsuitable extinguishing media	:	High volume water jet			
Special hazards arising from the substance or mixture					
Advice for firefighters					

5.2 - -

5.3	Advice	for	firefi	ghters	

Special protective equipment for fire-fighters	:	Use personal protective equipment. Wear self-contained breathing apparatus and protective suit. Complete suit protecting against chemicals
Further information	:	Use extinguishing measures that are appropriate to local circums- tances and the surrounding environment. Fire residues and contami nated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in sections 7 and 8. Ventilate the area. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapour or mist.

6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations.

6.4 Reference to other sections

see chapter: 7, 8, 11, 12 and 13

7. Handling and storage

7.1 Precautions for safe handling



according to Regulation (EC) No. 1907/2006

Print Date: 28.01	.2011 Revis 25.01	ion [.201	Date : 1	Version : 4.2	GB / I	EN
Commercial Proc	duct Name: Orig	ina	I ATE Brake	Fluid SL (DC	DT4)	
Advice on safe	handling	:	For personal pr	otection see sectio	n 8.	
Advice on prote and explosion	ection against fire	:	Normal measur	es for preventive fi	re protection.	
Dust explosion	class	:	not applicable			
7.2 Conditions for	safe storage, incl	udir	ng any incompa	tibilities		
Requirements and containers	for storage areas	:	Store in origina cool and well-ve	l container. Keep c entilated place.	ontainers tightly	y closed in a dry,
Advice on com	mon storage	:	Never allow pro away from food oxidising agent	oduct to get in conta l, drink and animal s, strongly acid or a	act with water c feedingstuffs. k alkaline materia	luring storage. Keep Keep away from als and amines.

: No decomposition if stored and applied as directed.

Other data

7.3 Specific end uses

no data available

8. Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Control parameters	Basis	Update
2,2'-oxybisethanol	111-46-6	TWA: 101 mg/m3, 23 ppm 2,	GB EH40	2005-04-06
2-(2-butoxyethoxy)ethanol	112-34-5	TWA: 67,5 mg/m3, 10 ppm STEL: 101,2 mg/m3, 15 ppm	GB EH40	2007-08-01
2-(2-methoxyethoxy)ethanol; diethy- lene glycol monomethyl ether	111-77-3	TWA: 50,1 mg/m3, 10 ppm Sk, 2,	GB EH40	2007-08-01
Components	CAS-No.	Control parameters	Basis	Update
2-(2-butoxyethoxy)ethanol	112-34-5	TWA: 67,5 mg/m3, 10 ppm STEL: 101,2 mg/m3, 15 ppm	2006/15/EC	2006-02-09
2-(2-methoxyethoxy)ethanol; diethy- lene glycol monomethyl ether	111-77-3	TWA: 50,1 mg/m3, 10 ppm skin,	2006/15/EC	2006-02-09

Other information on limit values: see chapter 16



according to Regulation (EC) No. 1907/2006

Print Date: 28.01.2011

Revision Date : 25.01.2011

Version : 4.2

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)

xposure controls		
Engineering measures		
Provide adequate ventilation.		
Personal protective equipment		
Respiratory protection	:	In case of insufficient ventilation, wear suitable respiratory equip- ment. Respirator with filter type A Respirator with a vapour filter (EN 141)
Hand protection		
Material Glove thickness Break through time Directive	:	butyl-rubber 0,7 mm 480 min DIN EN 374
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Eye protection	:	In case of splash hazard, please wear protective goggles.
<u>Hygiene measures</u>	:	Handle in accordance with good industrial hygiene and safety prac- tice. Please thoroughly clean and care for the skin after finishing work. Wash contaminated clothing before re-use. When using do not eat, drink or smoke.
Environmental exposure contro	ls	
General advice	:	Do not flush into surface water or sanitary sewer system.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	no data available
Odour	:	characteristic
Odour Threshold	:	no data available
Flash point	:	> 125 °C
		Method: ISO 2719



according to Regulation (EC) No. 1907/2006

 Print Date: 28.01.2011
 Revision Date :
 Version : 4.2
 GB / EN

 25.01.2011
 25.01.2011
 Version : 4.2
 Version : 4.2
 Version : 4.2

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)

Ignition temperature	: > 200 °C Method: DIN 51794
Lower explosion limit	: 1,5 %(V)
Upper explosion limit Explosive properties Flammability (solid, gas)	not determinedno data availablenot auto-flammable
Oxidizing properties Autoignition temperature Burning number Molecular Weight pH	 no data available no data available no data available no data available 7,5 - 9 at 20 °C
Boiling point/boiling range	: > 260 °C at 1.013 hPa
Vapour pressure	: < 1 mbar at 20 °C
Density	: 1,055 - 1,075 g/cm3 at 20 °C
	Method: DIN 51757
Bulk density Water solubility	 not applicable completely miscible at 20 °C
Partition coefficient: n- octanol/water Solubility in other solvents Viscosity, dynamic Viscosity, kinematic Flow time Impact Sensitivity Relative vapour density Surface tension Evaporation rate Minimum ignition energy Acid number Refraction index	 no data available not determined no data available
Miscibility in water Solvent separation test	: no data available : no data available

9.2 Other information

None known.

10. Stability and reactivity

10.1 Reactivity

no data available



according to Regulation (EC) No. 1907/2006

Print Date: 28.01.2011 Re

Revision Date : 25.01.2011

Version : 4.2

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Stability: No decomposition if used as directed.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Materials to avoid : Strong acids and oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition prod- ucts	:	Carbon dioxide (CO2), Carbon monoxide, nitrogen oxides (NOx)
Thermal decomposition	:	360 °C

: no data available

: no data available

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity Acute oral toxicity

Acute inhalation toxicity	:	no data available

Acute dermal toxicity : no data available

Acute toxicity (other routes of administration):

no data available

Skin corrosion/irritation

Skin irritation

Serious eye damage/eye irritation

Eye irritation : no data available

Respiratory or skin sensitization



according to Regulation (EC) No. 1907/2006

Print Date: 28.01.2011 Revision Date : Version : 4.2 GB / EN 25.01.2011

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)

Sensitisation

: no data available

Germ cell mutagenicity

Genotoxicity in vitro:

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Teratogenicity

no data available

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration hazard

Aspiration toxicity

no data available

Neurological effects

no data available

Toxicology Assessment

Toxicology, Metabolism, Distribution

no data available

Acute effects

no data available

Further information

2,2'-oxybisethanol	:	Inhalation of high vapour concentrations can cause CNS-depression and narcosis. Liver and kidney injuries may occur. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Poly(oxy-1,2-ethanediyl), alpha-	:	Ingestion may cause gastrointestinal irritation, nausea, vomiting and

Ontinental S *TEVES*

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Print Date: 28.01.2011	Revision Date : 25.01.2011	Version : 4.2	GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)

butyl-omega-hydroxy	diarrhoea.
2-(2-butoxyethoxy)ethanol :	Liver and kidney injuries may occur. Inhalation of high vapour concentrations can cause CNS-depression and narcosis.

12. Ecological information

12.1 Toxicity

<u>Toxici</u>	ty to fish :		LC50 (Leuciscus idus (Golden orfe)): 250 - 350 mg/l Exposure time: 96 h Method: DIN 38412
Toxicit	ty to daphnia and other aquation	c i	nvertebrates.
2,2'-0	kybisethanol :		EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 24 h
2-(2-b	utoxyethoxy)ethanol :		EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicit	ty to algae		
2-(2-b	utoxyethoxy)ethanol :		IC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 24 h
Toxicit	ty to bacteria		
2,2'-0>	kybisethanol :		EC0 (Pseudomonas putida): 8.000 mg/l Exposure time: 16 h
2-(2-b	utoxyethoxy)ethanol :		EC10 (Pseudomonas putida): 1.170 mg/l Exposure time: 16 h
12.2 Persis	tence and degradability		
Biode	gradability :		Result: Readily biodegradable. Biodegradation: 90 %
12.3 Bioac	cumulative potential		
Bioaco	cumulation :		Remarks: no data available
12.4 Mobili	ty in soil		
Physic	co-chemical removability :		> 70 %



according to Regulation (EC) No. 1907/2006

 Print Date: 28.01.2011
 Revision Date :
 Version : 4.2
 GB / EN

 25.01.2011

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)

Remarks: readily eliminated

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

Adsorbed organic bound halo- gens (AOX)	:	Remarks: not included
Additional ecological information	:	Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

13. Disposal considerations

13.1 Waste treatment methods

Advice on disposal and packag- ing	:	Disposal: Where possible recycling is preferred to disposal or incineration. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the applica- tion for which the product was used.

The following Waste Codes are only suggestions:

Waste Code (EWC) :	Waste Key (unused product): 160113, brake fluids
	Waste key (used product): 160113, brake fluids
Disposal of uncleaned packag- : ing	Waste key (uncleaned packaging): 150110, packaging containing residues of or contaminated by dan- gerous substances
	Note: Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

14. Transport information

ADR Not dangerous goods

RID Not dangerous goods



according to Regulation (EC) No. 1907/2006

Print Date: 28.01.2011

Revision Date : 25.01.2011

Version : 4.2

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)

IATA Not dangerous goods

IMDG Not dangerous goods

Special precautions for user see chapter: 6, 7 and 8

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

no data available

16. Other information

Full text of R-phrases referred to under sections 2 and 3		
R22	Harmful if swallowed.	
R36	Irritating to eyes.	

Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H319	Causes serious eye irritation.

Other information

2	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used
Sk	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.
skin	Identifies the possibility of significant uptake through the skin

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Prepared by

TechniData BCS GmbH Birlenbacher Str. 19 57078 Siegen Germany Telephone: +49-(0)271-88072-0 E-mail address: info@technidata-bcs.de



according to Regulation (EC) No. 1907/2006

Print Date: 28.01.2011

Revision Date : 25.01.2011

Version : 4.2

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)