



Das Original

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 1/4/2020
Version: 1
Language: en-GB,IE
Date of print: 3/4/2020

Anaerobe Dichtstoffe eco-friendly

Material number Dichtstoffe_Anaerobe_EF

Page: 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Anaerobe Dichtstoffe eco-friendly
This safety data sheet pertains to the following products:
EL-Loc 43: 10ml: 700.501/50ml: 954.000
EL-Loc 70: 10ml: 700.521/50ml: 954.010
EL-Liq 73: 50ml: 777.792
EL-Liq 74: 50ml: 461.682
EL-Fil 77: 50ml: 954.020
EL-Add 48: 50ml: 954.030

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Anaerobic sealants and adhesives

1.3 Details of the supplier of the safety data sheet

Company name: ElringKlinger AG
Street/POB-No.: Max-Eyth-Straße 2
Postal Code, city: 72581 Dettingen/Erms
Germany
WWW: www.elring.de
E-mail: info@elringklinger.com
Telephone: +49 7123 724 799
Telefax: +49 7123 724 798
Department responsible for information:
Produktmanagement, E-mail: det.iam.sdb@elringklinger.com

1.4 Emergency telephone number

GIZ-Nord, Germany, Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary Statements: not applicable

2.3 Other hazards

No risks worthy of mention.

Results of PBT and vPvB assessment:

No data available



Das Original

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 1/4/2020

Version: 1

Language: en-GB,IE

Date of print: 3/4/2020

Anaerobe Dichtstoffe eco-friendly

Material number Dichtstoffe_Anaerobe_EF

Page:

2 of 8

SECTION 3: Composition / information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Mixture of the substances listed below with non-hazardous additions

Hazardous ingredients:

Ingredient	Designation	Content	Classification
REACH 01-2119475796-19-xxxx EC No. 201-254-7 CAS 80-15-9	Cumene hydroperoxide	< 1 %	Org. Perox. EF; H242. Acute Tox. 4; H302. Acute Tox. 4; H312. Acute Tox. 3; H331. Skin Corr. 1B; H314. STOT RE 2; H373. Aquatic Chronic 2; H411.
EC No. 201-166-9 CAS 79-00-5	1,1,2- Trichloroethane	< 1 %	Acute Tox. 4; H302. Acute Tox. 4; H312. Acute Tox. 4; H332. Carc. 2; H351. (EUH066).
REACH 01-2119555270-46-xxxx EC No. 204-881-4 CAS 128-37-0	3,5-Di-tert- butyl-4- hydroxytoluene	< 0.2 %	Aquatic Acute 1; H400 (M-factor = 1). Aquatic Chronic 1; H410 (M-factor = 1).

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- In case of inhalation: Move victim to fresh air; if necessary, provide artificial respiration or oxygen. Make sure he/she is warm and comfortable. Seek medical treatment in case of troubles. If victim is at risk of losing consciousness, position and transport on their side.
- Following skin contact: Immediately clean with water and soap followed by thorough rinsing. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.
- After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.
- After swallowing: Rinse mouth immediately and drink plenty of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Can cause skin, eye and respiratory tract irritation.
With prolonged and/or frequent exposure, inflammation of the skin and mucous membranes may occur.
In case of ingestion:
Ingestion may cause nausea, weakness and affect the central nervous system.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Alcohol resistant foam, extinguishing powder, carbon dioxide.



Das Original

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Anaerobe Dichtstoffe eco-friendly

Material number Dichtstoffe_Anaerobe_EF

Revision date: 1/4/2020

Version: 1

Language: en-GB,IE

Date of print: 3/4/2020

Page: 3 of 8

5.2 Special hazards arising from the substance or mixture

On heating or in case of fire toxic gases may form.

In case of fire may be liberated: carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained breathing apparatus. Wear full protective suit.

Additional information:

Hazchem-Code: -

Move undamaged containers from immediate hazard area if it can be done safely. Do not allow fire water to penetrate into surface or ground water. Use water spray jet to minimise or disperse vapours.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid breathing mist/vapours/spray. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Avoid contact with skin and eyes. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceous earth, acid- or universal binder. Store in special closed containers and dispose of according to ordinance.

Additional information:

Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid contact with skin and eyes. Avoid breathing mist/vapours/spray. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. When using do not eat, drink or smoke. Wash hands thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container dry, tightly closed and store at cool and aired place. Keep only in original container.

Recommended storage temperature: <20 °C Protect from heat and direct sunlight.

Hints on joint storage:

Do not store together with peroxides.

Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

No information available.



Das Original

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 1/4/2020
Version: 1
Language: en-GB,IE
Date of print: 3/4/2020

Anaerobe Dichtstoffe eco-friendly

Material number Dichtstoffe_Anaerobe_EF

Page: 4 of 8

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
7631-86-9	Silicon dioxide	Great Britain: WEL-TWA	2.4 mg/m ³ (Silica, amorphous; respirable fraction)
		Great Britain: WEL-TWA	6 mg/m ³ (Silica, amorphous; inhalable fraction)
		Ireland: 8 hours	2.4 mg/m ³ (Silicon dioxide, amorphous, respirable fraction)
		Ireland: 8 hours	6 mg/m ³ (Silicon dioxide, amorphous, inhalable fraction)
79-00-5	1,1,2-Trichloroethane	Ireland: 8 hours	45 mg/m ³ ; 10 ppm (may be absorbed through the skin)
128-37-0	3,5-Di-tert-butyl-4-hydroxytoluene	Great Britain: WEL-TWA	10 mg/m ³
		Ireland: 8 hours	2 mg/m ³

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. Particulates filter P2 according to EN 143. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to EN 374
Glove material: PVC
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Avoid breathing mist/vapours/spray. Take off contaminated clothing and wash it before reuse. Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke. Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Physical state at 20 °C and 101.3 kPa: liquid
Colour: varying, depends on colouring

Odour: characteristic
Odour threshold: No data available

pH value: No data available



Das Original

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 1/4/2020
Version: 1
Language: en-GB,IE
Date of print: 3/4/2020

Anaerobe Dichtstoffe eco-friendly

Material number Dichtstoffe_Anaerobe_EF

Page: 5 of 8

Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	> 60 °C
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Density:	No data available
Solubility:	No data available
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, kinematic:	No data available
Explosive properties:	No data available
Oxidizing characteristics:	No data available

9.2 Other information

Additional information: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to 10.3.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Exothermic polymerization may occur

10.4 Conditions to avoid

Do not expose to temperatures above 15 °C.
Avoid high temperatures or direct sunlight.

10.5 Incompatible materials

Acids, peroxides, copper, strong oxidizing agents.

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available



Das Original

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 1/4/2020

Version: 1

Language: en-GB,IE

Date of print: 3/4/2020

Anaerobe Dichtstoffe eco-friendly

Material number Dichtstoffe_Anaerobe_EF

Page:

6 of 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Based on available data, the classification criteria are not met. Contains acetylphenylhydrazine, 2-Hydroxyethyl methacrylate and Cyclohexyl methacrylate. May produce an allergic reaction.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Symptoms

Can cause skin, eye and respiratory tract irritation.
With prolonged and/or frequent exposure, inflammation of the skin and mucous membranes may occur.
In case of ingestion:
Ingestion may cause nausea, weakness and affect the central nervous system.

SECTION 12: Ecological information

12.1 Toxicity

Further details: No data available

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:
No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.



Das Original

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 1/4/2020

Version: 1

Language: en-GB,IE

Date of print: 3/4/2020

Anaerobe Dichtstoffe eco-friendly

Material number Dichtstoffe_Anaerobe_EF

Page:

7 of 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 08 04 10 = waste adhesives and sealants other than those mentioned in 08 04 09

Recommendation: Dispose of waste according to applicable legislation.
Do not dispose of with household waste.
Do not empty into drains.

Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR:
not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:
Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:
not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR:
not applicable

14.5 Environmental hazards

Marine pollutant: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code: -
No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.



Das Original

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Revision date: 1/4/2020
Version: 1
Language: en-GB,IE
Date of print: 3/4/2020

Anaerobe Dichtstoffe eco-friendly

Material number Dichtstoffe_Anaerobe_EF

Page: 8 of 8

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

- H242 = Heating may cause a fire.
- H302 = Harmful if swallowed.
- H312 = Harmful in contact with skin.
- H314 = Causes severe skin burns and eye damage.
- H331 = Toxic if inhaled.
- H332 = Harmful if inhaled.
- H351 = Suspected of causing cancer.
- H373 = May cause damage to organs through prolonged or repeated exposure.
- H400 = Very toxic to aquatic life.
- H410 = Very toxic to aquatic life with long lasting effects.
- H411 = Toxic to aquatic life with long lasting effects.
- EUH066 = Repeated exposure may cause skin dryness or cracking.

Abbreviations and acronyms:

- ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- OEL: Occupational Exposure Limit Value
- AS/NZS: Australian Standards/New Zealand Standards
- CAS: Chemical Abstracts Service
- CFR: Code of Federal Regulations
- CLP: Classification, Labelling and Packaging
- DMEL: Derived minimal effect level
- DNEL: Derived no-effect level
- EC: European Community
- EN: European Standard
- EU: European Union
- IATA: International Air Transport Association
- IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
- IMDG Code: International Maritime Dangerous Goods Code
- MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
- M-factor: Multiplication factor
- OSHA: Occupational Safety and Health Administration
- PBT: Persistent, bioaccumulative and toxic
- PNEC: Predicted no-effect concentration
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
- RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
- STOT RE: Specific target organ toxicity - repeated exposure
- TLV: Threshold Limit Value
- vPvB: Very persistent and very bioaccumulative
- WEL: Workplace Exposure Limit

Date of first version: 16/3/2020

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.