Workshop Solutions

hsy


2024





3pc Insulated Cutting Set with Tool Tray **VDE** Approved





• Each component is fully insulated to

VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC • Set of three insulated cutting tools including

- cable knife, scissors, and heavy-duty pliers. Cable knife with 50mm durable stainless steel blade for efficient cable stripping whilst
- providing protection to internal wiring. · Chrome plated for resistance to corrosion. • Ideal for technicians working on
- modern hybrid and electrical vehicles (1500V DC safe live working).

Tray Size (W x D x H): 175 x 395 x 30mm.



8221 80 010

\$225.50 EXC.

Specialised Spanner Set with Tool Tray 30pc










· Contents: Stubby Combination Spanners; 10-19mm, TRX-Star* Double Ended Spanners; E6-E24, Flare Nut Spanners; 8-18mm, 3/8"Sq Drive Crow's Foot Spanners; 10-19mm.

Tray Size (W x D x H): 510 x 270 x 40mm.

8221 80 159


\$265.00 EXC.











- · Fully polished black chrome finish for resistance to corrosion.
- Features specially machined flutes in the walls of the socket which enable use on up to 85% rounded fasteners
- This not only provides added strength but also prevents damage to worn or rusted fixings.
- · Contents: 8-19mm.
- Includes knurled ring for extra grip.







EXC. GST

\$169.70

\$97.70

HSY CODE

8221 80 075

8221 80 076

DEPTH

Deep





Low Profile Socket Set 1/4"Sq Drive 15pc

Low Profile







- Low profile 6-point WallDrive® sockets.
- · Low profile 90-tooth pear-head ratchet with super slim handle
- Features flip reverse and quick release mechanism.
- Contents: Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm, 75mm Extension Bar, 90-Tooth Pear-Head Ratchet with Flip Reverse and Quick Release Mechanism.


8220 80 95<u>3</u> \$115.75 EXC.

Socket Rail Tray 1/4", 3/8" & 1/2"Sq Drive

1/4", 3/8" or 1/2" Sq Drive

test certificate.

- Steel panel with 4 x 430mm composite rails.
- Supplied with clips suitable for retaining 1/4", 3/8" and 1/2"Sq drive sockets.













- audible alarms to indicate achieved and target torque levels.
- Units feature angle mode, eliminating the need for angle gauges and protractors providing an accurate and fast way to measure torque plus angle tightening sequences
- Selectable track or peak modes and up to five user preset memories available.
- Read-outs in Nm, Ib.in, Ib.ft, kgf.m or degrees.
- · Reversible Chrome Vanadium 72-tooth ratchet.
- Accurate to +2% of wrench's stated capacity.
- Powered by 4 x AAA batteries (supplied).

HSY CODE	BRAND	RANGE	LENGTH	EXC. GST
8221 80 085	Premier Black	20-200Nm(14.7-147.5lb.ft)	610mm	\$710.65
8221 80 124	Premier	30-340Nm(22-250lb.ft)	675mm	\$831.00




- ratchet heads with smooth action mechanism.
- · Scale graduated in Nm and lb.ft.
- Calibration tolerance in accordance with BS EN ISO 6789-1:2017.
- Wrenches are individually tested to standards with $\pm 4\%$ accuracy and each wrench is issued with an individually numbered test certificate.
- · Aluminium knurled handle for comfort and control.

HSY CODE	DRIVE	RANGE	EXC. GST
8221 80 097	1/4"Sq	5-25Nm (3.7-18.5lb.ft)	\$140.00
8221 80 011A	3/4"Sq	100-600Nm (73.8-442.8lb.ft)	\$1,250.00













8221 80 084

- Designed to assist with the lifting and locating of road wheels on to vehicle hubs and intended to be used where there is no access to a vehicle lift, such as by the roadside.
- · Significantly reduces lifting strain whilst notably improving body posture.
- Supplied with four CNC machined stainless steel adaptor pegs complete with storage holder.
- · Manufactured from high quality stainless steel.
- Polypropylene and TPV rubber soft grip handle for comfort and control.
- For use on alloy or steel wheels up to 35kg.
- · Exclusive patented design.

• Fully replaceable knuckle joint*

8221 80 068

Premier Black

600mm

\$115.70

\$133.50 EXC.

Premier

LIFETIME

Low Profile Impact Socket Set 1/2"Sq Drive 13pc









- · Hardened and heat treated Chrome Molybdenum steel impact sockets with a phosphate finish for corrosion resistance.
- WallDrive® sockets allow a transfer of up to 30% more torque to the fixing.
- · Low profile sockets with a depth of just 28mm, ideal for use in any application where access is restricted.
- Suitable for use with air/electric impact guns.
- Sizes: 10-24mm



8221 80 096

\$120.00 EXC.

Impact Socket Adaptor Set 8pc













- · Manufactured from drop-forged Chrome Vanadium steel with phosphate finish for added corrosion resistance.
- Contents: 1/4"(F) x 3/8"(M), 3/8"(F) x 1/4"(M), $3/8"(F) \times 1/2"(M), \, 1/2"(F) \times 3/8"(M), \, 1/2"(F) \times 3/4"(M),$ 3/4"(F) x 1/2"(M), 3/4"(F) x 1"(M), 1"(F) x 3/4"(M).

8221 80 095

\$130.00 EXC.

Impact Adaptor & Extension Bar Set 1/2"Sq Drive 6pc







Premier

- · Chrome Molybdenum steel universal joint.
- Phosphate finish for added corrosion resistance.
- Suitable for use with any impact tool.
- Spring-ball socket retainer.
- · Contents: Extension Bars; 75, 150, 250mm, Adaptors; 1/2"(F) x 3/8"(M), 1/2"(F) x 3/4"(M), Universal Joint

8221 80 094

\$140.00 EXC.



HSY Code 8221 80 091



Impact Socket Sets 1/2"Sq Drive







*Prices are valid at the time of printing and are subject to change without notice.


- Manufactured from Chrome Vanadium steel, hardened, tempered and with a phosphate finish for added corrosion resistance
- 6-Point WallDrive® sockets allows a transfer of up to 30% more torque to the fixing.
- Colour-coded rings for fast identification.






HSY CODE	QTY	SIZES	DEPTH	EXC. GST
8221 80 093	13pc	10-24mm	Standard	\$160.00
8221 80 092	16pc	10-32mm	Standard	\$208.00
8221 80 091	16pc	10-32mm	Deep	\$295.00





















WallDrive® rings.

carry rack.

Supplied in storage/





LIFETIME

1/4", 3/8" & 1/2" Sq Drive

4-19mm

Stubby






- ABS Plastic collectors with Ø80mm magnet in non-marking cover.
- Suitable for storing nuts, bolts, screws, washers and other small parts during disassembly/assembly
- Attaches to any ferrous surface and is ideal for use on toolboxes.

HSY CODE COLOUR 8221 80 063 8221 80 062

EXC. GST \$30.00 \$30.00









- Heavy-duty, angled shafts.
- Chrome Molybdenum steel with blackened finish.
- · Comfortable soft grip handles with hammer cap.
- Contents: 200, 300, 460, 610mm.

8220 80 978

\$179.03 EXC.

TRX-Star*/Security TRX-Star*/Hex/

Ribe/Spline Bit Set 3/8" & 1/2"Sa Drive 74pc













- High quality S2 steel bits with a zinc phosphate finish
- · Hardened (58-62 HRC) and tempered for added strength.
- Includes 3/8" and 1/2"Sq drive to 10mm hex Chrome Vanadium steel bit
- Contents: TRX-Star* Bits; T20, T25, T30, T40, T45, T50, T55, T60 (1 each 30 and 75mm), Security TRX-Star* Bits; T20H, T25H, T30H, T40H, T45H, T50H, T55H, T60H (1 each 30 and 75mm), Hex Bits; 4, 5, 6, 7, 8, 10, 12mm (1 each 30 and 75mm), Ribe Bits; M5, M6, M7, M8, M9, M10, M12, M14 (1 each 30 and 75mm), Spline Bits; M5, M6, M8, M10, M12 (1 each 30 and 75mm), Drive Adaptors; 3/8"Sq x 10mm Hex, 1/2"Sq x 10mm Hex.

8220 80 927

\$262.62 EXC.

Socket Sets



Chrome Vanadium steel sockets.

 Fully polished black chrome finish with machined and lacquered surfaces.

· Knurled ring for extra grip with oily fingers.

HSY CODE	QTY	TYPE	DRIVE	SIZES	EXC. GST
8221 80 077	14pc	TRX-Star*	1/4", 3/8" & 1/2"Sq	E4-E24	\$115.70
8221 80 078	9рс	Hex	3/8"Sq	4-12mm	\$100.25
8221 80 079	10pc	Stubby Hex	1/4", 3/8" & 1/2"Sq	4-19mm	\$115.70

HSY Code 8221 80 079

Master Hex Key Set 27pc













- · Manufactured from heat treated and hardened Chrome Vanadium steel with a fully polished finish.
- Anti-slip coating for comfort and control.
- · Each key set is supplied in easy-access case for safe storage and quick key selection.

8220 80 966

EXC. \$130.00 GST

TRX-Star* Socket & Security Socket Bit Set 1/4", 3/8" & 1/2"Sq Drive 38pc









- Drop-forged Chrome Vanadium steel sockets with S2 steel TRX-Star* bits.
- Sockets heat treated and chrome plated for resistance to corrosion.
- · Fully polished black chrome finish with machined and lacquered surface.

1/2"Sq Drive - E18, E20, E22, E24.

- Knurled ring to assist gripping with oily fingers.
- Contents: TRX-Star* Socket Bits; 1/4"Sq Drive T8, T10, T15, T20, T25, T27, T30, 3/8"Sq Drive - T40, T45, T47, T50, T55, 1/2"Sq Drive - T60, Security TRX-Star* Socket Bits; 1/4"Sq Drive - T7H, T8H, T9H, T10H, T15H, T20H, T25H, T30H, 3/8"Sq Drive - T40H, T45H, T50H, T55H, TRX-Star* Sockets; 1/4"Sq Drive - E4, E5, E6, E7, E8, 3/8"Sq Drive - E10, E12, E14, E16,

\$257.25 EXC.

Flexible Magnetic Pick-Up Tool 1.5kg Capacity





- · Use with or without magnetic protection cap.
- 1.5kg Pick-up capacity from Ø10mm magnet.
- · Length: 560mm.





LIFETIME



Premier

LIFETIME







\$47.85 EXC.





















- steel construction with a smooth black oxide finish for corrosion resistance.
- Deeply serrated and hardened teeth grip the workpiece from any angle.
- Curved jaw design applies maximum pressure to all four corners of nut or bolt heads making it ideal for high torque applications.
- Feature one-hand, no-pinch, quick release grip which provides comfort and control, reducing hand fatigue and are much easier to use than traditional style locking pliers.
- · Heavily knurled nickel plated adjustment screw for extra grip with greasy fingers.
- Jaw Capacity/Length: Curved Jaw - 30/140, 45/220mm Long Nose - 60/210mm.
- Supplied in

EVA storage tray.



\$180.00 EXC.



- Chrome Vanadium steel.
- Finely ground heads with a fully polished finish.
- Serrated, machined jaws for a positive grip.
- · Long, slim design ideal for use in areas with limited access.
- · Vinyl dipped handles for comfort and control.
- Supplied in storage/hanging pouch.

8220 80 977

\$128.85 EXC.



8220 80 976

- and forged non-slip tips
- Phosphate finish for corrosion resistance.

 Vinyl dipped handles for comfort

- and control. Capacities:
- 19-60mm each. Supplied in storage/ hanging pouch.

CAPRIC (RN PREFERRED SUPPLIER

\$147.28 EXC.









Insulated Torque Wrench 3/8"Sq Drive 5-25Nm

- Chrome Vanadium steel reversible 60-tooth ratchet head.
- · Torques in both directions.
- Calibration tolerance in accordance with BS EN ISO 6789:2017.
- Accuracy of ±1% at 21°C.
- Micrometer type torque range adjustment with scale graduated in both lb.ft and Nm.
- Cold and heat resistant –40°C to +70°C.
- Fully insulated to BS EN IEC 60900:2018 to protect from electric shocks up to 1500V DC and 1000V AC.
- Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working).
- · Includes test and calibration certificate.









8221 80 011

\$1,192.00 EXC.

Hybrid & Electric Vehicle Battery Tool Kit 19pc







· Hardened and tempered Chrome Vanadium steel sockets,

ratchet wrench, spanners and accessories. • Chrome plated for resistance to corrosion. • Sockets, ratchet wrench, spanners and

bit holder fully insulated to IEC 60900 Category C standards to protect from electric shocks up to 1500V DC and 1000V AC.



8221 80 012

\$850.00 EXC.

(Premier)

LIFETIME

Insulated Socket Set 3/8"Sq Drive 9pc









Premier

LIFETIME



- Each component is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC.
- Contents: Sockets; 8, 10, 12, 13, 14, 17, 19mm, Comfort Grip Ratchet Wrench with Push-Button Quick Release, 100mm Extension Bar.
- · Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working).
- Also suitable for electricians and carpenters (1000V AC safe live working)

8221 80 006

\$480.00 EXC.

Insulated Open-End Spanner Set

7pc 8-19mm







- Each spanner is fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC.
- Sizes: 8, 10, 12, 13, 14, 17, 19mm.
- Ideal for technicians working on modern hybrid and electrical vehicles (1500V DC safe live working).
- Also suitable for electricians and other trades (1000V AC safe live working).



*Prices are valid at the time of printing and are subject to change without notice.

Premier

LIFETIME

8221 80 005 \$340.00 EXC.

Extra-Long Key Sets

2.5-8mm









Premier



- Manufactured from heat treated and hardened S2 steel with a chemically blackened finish for resistance to corrosion.
- Fitted with PP/TPR handles, keys are fully insulated to VDE and EN 60900 standards to protect from electric shocks up to 1500V DC and 1000V AC.
- 1500V DC and 1000V AC safe live working.

HSY CODE	QTY	TYPE	SIZES	EXC. GST
8221 80 007	6рс	Hex	2.5-8mm	\$132.00
8221 80 008	9рс	TRX-Star*	T10-T50	\$150.00





JACKING & LIFTING/VEHICLE SERVICE





• LCD meter draws minute currents making this tool safe to use

around delicate electronic components. • With a range of 3-48V DC,

this tool is suitable for motorcycle, car, hybrid and commercial vehicles.

· Supplied with 3m coiled cable and insulated crocodile earth clamp.

• Do not use on air bags.

8220 80 941

\$129.54 EXC.







- Removes heavy corrosion for improved electrical contact on battery terminals.
- Unique design makes spreading the battery terminal clamp easy, for quick installation.
- Ergonomic handle with a comfortable non-slip grip.
- Fits most battery clamps with Min./Max. 15-20mm clamp opening.



8221 80 098

\$45.50 EXC.











· Tests 6, 12 and 24V batteries.

temperature compensation.

• Float gauge and thermometer built-in. Tube construction with thermometer for



Battery Terminal Puller

 Mini puller with spring loaded iaws designed for removal of corroded battery clamps from terminals.

• Also suitable for removal of small gears. pulleys and bearings.

8221 80 099

\$26.00 GST



Separates the HT leads from the deep-seated spark plugs fitted to VAG vehicles.

Length: 290mm.

\$53.25 EXC.

Pneumatic Glove Tester

- Pneumatic glove tester used to carry out a pressure test on electrician's high voltage gloves.
- · Suitable for use with Model No. HVG1000VL Gloves

8221 80 016

\$770.00 EXC.





Glove not included

Spark Plug Sockets 3/8"Sq Drive 12-Point 14mm









- Designed for use where plug clearance is tight.
- Standard depth, thin wall, 12-point 3/8"Sq Drive 14mm sockets with magnetic insert to retain spark plug.
- HSY Code 8220 80 962 features a universal joint for ease of access.

HSY CODE 8220 80 960 8220 80 962

EXC. GST \$32.15 \$80.10

LIFETIME

Magnetic Spark Plug Socket Set 3/8"Sq Drive 4pc

LIFETIME

Magnetic







- Forged, Chrome Vanadium steel, 3/8"Sq drive WallDrive® sockets, polished chrome finish.
- Magnetic plug retention and external hex
- Sockets: 14, 16. 21mm, 16mm Thin-wall.
- Includes thin walled 16mm socket, for where clearance is tight.

8220 80 958

\$104.97 EXC.

Oxygen Sensor & Thread Chaser Set 5pc



- · Suitable for oxygen sensors found on most modern vehicles.
- · Cut-out and slots enable sockets to be fitted over wiring harness.
- Includes two chasers for cleaning and repairing damaged threads.

8220 80 995

\$115.00 EXC.

Clamp Bonnet Strut





- The bonnet strut support clamp is specifically designed to secure the gas strut of the bonnet and prevent potential injuries caused by bonnet strut failure.
- Securing nut keeps bonnet strut securely clamped in place.
- The bonnet strut clamp is supplied with an ergonomic plastic handle that is comfortable when operated, avoiding any discomfort or hand fatigue when in use.
- · Max. opening of 10mm fits most passenger and light commercial

bonnet struts.

8220 80 266

\$22.00 EXC.

Spark Plug Pliers 300mm



- Suitable for removal of spark plug boot on deep-seated engine applications.
- Composite handles provide insulation from HT

8220 80 961

shock and give added comfort and control.

\$51.73 EXC.

Fuel Feed Pipe Pliers



- Suitable for releasing connections on fuel pipes during maintenance or when replacing fuel filters.
- · Designed to compress the quick connect

lugs for easy removal without damaging the connector.

8220 80 989

\$74.00 EXC.







• Ideal for cleaning and decarbonising areas with limited access, especially injector apertures, before refitting.

• Supplied in sizes from Ø9 to 19mm in brass, steel and nylon.

• Features quick release extension bar for increased reach.

8221 80 141

\$100.00 EXC.

Telescopic Bonnet/ Tailgate Support 1.2m

• 3-Tier telescopic aluminium tailgate/bonnet support with tough rubber pads at each end.

· Lock in any position with a simple twist. Also used for holding

open doors, depressing clutch, brake or accelerator pedals.

8220 80 990

\$37.82 EXC.





Extendab**l**e 2.4m Wide

- 4-Tier telescopic aluminium tailgate/bonnet support with tough rubber pads at each end.
- Lock in any position with a simple twist.
- Also used for holding open doors, depressing the clutch, brake or accelerator pedals.
- · Length 2.4m.
- Max capacity 17.14kg fully extended.

8221 80 154

\$72.00 GST

Swivel Jaw Filter Pliers 57-120mm





- Jaws swivel up to 90° to give access to awkwardly positioned oil and fuel filters.
- Chemically blackened finish to prevent corrosion and non-slip grip for added comfort and control.

8220 80 955

\$136.36 EXC.



- Steel jaws with PVC coated handles for added comfort.
- Each handle features a 1/2"Sq Drive for use with a torque wrench and breaker bar where vehicle maker demands specific band 8220 80 986 tensions.

 Suitable for all ear-type CVJ boot clips.

• Length: 240mm.

\$92.00 EXC.

Hose Clip Pliers Set 2pc



- Heavy-duty construction with PVC dipped handles for added comfort and grip.
- Special 'V' slot and cross slot laws for installation and removal of tag and wire type hose clips.
- Pliers with ratchet locking mechanism for ease of use on lower 8220 80 985
- radiator hoses. · Swivel jaws allow use where access is confined.
- · Length: 220mm.

\$67.00 EXC.



- Spring loaded pliers, for fitting and removing hoses fitted with constant pressure type hose clips.
- Designed to be used front or side facing, making the tool fast and effective to use.
- · Slots in 16mm jaws, locate and secure hose clip ends into position.

8221 80 067

\$89.65 EXC. · Can also be used as a traditional set of pliers. • Length: 205mm.

Hose Clamp Removal Tool



- For releasing HENN clamps used on coolant and turbo charger hoses.
- Applications: BMW, Citroen, Fiat, Ford, Kia, Lexus, Mazda, Mercedes, Nissan, Porsche, Peugeot,

VAG, Vauxhall/Opel

and Volvo.

8220 80 984

\$72.00 EXC.



- Designed to remove seized CV joint from hub assembly.
- · Comfort grip handle and impact strike point allows fast effective method of loosening difficult contacts.
- · Reversible guide head covering 21mm and 25mm provides stable alignment when striking the ${\sf CV}$ joint.


8221 80 018

\$87.90 EXC.

CAPRIC (RN PREFERRED SUPPLIER









- · Manufactured from Chrome Vanadium steel.
- · Designed for easy-access on engine

8220 80 988 sump bolts.

· Suitable for a variety of VAG vehicles.

· Length: 235mm.

\$50.00 EXC.

VAG engines.

· Features T-handle for quick operation.

T-Handle Oil Drain Plug Key for VAG



• Designed specifically for the plastic sump plugs found on the VAG TFSi engines.

8220 80 055

· Also designed for use on the cam cover of new 1.6 and 2.0 twin cam diesel

\$38.08 EXC.

Diesel Oil Filter Remover for Ford, Jaquar, Citroen, Peugeot 2.0D/2.2D





housing on Ford, Citroen, Peugeot 2.0D/2.2D HDi/TDCi diesel engines (DW10C, DW12C) and Jaguar XF 2.2D from 2012 onwards.

 Allows access to the hard-to-reach 27mm hex located on the filter cap. • Use with 1/2"Sq

drive wrench.

8220 80 163

\$62.95 EXC.

Digital Tyre Inflator with Clip-On Connector

0-150psi

- · Die-cast body and digital type gauge with rubber protector.
- Displayed in psi, bar, kPa and kg/cm².
- Range: 0-10bar(0-150psi). Display Type: backlit LCD.
- Fitted with 500mm rubber hose and single clip-on connector.
- Batteries: 2 x AAA (supplied).
- Inlet Size: 1/4"BSP.



\$141.00 EXC.

Digital Tyre Pressure Gauge with Swivel Head & Quick Release

0-150psi

- Die-cast body and digital type gauge with rubber protector.
- Displayed in psi, bar, kpa and kg/cm².
- · Auto-power-off function.
- Rigid type swivel head with quick release.
- Range: 0-150psi.
- Requires 2 x AAA batteries (supplied).

8221 80 114

\$68.50 EXC



Pocket Type Tyre Tread Depth Gauge



Scale from 0-25mm in 1mm(0-1" in 1/32") graduations.

MM & IMP 8220 80 992

\$12.00 EXC.

Disc Brake Piston Spreader Tool

HEAVY DUTY

- · Heavy-duty design with internal bearings and force screw action insures effortless and even force distribution.
- · An essential tool for retracting the brake piston to allow insertion of new brake pads.
- Suitable for most 1, 2, 4 and 6 piston configurations found on ATE, Bendix, Brembo, Delco and Girling calipers.
- · Black Phosphate finish.
- Maximum Spread: 120mm.



8220 80 264A

\$400.00 EXC.

Double Ended Impact Socket Set 1/2"Sq Drive 5pc









- standard whole size sockets. · Half sizes allow secure fitment for safe removal.
- Double ended 80mm impact sockets 1/2"Sq Drive 6-point.
- Sizes: 80mm Sockets: 18.5 x 19.5, 19 x 21, 21 x 21.5. 22 x 22.5mm, 1/2"Sq Drive Extension; 75mm (3").
- Black phosphate finish.



8220 80 996

\$182.80 EXC.

Double End Brake











Bleeder Spanners



• Fitted with neoprene rubber seals which stops air being put into the system.

• Colour-coded for easy size identification.

HSY CODE SIZES EXC. GST 8221 80 142 8 x 9mm \$69.00 8221 80 143 10 x 11mm \$69.00



Strut Leg Pry Socket Set



Extra-Deep Socket Set 3/8"Sq Drive 5pc





- Manufactured from Chrome Vanadium Steel for added corrosion resistance.
- Single Hex 6pt 120mm long sockets.
- Extra-deep socket set which is useful for deep-seated bumper, body panel, rear lamp and door hinge fittings.
- · Can also be used for parking brake cable adjustment on BMW, Ford, VAG and Vauxhall/Opel. • Sizes: 8, 10, 12,

13, 14mm.

8221 80 134

\$142.35 EXC.

Double Ended Impact Socket 1/2"Sq Drive







- Double ended 18.5/19.5mm, 80mm impact socket 1/2"Sa drive.
- Designed for easy removal of wheel bolts/nuts with missing or distorted caps.
- Suitable for Ford, GM, Jeep, Chrysler.

8220 80 996A

- Thin-wall design to fit a wide range of applications.
- · Black phosphate finish.

SEALEY

EXC.

\$**59.20** GST

1/2"Sq Drive 2pc LIFETIME Reduces risk of damage to hub casting. • Includes two sizes of pry socket: 7 x 5mm and 8.2 x 5.5mm. · Suitable for removal and 8220 80 782 installation of strut legs on EXC. most Audi, Ford, Peugeot, Renault, Seat, Skoda, VW.

Alloy Wheel Impact Socket Star Profile for Mercedes 1/2"Sq Drive







 Manufactured from Chrome Molvbdenum with protective sleeve. • Size: 17mm.

8220 80 133

\$45.00 EXC.

Ball Joint Splitter 20mm



8220 80 940

 Forged steel body with chemically blackened thrust and adjustment screws for corrosion resistance.

· Fully adjustable. · Jaw Width: 20mm.

\$83.48 EXC.

Heavy-Duty Wiper Arm



- Heavy-duty construction with locking feature allowing secure fastening to the wiper arm before commencing
- With swivel mounted thrust bearing and tommy bar, the tool releases the most stubborn wiper arms.
- · Also suitable for battery terminal and alternator bearing removal.

Maximum

Opening: 28mm. Maximum Collar Size: 43mm.

8220 80 964

\$64.37 EXC.

Adaptive Cruise Control Adjustment Tool for VAG



- · For adjusting the adaptive cruise control (ACC) RADAR unit.
- Equivalent to VAG tool VAS6190/2.
- · Manufactured from Chrome Vanadium with satin 8220 80 963 finish

• Shaft Length:

230mm · Overall Length: 256mm.

\$27.16 EXC.

Removal Tool • Cast housing with ball-end thrust bolt for 8220 80 965 the fast and safe removal of \$43.56 EXC. taper mounted windscreen wiper arms.

Wiper Arm



· Compact, double end tool with pocket-clip.

Washer Jet Tool

· Screwed caps house a pointed scribe for cleaning and clearing washer jets at one end and finer probe for adjusting position of jets at the other.

8220 80 948

 Heavily knurled body for sure handling.

Overall Length: 104mm.

\$26.15 EXC.

CAPRIC (RN PREFERRED SUPPLIER








- · Used to remove and install the exterior door handle. • Suitable for a
- variety of VAG vehicles 8220 80 987 including VW Arteon, Atlas, Caddy, Passat, Tiguan, Touran, Audi Q2
 - \$42.00 EXC.







- Useful 2-piece set with chrome finish shafts and comfort grip handles.
- Ideal for the removal of coolant hoses, O-rings and seals.

8220 80 099

\$33.99 EXC.



- Six long reach picks with black finished steel shafts.
- · Contents: Straight, Right Angle, Half-Round, Swan Neck, 45°/90° Tip, 40°/45° Tip. 8220 80 947
- · Suitable for pin/clip picking and the removal of

\$59.54 EXC. O-rings and seals. · Length: 235mm.



- trim stud removal
- Manufactured from resilient nylon to minimize panel damage and marking.

8220 80 991

 Includes 11 trim and upholstery tools, and

trim hammer. Supplied in a heavy-duty

storage pouch.

\$78.72 EXC.

HEAVY DUTY





- Convenient thumb lever pulley ratchet system.
- For hanging parts such as calipers and exhausts without the need for removing components. Can also be used to tie down

general items in the workshop and at home.

 Breaking strength 68kg.

8221 80 135

\$45.00 EXC.



- Heavy-duty twin leg bar type pullers.
- Easy removal of pulleys, flywheels, bearings and gears.
- Drop-forged Chrome Vanadium steel.
- Heat treated for added strength.
- Zinc plated for corrosion resistance.
- Thrust bearing prevents wear and damage to shaft.

HSY CODE	SIZE	EXC. GST
8220 80 942	80 x 100mm	\$62.39
8220 80 943	120 x 100mm	\$80.06
8220 80 944	150 x 150mm	\$144.22
8220 80 945	200 x 150mm	\$197.10



LUBRICATION/STORAGE & WORKSHOP

Engine Oil Funnel Sets







- Fastens and seals into the engine filler with manufacturer specific adaptors.
- Covering a large proportion of modern vehicles.
- · Hands-free operation with no mess or spills.
- See instructions on www.sealey.co.uk for complete list of vehicle applications.

HSY CODE	QTY	APPLICATIONS	ADAPTORS	EXC. GST
8220 80 967	4pc	BMW, Mercedes-Benz	1; Twist Fitting - Ø51mm, 2; Clip Type - 38mm	\$130.90
8220 80 973	5рс	Audi, Seat, Skoda, Volkswagen	1; Knob Type - 39mm, 2; Clip Type - 38mm, 3; Twist fitting - Ø45mm	\$130.90

Push Type Mini Grease Gun







- Used to lubricate impact wrenches.
- · Die-cast aluminium head.
- Two threaded pockets for spare nozzles.
- · Includes 0.7mm, 1mm and 1.4mm nozzles.
- · Bulk fill only.
- Easy one-handed operation.

8221 80 086

\$76.15 EXC.

Collapsible Magnetic Parts Tray - Set of 3

Magnetic





- Manufactured from oil resistant silicone.
- Trays collapse down making them easy to store.
- Inside of the trays are fully magnetic, ideal for storing nuts, bolts, screws, washers and sockets during disassembly/assembly.
- Soft silicone base for added grip and less chance of scratching surfaces.
- Open Dimensions: Large Tray (W x D x H); 280 x 180 x 60mm, Medium Tray (W \times D \times H); 150 \times 130 \times 50mm, Small Tray (W x D x H): 130 x 80 x 50mm.


 Folded Dimensions - Large Tray (W x D x H); 280 x 180 x 30mm, Medium Tray (W x D x H); 150 x 130 x 20mm, Small Tray (W x D x H); $130 \times 80 \times 20$ mm.

8221 80 058

\$80.50 EXC.

Magnetic Cable Tie Holders

Magnetic



• Three compartments for varying lengths of cable ties.

• Three magnetic fixings with rubber pads to


Supplied with 200 cable ties in three sizes





HSY CODE COLOUR EXC. GST 8221 80 120 \$80.00 8221 80 120A \$80.00

Magnetic Impact Wrench Holder







- Ideal for holding 1/2"Sq drive impact wrenches, also allows four sockets up to 1/2"Sq drive to be stored.
- A hook at the base of the holder can be used for convenient storage of air hoses, torque wrenches, ratchet wrenches and other such accessories.
- Capacity: 15kg.



\$85.00 EXC.







· Steel cable tie holders.

prevent slipping.

100, 160, 300mm.

• Attaches to any ferrous surface.

• Industrial powder coated finish.

Rechargeable 360° Inspection Light 10W & 2 x 4W SMD LED









- Unique and innovative 360° swivel and tilt function enables the light source to be positioned in any direction.
- Super bright 10W SMD LED light produces 1000 lumens and a smaller 4W SMD LED which produces 400 lumens.
- Includes an additional high power 4W LED directional torch.
- Features a swivel hook and rubber covered magnet which allows hands-free operation.
- Rechargeable high quality 3.7V 2600mAh Lithium-ion battery
- · Inspection arm can be folded 270°.
- High-impact IK07 Rated.
- Charges via a USB Type-C cable (supplied).



8221 80 160

\$160.00 EXC.

Mini Super Beam Aluminium Hand Torch 3W COB LED





- · Side-mounted push-button to switch between two brightness settings of 100 or 300 lumens.
- Press and hold button for 500 lumens super beam.
- · Features a magnet on the end, along with a metal belt clip on the back for hands-free operation.
- Battery: 3.7V 600mAh lithium-ion.
- · Charging Time: 2.5hr.
- Operating Time (High/Low): 1.5/3hr.
- · Micro USB charging port.

8221 80 161

\$55.00 EXC.





*Prices are valid at the time of printing and are subject to change without notice.



1300 133 129 hsy.com.au



LLS" fasteners respectively. TORX PLUS" are registered trademarks of Acument Itleflectual Properties. LLC