

TQB Brands Pty Ltd
PRICED PRODUCT
GUIDE



Established 1984
Trusted by Australia's trade for more than

VALID THROUGH TO MARCH 31 2025

# TORSIOP HOUR H

# 79 TRADE OUP the trusted brand in equipment

# Portable Evaporative Cooler 750W

- One-piece moulded polyethylene housing will not crack and is rust and leak proof.
- Environmentally-friendly alternative to traditional reverse cycle A/C.
- Cools where traditional cooling methods are impractical or cost prohibitive.
- Easy to read water level sight tube gauge.
- Dual pour in refill water inlet and/or 3/4" hose fitting for automatic tap refill.
- Direct drive. LCD 24hour timer panel.
- Nylon castors for easy portability.
- · Remote control speed adjustment.

240V/50Hz/750W 3 speed motor
Max. air flow: 23,000 m3 per hour
Water consumption: 12-18 ltr. per hour
Effective cooling area: 150-200sqm
Water tank capacity: 130 Litres
1730H x 1120W x 680Dmm

Weight: 63kg

1035T













# **Portable Evaporative Cooler 750W**

1029T TRADEQUIP

240V/50Hz/750W 3 speed motor MADE FOR THE Max. air flow: 23,000 m3 per hour Water consumption: 20-35 litres per hour Effective cooling area: 200-260sqm Cooling area: 200-260m2

Water tank capacity: 200 Litres 1800H x 1600W x 780Dmm

Weight: 128kg

# **UPGRADED 5 BLADE DESIGN INCREASING**



**Nylon Castors for** easy portability

Remote Control Timer Panel

#### TRADEQUIP EVAPORATIVE COOLERS FEATURES & RENEEITS

Moulded polyethylene housing will not crack and is rust & leak proof. Environmentally-friendly alternative to traditional reverse cycle A/C.

Cools without chemicals or refrigerants.

Long-term dependability. Near maintenance free operation.

Cools where traditional cooling methods are impractical or cost-prohibitive.

Remote control speed adjustment. Direct drive. LCD 24 hour timer panel.

Easy to read water level sight tube gauge.

Dual pour in refill water inlet and/or 3/4" hose fitting for automatic tap refill.

Adjustable water flow & drain valve. Nylon castors for easy portability.



# **Portable Evaporative Cooler 550W**

MADE FOR THE

1027T TRADEQUIP

240V/50Hz/550W 3 speed motor Max. air flow: 18,000 m3 per hour Effective cooling area: 100-150sqm Water consumption: 12-18 litres per hour

Water tank capacity: 100 Litres 1510H x 1120W x 680Dmm

Weight: 58kg





Remote Control Timer Panel



**Excludes GS1** Inc. GST \$1483.90



# Cooler Cover

1035T-CO TRADEQUIP

Water-resistant fabric Lightweight and breathable UV treated and Easy to use To protect 1027T, 1028T and 1035T TradeQuip Portable Evaporative Coolers when not in use.





# **Portable Evaporative Cooler 750W**

1035T TRADEQUIP

240V/50Hz/750W 3 speed motor Max. air flow: 23,000 m3 per hour Effective cooling area: 150-200sqm Water consumption: 12-18 litres per hour

Water tank capacity: 130 Litres 1730H x 1120W x 680Dmm Weight: 63kg

Synchronous Function



Remote Control







MADE FOR THE





Apply

# **Portable Industrial Spot Cooling** Air Conditioners TRADEQUIP

Code	1031T	1032T	1033T
Power Unit	240V 50Hz	240V 50Hz	240V 50Hz
Rated Power	950W	2000W	3000W
Mains Plug	10 Amp	15 Amp	15 Amp
Cooling Capacity	2.7KW/9200Btu	4.5KW/15300Btu	6.5KW/22200Btu
Max. Air Flow	400m3 p/hr	800m3 p/hr	1200m3 p/hr
Noise Level	55dB(A)	60dB(A)	65dB(A)
Operating Temp.	18º - 45º C	18º - 45º C	18º - 45º C
Suction Pressure	2.5Mpa (Max.)	2.5Mpa (Max.)	2.5Mpa (Max.)
Discharge Pressure	4.5Mpa (Max.)	4.5Mpa (Max.)	4.5Mpa (Max.)
Dimensions	855Hx430Wx405D	1035Hx520Wx480D	1245Hx640Wx560D
Excl. GST	\$1299	\$2499	\$3799
Incl. GST	\$1428.90	\$2748.90	\$4178.90



#### TRADEQUIP INDUSTRIAL AIR CONDITIONERS FEATURES & BENEFITS

TRADEQUIP INDUSTRIAL AIR CONDITIONERS FEATURES & BENE Compact yet powerful. Wide operating range of 18°- 45°C. Single duct system for easy installation. Capillary tube construction for simplicity. 5 Litre self-contained condensation tank for easy removal and emptying. Heavy duty compressor with automatic restart and short cycle protection. Motors and compressors have overload protection.

Durable and long lasting steel construction.

Heavy duty locking castors and handles for easy manoeuvrability.

Easy to use plug in and place the hot air duct out of window/door or into false ceiling.

TradeQuip "Made for the Trade" Portable Air Conditioners offer a quick spot cooling solution with strong air flow and easy installation.





## **Industrial Ventilation Fans**

TO TRADEQUIP

Code	1025	1056	1141T
Fan Diameter	300mm	400mm	450mm
Voltage	240V 50Hz	240V 50Hz	240V 50Hz
Power	520W	1100W	1700W
Speed	2800rpm	2800rpm	2800rpm
Noise Level	92db2 (A)	92db2 (A)	92db2 (A)
Air Delivery	60m3per minute	96m3per minute	162m3per minute
Static Pressure	343Pa	700Pa	972Pa
Excl. GST	\$295	\$735	\$869
Incl. GST	\$324.50	\$808.50	\$955.90

These TradeQuip "Made for the Trade" Industrial Ventilator Fans air out rooms, circulate air or dry wet areas with a powerful air output of 60m³ per minute. Features include an ergonomic handle for effortless transport and an aluminium blade with steel housing construction for long lasting durable performance. Complete with 5 metre flexible ducting.

**WARNING: NOT INTENDED FOR DUST EXTRACTION** 

MULTI-BLADE ALLOY FANS



Also available separately 5m Flexible Ducting 300, 400 & 450mm diam. 10m Flexible Ducting 300mm diameter only

**Industrial Pedestal** Misting Fan 650mm

1182T TRADEQUIP

240V/50Hz/230W 3 speed motor 90° Oscillation

Water shortage protection. Drop the temperature: 2-8°C

Adjustable mist-Exit Vol: 0-16KG/Hr Effective spray distance: 8-10mtr

Suitable for cooling people, stockbreeding or greenhouse applications.

Excludes GST Inc. GST \$658.90

## FEATURES

Great for workshops and factory floor areas. Adjustable height to 1.8m and 3 speed operation.

Large water storage tank & integrated water reservoir.



# No mess drip water collector.

Heavy duty base for safety and stability.

Low pressure water pump for reliability and

longevity. Automatic shut-off when water tank is empty.



# **Industrial Wall Mounted** Fan 750mm

1026 TRADEQUIP

240V/50Hz/280W 3 speed motor 750mm cast alloy 3 blade fan 0° to 90° oscillating angle Air flow: Up to 300m3/min Noise level: 86dB(A)

Excludes GST Inc. GST \$231.00

Cast aluminium 3 spoke fan blade.

Adjustable tilt and High air flow. Metal oscillating gears. Heavy duty wall mounting bracket

**FEATURES** 

Cast aluminium blade



Includes sturdy wall mount bracket

Chrome steel cage

# Industrial Pedestal Fan 750mm

1015 TRADEQUIP

from

Excludes GST

Inc. GST \$324.50

240V/50Hz/280W 3 speed motor 750mm aluminium 3 blade fan Adjustable height: 1235-1760mm (Blade centre)

0° to 90° oscillating angle or fixed Air flow: Up to 300m3/min Cast

**Excludes GST** Inc. GST \$231.00



aluminium blade

> Chrome steel cage

2280

#### **FEATURES**

Rugged and dependable Direct drive motor requires less power and less maintenance compared to other motors.

Durable all-metal construction with black finish

chromium (finger safe) steel grille. Aerodynamically balanced 3 spoke aluminum blades for maximum airflow and motor efficiency.
Adjustable tilt to direct air where you need it.

Cast Iron heavy duty base for stability. Metal oscillating gears.

Cast Iron heavy duty base for stability

# **Industrial Portable Floor Fan 450mm**

1045 TRADEQUIP

240V/50Hz/220W 3 speed motor 450mm steel 3 blade fan Adjustable flow angle Air flow: 142sam per min

Noise level: 69dB(A)



**Excludes GS1** Inc. GST \$170.50



**FEATURES** 

The enclosed direct drive motor is protected from dust and debris to provide years of reliable service.
The 3-speed switch gives you control over

the airflow, and vertical tilt helps you control angle. Solid metal construction with durable steel blades

steel cage

MADE FOR THE

TRADE

# WORKSHOP TROLLEYS

MADE FOR THE

MADE FOR THE



**Workshop Trolley (Polymer)** 

6045 TRADEQUIP

Safe working capacity: 226kg 3 x 100mm deep shelves 125x30mm smooth rolling rubber swivel castors 75kg tool tray capacity 875L x 430W x 830Hmm

**Excludes GST** Inc. GST \$289.30 **FEATURES** Deep shelves for plenty of storage.
Will not dent, rust or chip. Convenient push handle.
Two swivel and two fixed smooth rolling rubber castors.
No painting required. Cleans easily. Virtually maintenance free

# **Workshop Trolley 3 Tool Trays**

6004 TRADEQUIP

Safe working capacity: 150kg Powder coated .6mm steel 100mm composite castors 845L x 410W x 780Hmm

**Excludes GST** Inc. GST \$188.10

MADE FOR THE TRADE

**FEATURES** 

This three shelf workshop tool trolley is durable enough for moving tools and car parts. Deep shelves give you plenty of storage for your tools and parts.

Capacity MADE FOR THE

150kg

# **Workshop Trolley 2 Tool** Trays & 1 Drawer

6012T TRADEQUIP

Safe working capacity: 100kg One lockable drawer 100mm composite rubber castors Two 100mm deep shelves 770L x 370W x 830Hmm

**Excludes GST** Inc. GST \$295.90

FEATURES

Heavy gauge steel construction.
Quality 35mm ball bearing slide drawer.
Side handle for comfort and control.
Tough enamel finish.



**Workshop Trolley (Polymer)** 

6042T TRADEQUIP Safe working capacity: 226kg Tray: 900L x 600W x 65Hmm

Excludes GST

TRADE Tray capacity: 113kg (each) Smooth rolling rubber castors: 125D x 25Wmm Ground clearance: 140mm Weight: 22kg Inc. GST \$361.90 **FEATURES** Two deep and wide shelves for plenty of storage.

Convenient push handle. Virtually maintenance free.

Two swivel and two fixed smooth rolling rubber castors.

Will not dent, rust or chip. No painting required. Cleans easily.

# **Workshop Trolley (Polymer)**

6043T TRADEQUIP

Safe working capacity: 226kg Tray capacity: 76kg (each) Trav: 900L x 600W x 65Hmm

Smooth rolling rubber castors: 125D x 25Wmm

Ground clearance: 140mm Weight: 33.5kg

**Excludes GST** Inc. GST \$416.90

FEATURES

Excludes GST

Inc. GST \$401.50

Three deep and wide shelves for plenty of storage.
Convenient push handle. Virtually maintenance free.
Two swivel and two fixed smooth rolling rubber castors.
Will not dent, rust or chip. No painting required. Cleans easily.

**Workshop Trolley (Polymer)** 6046 TRADEQUIP

MADE FOR THE Safe working capacity: 226kg 8 Parts bins 241x152x127mm 24 Parts bins 165x101x76mm 125x30mm rubber swivel castors 85kg tool tray capacity 1000L x 435W x 850Hmm

Deep shelves give you plenty of storage for your tools and parts. Industrial grade castors. Will not dent, rust or chip. Convenient push handles. No painting required. Cleans easily.









# TRANSMISSION LIFTERS





# **Underhoist Auxiliary Stand 680KG**

1198T TRADEQUIP

Safe working capacity: 680kg Height: 1370-2045mm Base diameter: 300mm Weight: 16.5kg



#### FEATURES

ast and safe technology for professional

Heavy gauge steel frame prevents distortion or twisting. Provides partial support for components -

Provides partial support for components - NOT designed to support the vehicle. Foot pedal allows easy load movement and hand free operation. Quick action adjustable height mechanism. Sold individually recommended only to be used individually.

**Excludes GST** Inc. GST \$214.50

Hands free foot pedal operation

MADE FOR THE

height 2045mm

680kg Capacity

# Product information



Scan code to go to our **Top Tips Transmission** Lifter Guide and learn how to extend the life of your TQB Brands eauipment



Visit our webpage www.tqbbrands.com.au for instructional & pre-start videos.







# 6007T TRADEQUIP

Safe working capacity: 500kg Working height: 440-1575mm Table size: 1010L x 520Wmm

Wheel diameter: 150mm Dimensions: 1130L x 520W x 1260Hmm



Double Scissor High Lift.
Foot-operated hydraulic pedal
keeps your hands free.
Quick release hand lever for easy, controlled hydraulic release. 2 locking heavy duty swivel castors Powder coated for extra protection.
Perfect for moving heavy parts to





500kg Capacit



# **Scissor Lift Workshop Trolley 450KG**

FEATURES

pedal. Quick release hand lever.

nds free foot-operated hydraulic

eavy duty oil-resistant nonslip mat.

weder coated all steel construction.

Perfect for moving heavy parts to

6003T TRADEQUIP

Safe working capacity: 450kg Working height: 280-875mm Table size: 500 x 810mm Wheel Diameter: 125mm

Dimensions: 1140L x 515W x 995Hmm



Excludes GST Inc. GST \$987.80



FOLDABLE HANDLE

# Scissor Lift Workshop Trolley 300KG

# 6008T TRADEQUIP

Safe working capacity: 300kg Working height: 350mm-1285mm Table size: 820L x 520Wmm



**Excludes GST** Inc. GST \$1153.90

# **FEATURES**

Hands free foot-operated hydraulic

Heavy duty oilresistant nonslin mat wder coated all el construction Perfect for moving parts to vehicles.



# Scissor Lift Workshop Trolley 500KG

6009T TRADEQUIP

Safe working capacity: 500kg Working height: 265mm-865mm Table size: 820L x 520Wmm

MADE FOR THE TRADE

# FEATURES

Hands free foot-operated pedal. Quick release hand lever for easy, controlled release.
Heavy duty oilresistant nonslip mat
Powder coated all
steel construction.
Perfect for moving parts to vehicles



**Excludes GST** 

# Scissor Lift Workshop Trolley 225KG

6010T TO TRADEQUIP

Safe working capacity: 225kg Working height: 225mm-710mm Table size: 708L x 450Wmm

MADE FOR THE TRADE

#### **FEATURES**

Hands free foot-operated pedal. Quick release hand lever for easy, controlled release Heavy duty oilesistant nonslip mat lowder coated all teel construction. erfect for movina parts to vehicles





# Steel Workbench

1014T TOTRADEQUIP

Safe working capacity: 90kg Work surface: 1510x700mm Raised edge height: 50mm 1520L x 710W x 830Hmm Weight: 48kg

Sturdy steel construction. High gloss enamel paint finish. Raised protective edge to work surface.
Adjustable feet for levelling on uneven floors. Quick and easy to assemble. Easily wipe dirt and grime from surface with a soft cloth.

50mm 1520mm edge

90kg capacity

**Excludes GST** Inc. GST \$581.90

MADE FOR THE

# 3 Drawer Steel Workbench

1012T TATRADEQUIP

Safe working capacity: 300kg Heavy duty steel construction High gloss enamel paint finish Includes bottom shelf & 3 locking drawers Each drawer holds up to 50kg 2000L x 860H x 640Wmm

Manufactured from high quality, heavy-duty steel and features a large surface for more work space and an extended lip around the surface of the table.
The tough high gloss enamel paint finish

is designed to provide years of protection against normal wear and tear.





## Mobile Bench

1073T TRADEQUIP

Safe working capacity: 300kg Work surface: 1100 x 700mm 1100L x 700W x 830H mm Weight: 60kg

#### FEATURES

Sturdy steel construction. High gloss enamel finish. Quality castors - two fixed and two locking swivel. Heavy-duty handle.

**Capacit** 

Versatile and undeniably strong, TradeQuip workbenches are developed with sophisticated designs to endure demanding industry and heavy duty commercial applications.

# VADE FOR THE Excludes GST Inc. GST \$762.30

# Mobile Workbench

6047 TRADEQUIP

Safe working capacity: 250kg Bench top capacity: 150kg Bench top: 1200L x 640Wmm 1200L x 640W x 875H mm Shelf: 1110L x 460Wmm

Shelf capacity: 100kg Weight: 56.5kg

#### **FEATURES** Heavy duty rolled edge

steel construction. Convenient removable drain bowl. 13mm benchtop rim to contain leaking fluids when working on engines Quality castors (2 swivel with brake). Lockable steel drawer with ball bearing slides. High gloss enamel paint



**Excludes GST** Inc. GST \$782.10

1200mm

250kg 875mm Gapaciti ideal for Engine and Transmission Rebuilds

# **Steel Wall Mounted Tool Cabinet**

1011T TATEQUIP

Thickness: 1mm Steel Sheet Lockable cupboards: 3 Adjustable shelves: 6 Peg board hooks: 6 1200L x 600H x 200W mm

Weight: 19kg

MADE FOR THE

1200mm

**FEATURES** Three compartments each have 2 adjustable shelves. Perforated & slotted back

anel to allow for the anging of tools. High gloss enamel paint. Includes mounting brackets

Excludes GST 3 lockable



Inc. GST \$239.80



doors

# WORKBENCHES/STORAGE

# **Mobile Workshop Table**

6024T TRADEQUIP Safe working capacity: 45kg Working height: 930-1270mm Castor wheel diameter: 75mm

Top dimensions: 809L x 475W x 42Hmm Main tray dimensions: 580L x 308W x 38Hmm Overall dimensions: 870L x 755W x 942Hmm

Weight: 19.5kg

#### **FEATURES**

The Heavy Duty steel construction Easily handles loads up to 45kg. Solid composite rubber castors. ole height adjustment gives you plenty otions for lowered cars or SUV's.

Excludes GST Inc. GST \$383.90



#### **Workshop Trolley 2 Drawers** & Lockable Sliding Top **Excludes GST**

6019T TRADEQUIE the trusted brand in equipment

Safe working capacity: 100kg Two lockable drawers & top 100mm composite rubber castors Two 75mm deep shelves 700L x 370W x 760Hmm



#### FEATURES

Heavy gauge steel construction with

neavy gauge steer construction man lockable sliding top. Quality 35mm ball bearing sliding drawers, which are locked when top is closed. Side handle for comfort/control when moving. Tough enamel finish.

Non slip rubber tool tray liners



Inc. GST \$410.30

# **Mobile Workshop Table with Drawer**

6056T TRADEQUIP 340x300x45mm drawer

Adjustable from 860-1200mm high Includes drawer and top tray liner 80kg Distributed load capacity 730x500x25mm top tray

#### FEATURES

Height adjustable for most vehicles. Ball Bearing wheels for easy moving.

Multi-functional top table with 3 compartments and 6 screwdriver holes. Top EVA mat for skid Extra drawer for more storage room.



# **Workshop Trolley 4 Drawers** with Lockable Top Includes bottom shelf

6052 TRADEQUIP

Working load limit: 260kg Heavy duty steel construction High gloss enamel paint finish Non-slip rubber tool tray liners



Quality ball bearing slide drawers that are locked when top is closed Two heavy-duty locking castors for control and stability.

> Excludes GST Inc. GST \$492.80




and 4 locking drawers 850L x 445D x 972Hmm

# 22 Bin Parts Storage Rack



Working load capacity: 100kg 15 parts bins: 345x105x75mm (3kg load capacity) 4 parts bins: 345x140x150mm (5kg load capacity) 3 parts bins: 345 x 205 x 150mm (8kg load capacity)

880L x 410W x 950H mm









# **36 Bin Parts** Storage Rack

6054 TRADEQUIP

Working load capacity: 200kg 15 parts bins: 345x105x75mm (3kg load lapacity) 12 parts bins: 345x140x150mm (5kg load lapacity) 9 parts bins: 345 x 205 x 150mm (9kg load lapacity) Swivel castor diameter: 100mm 880L x 410W x 1705Hmm

MADE FOR THE

Excludes GST Inc. GST \$720.50

#### **FEATURES**

Sturdy nine-tier steel powder coated rack Zinc plated wire shelving with bin locating guides. Quick & easy clip together adjustable shelves. Stackable bins made of moulded polypropylene. Ideal for garage, workshop, office, shed. Powder coat frame resists corrosion. Quality swivel castors (2x lockable). Convenient access to removable bins



# Garage Jack 3,000KG Low Profile

2906T TRADEQUIP

Working load limit: 3,000kg Height: 118 - 488mm Handle length: 1400mm

Front wheels: 90mm dia 40mm width Rear castors: 60mm dia 25mm width

Saddle diameter: 115mm Dimensions: 670L x 380W x170Hmm Weight: 43kg

#### **FEATURES**

Low profile and deep reach. Heavy gauge steel construction. 1400mm long handle for deeper reach. Quick Lift Dual Pump technology. Internal bypass valve overload protection. Lead-free paint finish to ensure a longlasting finish and prevent rust. Paint is oil, grease and dirt-resistant.
Protective foam handle cover prevents vehicle damage.



3000kg Capacity





Excludes GST Inc. GST \$548.90



technology

25 kg

Capacit

# **Mechanics Creeper Caddy**

TQTC1220 TRADEQUIP Safe working capacity: 25kg Tray depth: 43mm (inner) Swivel castors: 4x 50D x16Wmm 435L x 400W x 120Hmm (castor included)



height

Easy to clean finish that is oil and solvent resistant and won't rust. 4 smooth-rolling swivel castors. Impact resistant polymer plastic. Built-in parts/tool storage compartments.



# Car and 4WD Jack Stands

TRADEQUIP

#### **FEATURES**

Constructed of high-grade steel & built to exacting standards for quality & durability. Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup. Quick action adjustable height mechanism. Double le

Double-lock safety pin design for extra safety and security. (1128T & 1148T). Welded steel frame & cast iron support. Adjustable height.

Reinforced shaft for added strength stability. Sold in pairs and only recommended to be used in pairs.



Code	1128T	1148T	1162T
Load limit	2,000kg	4,000kg	8,000kg
Min. Height	285-428mm	395-605mm	468-715mm
Base Area	206x186mm	287x252mm	324x294mm
Excl. GST	\$99	\$174	\$295
Incl. GST	\$108.90	\$191.40	\$324.50

# **Ratcheting Positioning Jacks**

Safe working capacity: 680kg each Max. distance between rollers: 710mm Min. distance between rollers: 340mm Suits tyres up to: 280mm (W) Swivel castors: 100mm

MADE FOR THE Heavy duty nylon swive castors

FEATURES
Steel construction with metal rollers.
Heavy duty nylon swivel castors.
Easy foot-pedal lifting design.
2 jacks permit full 180° vehicle pivot.
4 jacks place vehicle on a 350° rolling platform.
Lead-free paint finish helps prevent rust and is
oil, grease and dirt-resistant for easy cleanup.
Quick action adjustable height mechanism.
Sold &recommended only to be used in pairs.

Excludes GST Inc. GST \$515.90

pair

# **Mechanics Creeper 130KG**

1023T TRADEQUIP

Safe working capacity: 130kg 1010L x 475W x 115Hmm



Excludes GST 88





# Wheel Tyre Lifter 1055T TRADEQUIP The trusted from in applyoner.

Safe working capacity: 50kg Rollers moving distance: 125mm Roller diameter & length: (D) 76.2 x 240mm Rollers push force: <4kg based on 50kg load Lifting handle force: 1kg based on 50kg load Overall height: 1380mm

Overall base dimensions: 725W x 872D mm Roller working range: 100mm to 1060mm Front castors: 2(D) 75 x 24mm

Rear castor - Locking: 2(D) 75 x 24mm

Weight: 51.25kg

TRULY MOBILE.... NO ADDITIONAL AIR LINE OR CHARGING CABLES NEEDED

#### **FEATURES**

Braked Swivel Castor. Sturdy Frame to safely transport wheel around workshop.
Adjustable Safety Brace

Excludes GS1 Inc. GST \$1164.90

> Braked castors

MADE FOR THE TRADE

The lifters drive screw can be activated by an air or batteryoperated ratchet wrench from the top of the unit.



rollers

Wheel Dolly Single 250KG

B250WH = BORUM Safe working capacity: 250kg

Maximum depth: 305mm Overall height: 1000mm Weight: 14kg

Adjustable arms. Equipped with rollers for easy positioning. Stop rollers on the rear side. Ergonomic handle with rounded & soft safety grip.

Adjustable arms

# GUALITY FEATURES

**Capacity** 

INDUSTRIAL

This BORUM WHEEL DOLLY is a sturdy & handy transport aid for various types of wheels (trucks, vans, utes and cars). This versatile and easy to operate piece of equipment features adjustable arms. Equipped with two wheels and an ergonomic handle, the units manoeuvrability is not hampered by the size of the wheel.

> Excludes GST Inc. GST \$438.90





750kg

capacity

**Truck Wheel Lifter** BTWD750 /= BORUM

Safe working capacity: 750kg Lift arm spread: 533-635mm Lifting range: 60-275mm Tilt range: -2.5 to 10 degrees 787L x 1092W x 895H mm

INDUSTRIAL

**Excludes GST** 

GST \$1065.90





For the lifting, lowering, supporting & transporting of tyre & rim assemblies up to 50kgs & 300mm wide.

# **Truck Wheel Nut Wrench** Torque Multiplier 8033 TRADEQUIP

1" Drive hand winder operated Trans-speed ratio: 1:56 27mm, 32mm, 33mm, 41mm wheel nut sockets Torque output: 4800Nm

Suitable for Buses



Excludes GST Inc. GST \$185.90

MADE FOR THE



# **Engine Stand** 1894T TRADEQUIP

Safe Working Capacity: 4/5/6/V6 cylinder less than 4ltr Rated capacity: 500kg 360° rotating head 1190L x 850W x 1230H mm Weight: 54kg **WORM GEAR** 

Excludes GST Inc. GST \$867.90

**HEAD DRIVE** STURDY REINFORCED **NECK** 

360° rotating head

IMPORTANT: ENGINE DIMENSIONS MUST BE WITHIN LEGS OF ENGINE STAND



**Engine Stand** 1891T TATRADEQUIP

Safe working capacity: 4cylinder & V6/V8 less than 5ltr Rated capacity: 680kg 360° rotating head Centre height: 895mm 870L x 800W x 900H mm Weight: 39kg



Removable legs

Excludes GST Inc. GST \$293.70



3609 rotating



TQES450 TRADEQUIP

Safe working capacity: 4cylinder engine only Rated capacity: 450kg 360° rotating head Centre height: 780mm 700L x 750W x 860H mm Weight: 21kg

SPACE SAVING **EASY SETUP &** DISASSEMBLY

360° rotating

**ENGINE DIMENSIONS** 

MUST BE WITHIN LEGS

OF ENGINE STAND

IMPORTANT:

Safe working capacity: 4/5/6/V6/V8 Cylinder less than 6.2ltr Rated capacity: 900kg 360° rotating head Centre height: 800mm 1110L x 530W x 900H mm Weight: 45kg

**Engine Stand** 

1192T TRADEQUIP



**FOLDING LEGS** STURDY REINFORCED **NECK AND** STABLE WIDE BASE



Excludes GST





**Excludes GST** n Inc. GST \$360.80

ALL TRADEQUIP ENGINE STANDS ARE INTENDED FOR PASSENGER AND LIGHT COMMERICAL VEHICLES ONLY









Inc. GST \$174.90

# CRANES AND SUPPORTS



# Foldable Engine Crane 1,200KG

# 1001T TRADEQUIP

Safe working max. capacity: 1200kg (AS1418.5 approved) (AS1410.3 aphroved)
Adjustable boom: 250kg, 500kg, 750kg & 1200kg
Max. lifting height @ 1200kg: 620mm
Max. lifting height @ 250kg: 1160mm
Jib length fully retracted @ 1200kg: 1040mm
Jib length fully extended @ 250kg: 1580mm Leg height: 190mm Weight: 85kg

MADE FOR THE

#### FEATURES

Ideal for automotive & light engineering. Adjustable boom in four positions. Outrigger legs easily fold up for storage. Six swivel castor wheels. Six swiver castor wheels. High-grade steel and built to exacting standards for quality and durability. Short lifting chain & hook with safety latch. Lead-free paint is oil, grease and dirtersistant for easy cleanup.



# **Engine Crane Load Leveller**

1030 TRADEQUIP

Safe working capacity: 680kg Chain length: 300mm Chain anchor positions: 3 Engine mount positions: 4 Weight: 6kg

Excludes GST Inc. GST \$102.30



# **Engine Support Bar**

1021T TO TRADEQUIP

Safe working capacity: 500kg Extension: 1020 - 1630mm Weight: 23kg



# Ram to Suit TradeQuip **1001T Engine Crane**

380kc

capacit

2008 TRADEQUIP

Safe working capacity: 8,000kg Length: 630-1135mm

Ram pin hole: 16mm dia. 35mm Outside ram Ram diameter: 80mm

Clevis base pin hole: 16mm dia Clevis base: 25mm inside - 45mm outside

Base width: 129mm Weight: 10.5kg

Excludes GST Inc. GST \$180.40

3000kc Capaciti

# **Engine Support Bar**

1019T TRADEQUIP Safe working capacity: 500kg Extension: 1020 - 1600mm

MADE FOR THE

**FEATURES** 

**FEATURES** 

Cross bar feature for improved stability and more flexibility.

Dual hook assemblies for balanced

support of engines & transmissions High gloss enamel finish.

Adjusts to fit across most car bonnets Powder coat finish. Adjustment screw for load leveling Supplied with short length of chain



Excludes GST Inc. GST \$185.90

# **Engine Support Bar**

1020T TRADEQUIP

Safe working capacity: 500kg Extension: 1020- 1430mm Weight: 19kg diustable Arms

#### **FEATURES**

Dual hook assemblies for balanced support. Adjustable to fit across most car bonnets. Supports engines or transmissions. Rubber cushioned support legs. High gloss enamel finish.
Adjustment screw for load leveling.
Supplied with a short length of chain







BORUM BOTTLE JACK FEATURES BORUM BOTTLE JACK FEATURES
Manufactured of superior-grade steel and built
to exacting standards for quality and durability.
Lead-free paint finish is oil, grease and dirt-resistant.
Built-in by-pass device protects hydraulic system.
Compact, powerful Air Turbo Motor.
High quality large diameter hydraulic steel cylinder.
Precision machined, chrome plated and polished piston-ram.
Versatile "quick connector" for easy removal of air hose.

# Air/Hydraulic Bottle Jack 20,000KG

Safe working capacity: 20,000kg Working height: 262 - 504mm Hydraulic lift: 163mm Op. air pressure: 110-125psi 20,000kg Air inlet fitting: 1/4" Weight: 16kg

**Excludes GST** Inc. GST \$383.90



# Air/Hydraulic Bottle Jack 20,000KG

BWBBJ20T = BORUM Safe working capacity: 20,000kg Working height: 263 - 503mm Hydraulic lift: 160mm Adjustable height: 80mm Base area: 200x152mm Op. air pressure: 90-120psi

20,000kg capacity





# Air/Hydraulic Bottle Jack 30,000KG BWBBJ30T /= BORUM

Safe working capacity: 30,000kg Working height: 275 - 532mm Hydraulic lift: 162mm Adjustable height: 95mm Base area: 229x180mm

Op. air pressure: 90-120psi INDUSTRIAL QUALITY

**Excludes GST** 

Inc. GST \$427.90

**Excludes GST** Inc. GST \$548.90



# Air/Hydraulic Bottle Jack 35,000KG

Safe working capacity: 35,000kg Working height: 264 - 414mm Hydraulic lift: 150mm Operating air pressure: 110-125psi Air inlet fitting: 1/4' Weight: 29kg

Excludes GST Inc. GST \$572.00



FEATURES OF TQ Pro BOTTLE JACKS Using CNC technology, TQ Pro products are constructed using superior-grade steel and built to premium TQ Pro standards

Capaci

and built to premium TQ Pro standards for professional quality and durability. Premium quality large diameter hydraulic steel cylinders are machined with precision tolerances, then treated and polished to minimise wear and extend service life. Incorporating the latest technology in aggressive wiping lips and OD exclusion, the high capability premium quality seal systems efficiently protect internal hydraulics keeping it free from dirt, mud, water, and other contaminants. A lead-free paint finish is applied after a thorough chemical wash to ensure a long-lasting premium finish with a final coat that is oil, grease and dirt-resistant for easy cleanup.

# Air/Hydraulic Bottle Jack 20,000KG

PROBJ20TA Safe working capacity: 20,000kg Working height: 261.5-525mm

Hydraulic lift: 156mm Adjustable lift: 95mm Operating air pressure: 110-125psi Air inlet fitting: 1/4" Base: 230 x 150 x 30mm

Weight: 19kg

PRO

**Professional** Reputable Outstanding

Air Actuated Bottle Jack

**Excludes GST** Inc. GST \$493.90

WELDED

**Excludes GST** Inc. GST \$493.90

Safe working capacity: 20,000kg Working height: 185-330mm Hydraulic lift: 80mm Operating air pressure: 110-125psi

**Squat 20,000KG** 

Adjustable height: 61mm Air inlet fitting: 1/4" Base: 230 x 150 x 30mm Weight: 16kg

PROBJ20TAS

LATEST APPLIED TECHNOLOGIES PRO

**Professional** Renutable Outstanding



# Air/Hydraulic Bottle Jack 30,000KG

PROBJ20TA Safe working capacity: 30,000kg Working height: 279.5-533mm Hydraulic lift: 155mm Op. air pressure: 110-125psi Air inlet fitting: 1/4" Base: 250 x 180 x 40mm Weight: 29kg

PRO

**Professional** Reputable Outstanding

**Excludes GST** 1 Inc. GST \$647.90



MADE FOR THE



Safe working capacity: 12,000kg Working height: 260-510mm Adjustable screw: 80mm Work pressure: 110-125psi Hydraulic stroke: 170mm Air inlet fitting: 1/4"

#### **FEATURES**

Compact powerful Air Turbo motor. Versatile "quick connector provides 'quick & easy air connection. Two piece pump handle. Convenient welded carry

> **Excludes GST** Inc. GST \$240.90



Air/Hydraulic Squat Jack 20,000KG TQBJ20TAS TRADEQUIP

Safe working capacity: 20,000kg Working height: 178-328mm Adjustable screw: 63mm

Work pressure: 110-125psi Hydraulic stroke: 87mm Air inlet fitting: 1/4"

> **Excludes GST** Inc. GST \$328.90



online product demonstration

20,000kg Capacity

# Air/Hydraulic Bottle Jack 20,000KG

2026T TRADEQUIP

Safe working capacity: 20,000kg Working height: 265-510mm Hydraulic lift: 170mm (265mm to 435mm) Adjustable height: 75mm (max. height 510mm) Base area: 224x134mm Work pressure: 90-120psi Weight: 16kg

#### **FEATURES**

Compact powerful Air Turbo motor. Versatile "quick connector provides 'quick & easy air connection.
Two piece pump handle.
Convenient welded carry handle.

> Excludes GST Inc. GST \$306.90



**Air Actuated Super Low Profile** Jack 20,000KG MADE FOR THE

2051T TRADEQUIP

Safe working capacity: 20,000kg Working height: 148-259mm Screw extension height: 45mm Operating air pressure: 100-145psi Hydraulic stroke: 66mm Air inlet fitting: 1/4"

**Excludes GST** Inc. GST \$405.90

FEATURES Compact powerful Air Turbo motor. Versatile "quick connector provides 'quick & easy air connection. Chrome plated rams Convenient welded





# **Hydraulic Bottle Jacks**

TRADEQUIP

**HEAVY DUTY One Piece Ergonomic Handle** 

from **Excludes GST** Inc. GST \$114.40



maintenance

#### **FEATURES**

Machined and polished cylinders with die-cut threads provide non-abrasive leak-free, durable performance. Fabricated from hard-cast steel with heat-treated critical Unique cross-type forged release valve ensures positive

Overload protection Hydraulic system is protected from internal damage by a by-pass mechanism.

High quality glide-action pressure pump. Supplied with 500mm pump handle. demonstration

Code	2012	2013	2014	2015	2016
Capacity	10,000kg	15,000kg	20,000kg	12,000kg	20,000kg
Hydraulic Lift	125mm	125mm	145mm	85mm	115mm
Adjustable Height	70mm	70mm	60mm	50mm	75mm
Min. Height	205mm	227mm	245mm	180mm	200mm
Max. Height	400mm	447mm	450mm	315mm	390mm
Base Area	124x124mm	148x136mm	167x156mm	157x134mm	167x156mm
Excl. GST	\$104	\$125	\$163	\$122	\$162
Incl. GST	\$114.40	\$137.50	\$179.30	\$134.20	\$178.20

# Air Actuated Truck Jack 35,000KG

BTJ35TA /= BORUM

Safe working capacity: 35,000kg

Lift range: 255-633mm Hydraulic lift: 155mm Adjustable height: 123mm

FEATURES

Adaptors: 21, 61, 100mm Handle length: 1110mm Operating air pressure: 110-125psi Chassis: 555L x 255H x 295Wmm

FEATURES
Pro quality rugged steel construction.
Wear-resistant quality sealing O-rings.
Strong hydraulic pump & 3-position handle.
Temperature-resistant hydraulic oil.
Treated and polished piston and ram.
Built-in bypass hydraulic safety overload.
Compact design and Quick Lift ram.
Convenient & efficient height adaptors.
High quality lead-free paint.

Air Actuated Truck

BTJ50TA /= BORUM Safe working capacity: 50,000kg Lift range: 287-650mm

Jack 50,000KG

Operating air pressure: 110-125psi Chassis: 525L x 288H x 325Wmm

PFAI UKES
Pro quality rugged steel construction.
Wear-resistant quality sealing O-rings.
Strong hydraulic pump & 3-position handle.
Temperature-resistant hydraulic oil.
Treated and polished piston and ram.
Built-in bypas hydraulic safety overload.
Compact design and Quick Lift ram.
Convenient & efficient height adaptors.
High quality lead-free paint.

INDUSTRIAL QUALITY

FEATURES

Hydraulic lift: 153mm Adjustable screw: 110mm Adaptors: 20, 60, 100mm Handle length: 1230mm

INDUSTRIAL OUALITY:

**Excludes GST** 

Inc. GST \$1780.90

20.000KG

Includes Height Adaptors

35.000KG

Includes Height

**Adaptors** 

**Excludes GST** 

Inc. GST \$1285.90

Air Actuated Jack 2 Stage 15,000/30,000KG

BTJ1530TA F= BORUM

1st stage: 30,000kg safe working capacity 2nd stage: 15,000kg safe working capacity First stage hydraulic lift: 73mm Second stage hydraulic lift: 66mm Operating air pressure: 145-175psi

Height: 150-409mm Adaptors: 45 and 75mm Handle length: 1300mm Chassis: 480 x 290 x 150mm

> Includes Height **Adaptors**







**Excludes GST** 

**NDUSTRIAL** 

#### **FEATURES**

Double sealing function using XTP industry sealing.
Telescopic air actuation lift (air-hydraulic pump). Long T-handle lets you easily position your jack under vehicle.
Self-returning lower & lift switch .
Internal and external cylinders hard

High manoeuvrability & deep reach under vehicles.

2 extension adaptors/saddle plates.

arge rubber wheels



Inc. GST \$2726.90


# **Air Actuated Truck** Jack 30,000KG

BTJ30TA BORUM

Safe working capacity: 30,000kg Lift range: 360-772mm Hydraulic lift: 267mm Adaptors: 45 & 100mm Handle length: 1370mm Operating air pressure: 145-175psi Chassis: 840L x 360H x 282Wmm

> Excludes GST Inc. GST \$4761.90

XTP industry double sealing function using. Telescopic air actuation lift. Self-returning lowering and lifting switch. Internal & external cylinders hard chromed Long T-handle for high manoeuvrability & deep reach under vehicles. Designed for extremely high axles







# **Air Actuated Truck** Jack 60,000KG

BTJ60TA /= BORUM Safe working capacity: 60,000kg

Lift range: 420-1031mm Hydraulic lift: 311mm Adaptors: 100 & 200mm Handle length: 1290mm

Operating air pressure: 145-175psi Chassis: 910L x 420H x 300Wmm



#### **FEATURES**

Double sealing function using XTP industry

Rescopic ail accutation int.
Self-returning lowering and lifting switch.
Internal & external cylinders hard chromed
Long T-handle for high manoeuvrability &
deep reach under vehicles.
Designed for extremely high axles.



**Includes** Height **Adaptors** 











# **Air Actuated 2 Stage Truck** Jack 10,000/25,000KG

BTJ1025TA /= B O R U M

Stage 1: 25,000kg safe working capacity Stage 2: 10,000kg safe working capacity Lift range: 185-497mm

Hydraulic lift: Stage1: 97mm, Stage2: 95mm

Adaptors: 45, 75mm Handle length: 1380mm

Operating air pressure: 145-175psi Chassis: 770L x 282H x 185Wmm

> Excludes GS1 Inc. GST \$3500.20


**FEATURES** 

**Includes** Height **Adaptors** 





Double sealing function - XTP industry sealing Telescopic air actuation lift.



Air Actuated 2 Stage Truck Jack 25,000/50,000KG Excludes GST

BTJ2550TA Z= BORUM

Stage 1: 50,000kg safe working capacity Stage 2: 25,000kg safe working capacity Lift range: 215-564mm

Hydraulic lift: Stage1: 115mm, Stage2: 114mm

Adaptors: 45, 75mm Handle length: 1380mm

Operating air pressure: 145-175psi Chassis: 805L x 282H x 215Wmm



Double sealing function - XTP industry sealing. Telescopic air actuation lift. Self-returning lowering and lifting switch. Internal & external cylinders hard chromed Long T-handle for high manoeuvrability & deep

LIFTS 50,000KG

**Includes** Height **Adaptors** 



369

Inc. GST \$4068.90

**LIFTS** 

25,000KG

INDUSTRIAL

GUALITY

**E**(C)

**Air Actuated 3 Stage Truck Jack** 10,000/25,000/50,000KG

BTJ102550TA - BORUM

Safe working capacity: Stage1: 10,000kg Stage2: 25,000kg, Stage3: 50,000kg Lift range: 160-472mm

Hydraulic lift: Stage1: 62mm Stage2: 61mm, Stage3: 69mm

Adaptors: 45, 75mm Handle length: 1380mm

Operating air pressure: 145-175psi Chassis: 825L x 282H x 160Wmm





Double sealing function using XTP industry sealing.

Industrial

GUALITY

LIFTS

50,000KG

Telescopic air actuation lift Self-returning lowering and lifting switch. Internal & external cylinders hard chromed Long T-handle for high manoeuvrability &

Excludes GST

# Air Actuated 3 Stage Truck Jack 20,000/40,000/60,000KG

BTJ204060TA = BORUM



First stage: 60,000kg safe working capacity Second stage: 40,000kg safe working capacity Third stage: 20,000kg safe working capacity First stage hydraulic lift: 57mm

Second stage hydraulic lift: 59mm Third stage hydraulic lift: 61mm

Height: 150-447mm Adaptors: 45 and 75mm

Operating air pressure: 145-175psi Handle length: 1380mm Chassis: 875 x 295 x 150mm

> Includes Height **Adaptors**

**Excludes GST** Inc. GST \$4508.90

**LIFTS** 

80,000KG



#### **FEATURES**

Double sealing function using XTP industry sealing Telescopic air actuation lift (air-hydraulic pump) Long T-handle lets you easily position your jack

Self-returning lowering and lifting switch. Internal and external cylinders hard chromed . High manoeuvrability & deep reach under vehicles 2 extension adaptors / saddle plates.

Large rubber wheels



# Air Actuated 2 Stage Truck Jack 50,000/80,000KG

BTJ5080TA /= BORUM

First stage: 80,000kg safe working capacity Second stage: 50,000kg safe working capacity

First stage hydraulic lift: 111mm Second stage hydraulic lift: 102mm Height: 230-563mm

Adaptors: 45 and 75mm Operating air pressure: 145-175psi Handle length: 1300mm

Chassis: 930 x 340 x 230mm



Inc. GST \$5058.90



**Includes** Height **Adaptors** 

Double sealing function using XTP industry sealing. Telescopic air actuation lift (air-hydraulic pump). Long T-handle lets you easily position your jack under vehicle. Self-returning lowering and lifting switch.

Internal and external cylinders hard chromed . High manoeuvrability & deep reach under vehicles 2 extension adaptors / saddle plates. Large rubber wheels.



19

# Air Actuated Truck Jack 22,000KG

B2003T /= BORUM

Safe working capacity: 22,000kg Lift range: 210-525mm Hydraulic lift: 120mm Adjustable height: 105mm Handle length: 1075mm Air supply: 100-120psi Wheel diameter: 175mm Adaptors: 20, 50, 100mm Chassis: 500L x 215H x 320Wmm

Solid heavy duty construction.
Advanced technology sealing rings.
Fast motion super duty air pump.
Temperature-resistant hydraulic oil.

Treated and polished piston and ram.
Built-in bypass hydraulic safety
overload system.
Compact design easily fits dual tandem axles.

<u>Convenient & efficient</u> height adaptors.

3-position pumping handle.
High quality lead-free paint is oil, grease and dirt-resistant finish for easy cleanup

FEATURES













# Air Actuated Truck Jack 22,000KG

2004T TRADEQUIP

Safe working capacity: 22,000kg Lift range: 225-552mm Hydraulic lift: 124mm Adjustable height: 103mm Chassis: 560L x 230H x 320Wmm Adaptors: 21, 60, 100mm Handle length: 1160mm Wheel diameter: 200mm



Excludes GST Inc. GST \$900.90

Trade quality rugged steel construction Wear-resistant quality sealing O-rings. wear-resistant quality sealing U-rings.
Strong hydraulic pump.
Temperature-resistant hydraulic oil.
Treated and polished piston and Quick lift ram.
Built-in bypass hydraulic safety overload system.
Compact design easily fits dual tandem axles.
Convenient & efficient height adaptors. 3-position pumping handle.
High quality lead-free paint is oil, grease and dirtresistant finish for easy cleanup.

# **Air Actuated Truck** Jack 20,000KG

PROTRJA20T

Safe working capacity: 20,000kg Working height: 215-541mm Hydraulic Lift: 141mm Adjustable screw: 85mm Adaptors: 20, 50, 100mm Handle length: 1335mm Operating air pressure: 145-175psi Chassis: 520L x 215H x 258Wmm





#### FEATURES

Double sealing using XTP industry sealing. Telescopic air actuation lift (air-hydraulic pump). Long T-handle lets you easily position your jar

under vehicle.

Self-returning lowering and lifting switch.
Internal and external cylinders hard chromed.

High manoeuvrability & deep reach.

3 extension adaptors/saddle plates.









# Air Jack Support Stand 10,000KG

BSJ10T - BORUM

Safe working capacity: 10,000kg Height: Min. 444mm - Max. 1298mm Hydraulic lift: 292mm Base diameter: 339mm

Rated air pressure capacity: 200psi Weight: 91kg

**Excludes GST** Inc. GST \$1483.90



The BORUM Industrial AIR JACK/SUPPORT STAND 10,000KG is a reinforced pin style jack and stand with industrial quality design and support bracing system to sustain heavy loads up to 10,000kg. Adjusts to match the job with a 444mm minimum height, 292mm of hydraulic lift and up to 1298mm maximum height using the extension tubel! Featuring Heavy-Duty Industrial design, this tough air jack/support stand is ideal for truck, bus, farm, earthmoving equipment and fleet vehicle maintenance workshop use.





Max. tyre width: 393mm **SOLD IN PAIRS** 

**NDUSTRIAL** 

Suitable for Buses

#### FEATURES

Long retractable T-handle for easy positioning "NON-SKID BASE" - 4 ply pads of rubber grips are bolted and glued to the 6mm steel floor plates and they will not skid ahead of

Replaces need for a pit or hoist, and at a fraction of the cost and floor space.







**Auxiliary Stand 7,000KG** 

BAUXS7T /= BORUM Safe working capacity: 7,000kg Working height: 1295-1905mm Adjustable pin heights: 8 (75mm increments) Base: 300x300x300mm Weight: 65kg

#### **FEATURES**

Heavy duty design and support bracing system to sustain heavy vehicle loads.

Manufactured from high-grade steel and built to exacting standards for quality and

durability.
Fitted with spring loaded castor
wheels to ensure easy movement around the workshop.
Fitted with spring loaded support

beam. Lead-free paint finish is applied Lead-ree paint linish is applied after at thorough chemical wash to ensure a long-lasting finish and to help prevent rust. Paint is oil, grease and dirt-resistant for easy cleanup. High strength locking pin. Controlled pin holes for easy basisht at distances. height adjustments.
Turned post slide for easy quick

3 saddle options:



Spring loaded castor wheels



# Support Stand 10,000KG

10TSS /= B O R U M Safe working capacity: 10,000kg Working height: 720-1190mm Adjustable pin heights: 10 Saddle dimensions: 150x80mm Base: 406 x 556mm Weight: 23.5kg

#### **FEATURES**

Stable 4 legged stability. Lead-free paint is oil, grease and dirt-resistant for easy cleanup. High strength locking pin & controlled pin holes for easy height adjustments. Turned post slide for easy adjustment.

\*10TSS/10TSSHORT SOLD INDIVIDUALLY

# Support Stand SHORT 10,000KG /= BORUM

#### 10TSSHORT

Safe working capacity: 10,000kg Working height: 480-780mm Adjustable pin heights: 6 Saddle dimensions: 150x80mm Base: 310 x 310mm Weight: 18kg

JH, Inc. GST \$394.90

> INDUSTRIAL GUALITY

**Excludes GST** 

Inc. GST \$438.90

INDUSTRIAL

QUALITY

10,000kg

capacity

**Excludes GST** 

# **Jumbo Spanner Set** 10 Piece Imperial

# B10PJSI /= BORUM

10 Imperial Sizes: 10 Imperial Sizes. 1 5/16", 1 3/8", 1 7/16", 1 1/2", 1 5/8", 1 11/16", 1 3/4", 1 13/16", 1 7/8" 2" Wallet rolled out: 830 x 690 x 30mm Wallet rolled up: 150 x 690 x 130mm Weight: 14kg

> Excludes GST Inc. GST \$280.50



# **Jumbo Spanner Set** 10 Piece Metric

#### B10PJS /= BORUM

10 Metric Sizes: 34mm, 36mm, 38mm, 41mm, 42mm, 44mm, 45mm, 46mm, 48mm & 50mm

Wallet rolled out: 830 x 690 x 30mm Wallet rolled up: 150 x 690 x 130mm Weight: 14kg

> Excludes GST Inc. GST \$280.50



# **Workshop Press** 20,000KĠ

#### 1061T TRADEQUIP

Safe working capacity: 20,000kg Working range: 60-773mm Overall height: 1503mm Overall width: 705mm Overall depth: 660mm Bed width: 504mm Bed gap: 103mm Bed inside: 285 x 103mm Press head diameter: 40mm Press head length: 68mm Jacking handle: 694mm Piston ram stroke: 160mm Weight: 82kg



#### FEATURES

High-grade Channel Steel. Hydraulics are powered with a high quality oil

quality oir.

Integrated overload protection valve keeps from overloading the system. Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup and to help prevent rust.



TATRADEQUIP

# **Workshop Press** 30,000KG

#### 1062T TRADEQUIP

Safe working capacity: 30,000kg Working range: 45-705mm Overall height: 1605mm Overall width: 745mm Overall depth: 660mm Bed width: 480mm Bed gap: 124mm Bed inside: 254 x 124mm Press head diameter: 50mm Press head length: 68mm Jacking handle: 694mm Piston ram stroke: 163mm



#### FEATURES

Weight: 113kg

High-grade Channel Steel. Hydraulics are powered with a high quality oil.

Integrated overload protection valve keeps from overloading the system. Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup and to help prevent rust.



# **Hydraulic Workshop Press 20,000KG**

# 1063T TRADEQUIP

Safe working capacity: 20,000kg Working range: 43-882mm Overall height: 1795mm Overall width: 780mm Overall depth: 690mm Bed width: 505mm Bed gap: 105mm Bed Inside: 358 x 105mm Press head cap diam: 45mm Press head cap length: 17mm Ram lateral adjustment: 180mm Piston ram stroke: 185mm

100mm pressure gauge. High quality large diameter hydraulic steel cylinder unit.

Hydraulics are powered with a high

keeps from overloading the system. Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup and to help prevent rust.

#### **Lateral Ram Adjustment**





# **Hydraulic Workshop Press 30,000KG**

#### 1064T TRADEQUIP

Safe working capacity: 30,000kg Working range: 50-1030mm Overall height: 1950mm Overall width: 830mm Overall depth: 660mm Bed width: 455mm Bed gap: 154mm Bed inside: 230 x 154mm Press head diameter: 56mm Load cap length: 17mm Jacking Handle: 639mm

Ram lateral adjustment: 70mm

Piston ram stroke: 170mm Weight: 138kg

# FEATURES

High-grade Channel Steel. 100mm pressure gauge. High quality large diameter hydraulic steel cylinder unit. Hydraulics are powered with a high

quality oil. Integrated overload protection valve keeps from overloading the system. Lead-free paint finish is oil, grease and dirt-resistant for easy cleanup and to help prevent rust.

#### **Lateral Ram Adjustment**












# **Hydraulic Workshop** Press 45,000KG WIDE

2036T TRADEQUIP



Bed outside: 359mm Bed inside: 195mm Bed width: 826mm Piston ram stroke: 190mm Ram diameter: 90mm 1707H x 1420W x 826Dmm Bed height settings: 6



#### FEATURES

Weight: 296kg

gh-grade steel frame 100mm pressure gauge. Bed winch for easy raise and lower adjustment. Lead-free paint finish is oil, grease and dirt-resistant

Excludes GST Inc. GST \$3628.90

# Air/Hydraulic Workshop Press 45,000KG WIDE

2038T TRADEQUIP

Safe working capacity: 45,000kg Working range: 159-859mm Bed outside: 359mm Red inside: 195mm Bed width: 826mm Piston ram stroke: 190mm Ram diameter: 90mm Op. air pressure: 110-125 psi 1707H x 1420W x 800Dmm Bed height settings: 6

Weight: 301kg AIR OPERATED

#### FEATURES

High-grade steel frame.

2 speed pump. 100mm pressure gauge.

Bed winch for easy raise and lower adjustment. Paint is oil, grease and dirt-resistant for easy cleanup. High quality large diameter budraulie steel oxidate. hydraulic steel cylinder unit. Piston-ram is treated, polished. Includes hand

Integrated overload protection valve prevents overloading. Extra-long handle included for easy pumping force.

Double spring ram return for fast ram retraction.





Inc. GST \$3848.90

TO TRADEQUIP



TO TRADEQUIP



6 HEIGHT

SETTINGS

### 2048T TRADEQUIP Safe working capacity: 50,000kg Working range: 137-837mm Bed outside: 356mm Bed inside: 210mm

Piston ram stroke: 190mm MADE FOR THE TRADE

Bed internal: 390 x 200mm

Bed width: 713mm

**Hydraulic Workshop Press 50,000KG** Ram diameter: 95mm

> Op. air pressure: 110-125 psi 1700H x 1290W x 745Dmm Bed height settings: 6 Weight: 271kg

> > Inc. GST \$2748.90





#### **FEATURES**

Heavy-duty high-grade steel frame. Hand operated air trigger ram travel control. ram travel control.

100mm pressure gauge.

Polished pneumatic
aluminium air motor.

Bed winch for easy raise
and lower adjustment.

Lead-free paint finish
helps prevent rust& is oil,
grease and dirt-resistant.

High quality large
diameter hydraulic unit.
Hand winch for fast
height adjustments.



TO TRADEQUIP

50,000kg Capacity

# **Workshop Press Adaptor Kit**

BPAK -BORUM

Includes 8 different sized pins (mandrels) ranging from 2,000kg to 20,000kg capacity, a pin holder, a storage shelf along with a mounting kit, and a pin plate with the weight capacity shown for each pin. This very handy set of eight steel mandrels,

adaptor and press plate expands the uses of your workshop press for a wider range of applications involving different sized





Mandrel Length x Diameter 50mm x 10mm

60mm x 12mm 60mm x 16mm 85mm x 18mm

85mm x 20mm 85mm x 22mm 15mm x 25mm

110mm x 30mm



\*\*UNLESS STATED OTHERWISE. ALL TOB BRANDS PRODUCTS, EXCLUDING CONSUMABLES, COME WITH A 12 MONTH COMMERCIAL USE WARRANTY AGAINST MANUFACTURING DEFECTS, THE BONUS 12 MONTH WARRANTY OFFERED EXCLUSIVELY IN THIS PROMOTIONAL PERIOD APPLIES ONLY TO THE HYDRAULIC RAM AND HYDRAULIC PUMP FOR "BONUS" MARKED PRODUCTS. THE ADDITIONAL 12 MONTHS DOES NOT INCLUDE INSTALLATION/REMOVAL LABOUR OR FREIGHT FOR THE COMPONENT

# Air/Hydraulic Workshop Press 30,000KG 6 HEIGHT

PROSHPR30TA

Safe working capacity: 30,000kg Working range: 25-850mm Screw adjustment: 75mm Bed outside: 164mm Bed inside: 148mm Bed width: 600mm Ram diameter: 58mm Bed height settings: 6

SAFETY BARRIER AVAILABLE SEPARATELY

SETTINGS

PRO

**Excludes GST** 

Inc. GST \$3958.90

*3599* 

6 HEIGHT

SETTINGS

1800H x 770W x 505Dmm Weight: 163kg

LATEST APPLIED TECHNOLOGIES RO

30,000kg Capacity

LATEST APPLIED

- ✓ Mandrel Kit Included
- ✓ Long Pump Handle
- ✓ Premium Bed Blocks
- ✓ Winch Adjustable Bed
- ✓ Premium Hydraulic System
- ✓ Premium Paint Finish
- ✓ Precision Lateral Ram Adjustment
- **Premium Grade Steel Construction**
- ✓ Designed for maximum strength,
- reliability and durability

✓ Foot Pedal Air/Hydraulic Operation



**TQPro Presses** online product demonstration

# Air/Hydraulic **Workshop Press** 50,000KG PROSHPR50TA

Safe working capacity: 50,000kg Working range: 80-780mm Screw adjustment: 75mm Bed inside: 200mm SAFETY Bed outside: 220mm BARRIER Bed width: 750mm AVAILABLE

Ram diameter: 68mm Bed height settings: 6 1900H x 930W x 535Dmm

Weight: 243kg









# **Hydraulic Workshop Press 20,000KG**

Safe working capacity: 20,000kg Working range: 38-918mm Bed outside: 172mm Bed inside: 152mm Bed width: 510mm Piston ram stroke: 185mm Bed height settings: 8 Ram diameter: 72mm 1626H x 755W x 560Dmm Weight: 115kg



Heavy-duty high-grade steel H-frame Integrated overload protection valve. Foot & Hand operated pump. 100mm pressure gauge. STEEL SAFETY MESH BARRIER Lead free paint finish is oil, grease and dirt-resistant for easy cleanup.
Piston-ram is fitted with backup ring, preventing bypass oil drift. High quality hydraulic oil offers better corrosion resistance and flexibility. Pair of bed plates included

> Excludes GS Inc. GST \$2253.90



# **Hydraulic Workshop Press 30,000KG**

BHSP30T Z= BORUM

Safe working capacity: 30,000kg Working range: 151-1031mm Bed outside: 184mm Bed inside: 164mm Bed width: 535mm

Piston ram stroke: 150mm Bed height settings: 8 Ram diameter: 80mm 1830H x 1000W x 700Dmm

Weight: 167kg



#### **FEATURES**

Heavy-duty high-grade steel H-frame. Integrated overload protection valve Foot & Hand operated

pump. 100mm pressure gauge STEEL SAFETY MESH BARRIER

Lead free paint finish is oil, grease and dirt-resistant for easy cleanup.
Piston-ram is fitted with backup ring, preventing bypass oil drift. High quality hydraulic oil offers better corrosion

resistance and flexibility. Pair of bed plates included

**Excludes GST** TH Inc. GST \$3188.90











# Air/Hydraulic Workshop Press 75,000KG BSP75TA Z= BORUM

Safe working capacity: 75,000kg Working range: 170-884mm Overall height: 1925mm Overall width: 1340mm Overall depth: 800mm Bed width: 800mm

Bed surface depth: 279mm

Piston ram stroke: 250mm Ram diameter: 125mm Width between side posts: 217mm

Bed height settings: 8 Operating air pressure: 110-125psi

Air inlet: 1/4"NPT Weight: 451kg

Power to safely remove & install bearings, gears, U-joints, bushings, ball joints and pulleys with precision and versatility!



8 HEIGHT

# Air/Hydraulic Workshop Press 100,000KG BSP100TA Z= B O R U M

Safe working capacity: 100,000kg Working range: 113-813mm Overall height: 1848mm Overall width: 1250mm Overall depth: 990mm Bed width: 787mm Bed surface depth: 342mm

Piston ram stroke: 300mm Ram diameter: 140mm Width between side posts: 268mm Bed height settings: 6

Operating air pressure: 110-125psi Air inlet: 1/4"NPT Weight: 652kg

Ideal for straightening, stamping, bending and pressing any component that is difficult to handle.



OUALIT



100,000kg Capacity



V\_BORUM



















Heavy-duty H-frame constructed of high-grade steel and built to exacting standards for quality and durability.
 Foot operated air trigger ram travel control.
 100mm pressure gauge.
 Extra tall working range for versatility.
 Pair of bed plates included

• Table winch system lowers or raises the bed. • Integrated overload protection valve keeps from overloading the system.

High quality large diameter hydraulic steel cylinder unit results in lower oil pressure needed to raise the load, helping to reduce wear and extend service life.
Piston-ram is treated and polished and fitted with backup ring, preventing load from falling slowly or bypassing oil drift.
Hydraulics are powered with a high quality oil, which offers better corrosion resistance and high/low temperature flexibility, allowing the unit to operate at temperatures.
Lead-free paint finish is applied after a thorough chemical wash to ensure a long-lasting finish and to help prevent rust. Oil, grease and dirt-resistant for easy clean up.

""UNLESS STATED OTHERWISE, ALL TOB BRANDS PRODUCTS, EXCLUDING CONSUMABLES, COME WITH A 12 MONTH COMMERCIAL USE WARRANTY AGAINST MANUFACTURING DEFECTS. THE BONUS 12 MONTH WARRANTY OFFERED EXCLUSIVELY IN THIS PROMOTIONAL PERIOD APPLIES ONLY TO THE HYDRAULIC RAM AND HYDRAULIC PUMP FOR "BONUS" MARKED PRODUCTS. THE ADDITIONAL 12 MONTHS DOES NOT INCLUDE INSTALLATION/REMOVAL LABOUR OR FREIGHT FOR THE COMPONENT.

# **Polycarbonate TQB Shop Press** Safety Barrier

TRADEQUIP

**SUIT TQB BRANDS** PRESSES ONLY



Multiple Height Settings

SGUARD-1

PRESS GUARD POLY CARBONATE SUIT 1061/1062/1063T Inc. GST \$211.20

SGUARD-3

PRESS GUARD POLY CARBONATE SUIT BSP75TA

Excludes GST 259 nc. GST \$273.90

SGUARD-2 PRESS GUARD POLY CARBONATE

SUIT 1064T

**Excludes GST** Inc. GST \$240.90 SGUARD-4

PRESS GUARD POLY CARBONATE SUIT 2048T/2038T/ 2036T/BSP100TA

5 I T nc. GST \$346.50



\* \* \* \* AVAILABLE IN FOUR DIFFERENT SIZES \* \* \* \*

# **Master Press & Pull Set 28 Piece**

9028T TRADEQUIP

4 x Step plates: 74, 76, 78, 80mm 4 x Pulling spindles with thrust bearings 20 x Press sleeves: 44 x 43; 46 x 36; 48 x 38; 50 x 40; 52 x 42; 54 x 44; 56 x 46; 58 x 48; 60 x 50; 62 x 52; 64 x 54; 66 x 56; 68 x 58; 70 x 60; 72 x 62; 74 x 64; 76 x 66; 78 x 68; 80 x 70; 82 x 72mm Heat-treated forged carbon steel Sturdy Blow Mould Case

Excludes GST Inc. GST \$471.90





# **FWD Wheel Bearing** Kit 23 Piece

9029T TRADEQUIP

Hub screw length: 207mm Hub screw drive: 32; 38mm Sleeve external: 76.5 x 65; 86 x 77; 91 x 81.5; 102 x 92mm Drift sizes: 50; 55; 59; 63; 66.5; 70; 71.5; 73; 73.5; 75, 77.5; 81.4; 83.3; 86; 88.4; 102mm Heat-treated forged carbon steel Sturdy Blow Mould Case

Excludes GS1 Inc. GST \$251.90





# **Universal Press & Pull** Sleeve Kit 26 Piece

9024T TRADEQUIP

4 Beams 3 ½" Sleeves 20 Sleeves 11pieces (GOLD) 9 pieces (SILVER)

**Excludes GST** Inc. GST \$404.80

For removal and installation of bushes, bearings and seals, races, sprockets and pulleys on cars, trucks, off-road construction equipment and machinery



# **Hydraulic Gear Puller 23 Piece**

9023T TRADEQUIP

Capacity: 10,000kg Bearing Separator: 20-105mm Twin/triple head, beam and legs to build: 100, 150 and 200mm Two and three leg hydraulic pullers with separator capacity: 75-105mm Size: 355L x 195W x 150Hmm

Pulls bearings, timing gears, steering wheels and pulleys on most cars and light trucks

> Excludes GST Inc. GST \$383.90



# **Universal Press Support Block 30,000KG**

9025T TRADEQUIP

Base block: 250 x 200 x 40mm Height adaptor block: 200x70x40mm

Made from Billet aluminium

Excludes GST ווהנה Inc. GST \$371.80



For use with a hydraulic shop press for workpieces with a complicated shape to allow bearings to be pressed in or out accurately.











#### ALL BORUM DRILL PRESSES FEATURE

Flexible worklight. Engineering style work table.

Oversize micro-switch activated safety guard.

Low-noise belt drive with cast iron balanced pulleys.

Safety ON-OFF switch fitted with a dust cover and positive action push buttons plus a large (Red) self locking "Emergency Stop" hinge cover.

Precision spindle bearing for long life & high accuracy.

Table control via hand crank and gear rack with high load capacity.

Long quill stroke, easy to adjust depth stop at the capstan handle.

Thick-walled, precision-ground column for extra rigidity.

Powerful long-life commercial drive motor provides high reliability.

Ground set-up areas on table and base plate.

Solid rotating work table with diagonal clamping slots.

The same reliable
'Heavy Duty Industrial
Quality Drill Presses'
since we started
manufacturing them in
1984... but with
the benefit of some
21st Century features

# 3/4HP Pedestal Drill **Press 16 Speed** CH16NFT /= BORUM Motor: 240Volt 3/4HP Number of speeds: 16 INDUSTRIAL Spindle taper: MT2 Spindle speeds: 162-3000rpm Max. drilling capacity: 16mm Max. spindle stroke: 78mm Max. distance spindle to table: 7810mm Max. distance spindle to base: 1219mm Chuck: 16mm Swing: 535 Size of table: 473x410mm Diameter of column: 73mm Size of base: 450x265mm Overall height: 1588mm **Excludes GST**





# **MORE THAN JUST A PRESS!**

# **Workshop Mate Workstation featuring a** 30,000KG Shop Press & Spring Compressor



#### **FEATURES**

AIR/HYDRAULIC OPERATED 30.000KG PRESS SPRING COMPRESSOR, FILTER CRUSHING ACCESSORY DOZENS OF UNIQUE TOOLING OPTIONS ON-BOARD TOOLING STORAGE STAND WINCH OPERATION TO LOWER AND RAISE BENCH

#### **BENEFITS**

Press almost any bearing or bush with **PRECISION** and ACCURACY in minutes, saving valuable workshop time. Smooth AIR/HYDRAULIC foot pedal operation for hands-free accuracy & control.

Hands free Spring Compression.

Even the most difficult pressing tasks become SAFE & EASY. Complete with COMPREHENSIVE HIGH QUALITY Interlocking Tool, Die and Spacer Kit to ensure SAFE WORK PRACTICES.

Complete on machine storage - minimises time spent searching for the required tools & spacers for each job! Tasks like SUSPENSION BUSHES once seen as too hard become a breeze.

A comprehensive variety of spring adaptors, suitable to almost any type or model of spring SAFE & EASY to compress in MINUTES!

Decrease labour time & increase productivity and efficiencies. INCREASE WORKPLACE SAFETY.

Undertake jobs that are currently too difficult.

Safe working capacity: 30,000kg Working range: 224mm-819mm Piston ram stroke main ram: 140mm (Standard load cap fitted)

Bed height settings: 85mm increments-8 settings

Bed width: 466mm Bed gap: 200mm

Spring compressor: Piston ram stroke: 295mm

Operating air pressure: 90-125psi

Overall dimensions: 1820H x 1170W x 820Dmm



# **Workshop Mate 18 Pce** Sleeve Kit



18 Piece Sleeve Set includes: 28x20x80mm; 33x25x80mm; 38x30x80mm; 43x35x80mm; 48x40x80mm; 53x45x80mm: 58x50x80mm; 63x55x80mm; 68x60x80mm; 73x65x80mm; 78x70x80mm; 83x75x80mm; 88x80x80mm: 93x85x80mm: 98x90x80mm; 103x95x80mm; 108x100x80mm; 113x105x80mm



18 sleeves constructed from heat-reated forged carbon steel. Sturdy metal carry case. ed and engineered to work added accessory to all current



**Great Workshop Mate Accessory** 





\*NOTE: ADDITIONAL TOOLING MAY BE REQUIRED FOR SOME APPLICATIONS



2,000kg Mini Ram - Compressed 139mm > Stroke 76mm 4,000kg Mini Ram - Compressed 42mm > Stroke 16mm 10,000kg Mini Ram - Compressed 118mm > Stroke 60mm 4,000kg Porta Power Ram - Compressed 276mm > Stroke 132mm 10,000kg Porta Power Ram - Compressed 350mm > Stroke 150mm 2,000kg Pull Back Ram - Extended 537mm > Stroke 128mm 5,000kg Pull Back Ram - Extended 613mm > Stroke 130mm 4 x Hooks - 2 Large and 2 Small

# **Porta Power Kit** BPP20T = BORUM

Safe working capacity: 20,000kg Extension tubes: 125, 255, 510, 700mm 3 each, 70mm connective tube & 60mm joint connector tube Base, Ram toe, Plunger toe Wedge toe, V-base, Wrench INDUSTRIAL Retracted ram length: 285mm Ram stroke: 125mm Hydraulic hose length: 1470mm



Constructed of high-grade steel and built to exacting standards for quality and durability. Lead-free paint finish is zoil, grease and dirtresistant for easy cleanup.

High quality hydraulic steel cylinder unit helps to reduce wear and extend service life.

Piston-ram is treated and polished.

Fision-lain is uterated and poinsied. Hydraulics are powered with a high quality oil, which offers better corrosion resistance and high/low temperature flexibility. Heavy walled extension tubes stand up in tough applications.



20,000 Capaci

OUALIT

# Air/Hydraulic Pump

2054T TO TRADEQUIP

Maximum output pressure: 10,000psi Usable hydraulic fluid capacity: 2.25 Litres Operating air pressure: 90-145 psi Air consumption: 7.5CFM @ 100 psi
Oil delivery with No Load: 49.5 cu.in/min Oil delivery with Load: 7.6 cu.in/min Input (Air) port thread: 1/4" -18 NPT Output (Oil) port thread: 3/8" -18 NPT

Durable light-weight corrosion-free aluminium. Built-in overload system prevents pump from being used beyond its safety capacity. Ergonomic hand/foot activation lever. Air/oil filters minimise contaminants in hydraulic system. Perfect for porta power rams & bead breakers. Compact design fits in truck storage boxes. Air exhaust muffler for quiet operation.



**72BORUM** 

# **Porta Power Kit**

2010T TATRADEQUIP

Safe working capacity: 10,000kg 14 Piece Kit containing pump and hose fittings

Ram length retracted: 322mm Ram length extended: 452mm Extensions: 110.265.365.520mm Case: 905L x 385W x 175H mm Hydraulic hose length: 1500mm Hydraulic oil capacity: 650ml Adaptor diameter: 33mm Weight: 31kg



FEATURES
Spring loaded ram return system, allowing controlled retraction of the ram.
Pump may be used in horizontal & vertical position.
Constructed of high-grade steel and built to exacting standards for quality and durability.
Lead-free paint finish is oil, grease and dirt-resistant.
Pump has an automatic overload system.
Easily adapts to hoses, rams, pumps, spreaders, and other accessories using common 1/4" fittings.



Excludes GST Inc. GST \$511.50

**FEATURES** 

Durable steel construction

pump (sold seperately).

Clamps to wheel rim & breaks bead

simply with up to 5,000kg of force

Requires 10,000psi air/hydraulic

# Combi Portable Bead Breaker 5,000KG

BTBB05 /= BORUM

Working load limit: 5,000kg Pressure connection: 3/8"-18NPTF Rated pressure: 10,000psi Maximum rim size: 26"

Suits 1,2 & 3 pce rims (up to 26") with pry bar / bead loosening pockets Ram stroke: 90mm

Excludes GS1 Inc. GST \$691.90

GUALIT



# Giant Portable Bead Breaker 13,000KG

BTBB13 = BORUM Working load limit: 13,000kg

Pressure connection: 3/8"-18NPTF Rated pressure: 10,000psi Suits 5 pce rims 635-1,295mm (25"-51") with pry bar / bead loosening pockets

Maximum rim size: 26" Ram stroke: 105mm

**FEATURES** 

Economical solution for earthmover wheels 25" – 51" multi-piece rims with pry bar pockets. Hydraulically clamps on wheel. Durable steel construction.

Hydraulic power breaks beads in seconds. Requires 10,000psi air/hydraulic pump (sold seperately).

Inc. GST \$878.90











Code	7000T	7001T	7002T	7003T	7004T	7005T
Vice type	Fixed	Fixed	Fixed	Swivel	Swivel	Swivel
Jaw Width	125mm	150mm	200mm	125mm	150mm	200mm
Jaw Opening	130mm	150mm	170mm	140mm	170mm	220mm
Throat Depth	69mm	76mm	88mm	76mm	86mm	110mm
Anvil Size	85x90mm	100x105mm	105x105mm	106x106mm	127x127mm	147x147mm
Excl. GST	\$142	\$198	\$258	\$208	\$310	\$422
Incl. GST	\$156.20	\$217.80	\$283.80	\$228.80	\$341.00	\$464.20

Jaws rotate

360

# **Multi-Purpose Bench Vice** with Pipe Jaws 150MM

7009T TRADEQUIP Jaw width: 150mm Jaw opening: 140mm Throat depth: 80mm Anvil size: 80x65mm Excludes GST

Inc. GST \$422.40

#### **FEATURES**

Body of rugged quality malleable cast iron. Forge hardened steel serrated jaws. Precision machined steel screw and handle Reinforced mounting lugs. Versatile 360° Swivel base locks in place. Jaws rotate 360° and lock for unlimited positioning. Holds flat stock as well as round stock with

the built-in pipe jaws. Large hardened anvil work surface 360° Swivel Base MADE FOR THE Reinforced mounting lugs

# **Bench Offset Vice 150MM**

7007T TARADEQUIP

Jaw width: 150mm Jaw opening: 140mm Throat depth: 103mm Weight: 21kg

**Excludes GST** Inc. GST \$426.80



# **Commercial Bench Vice Swivel with Anvil 150MM**

BRV150 F= BORUM

Jaw width: 150mm Jaw opening: 150mm Throat depth: 105mm Anvil size: 90x105mm





# **Commercial Bench Vice Swivel with Anvil 200MM**

BRV200 = BORUM

Jaw width: 200mm Jaw opening: 200mm Throat depth: 115mm INDUSTRIAL Anvil size: 100x113mm OUALITY || **;**{(0, **Excludes GST** 3609 H Swivel Base Inc. GST \$658.90

#### **Parts Washer 90 Litre**

1003T TOTRADEQUIP

Pump power: 240V/50Hz/0.5A Pump output: 2.7-3.3 Litres per min. Tank: 758L x 527W x 275Hmm Minimum fluid capacity: 18 Litres Maximum fluid capacity: 45 Litres Size: 780L x 540W x 908Hmm



#### **FEATURES**

Sturdy metal construction and quality enamelled gloss finish.

Enclosed "High Volume" electric pump & fully screened pump housing.

Built-in replaceable pump inlet filter. Chromed flexible metal fluid delivery pipe Large removable parts cleaning shelf for inspection and drying.

Immersion soaking when parts cleaning shelf removed.

Non welded one-piece tank with Quick Close fire safe lid mechanism.

Suitable for use with aqueous water based cleaning fluids

Replacement parts available



Not use cleaning

# Parts Washer 180 Litre

1004T TRADEQUIP

Pump power: 240V/50Hz/0.5A Pump output: 2.7-3.3 Litres per min. Tank:1135L x 545W x 320Hmm Min. fluid capacity: 33 Litres Max. fluid capacity: 90 Litres Size: 1150L x 560W x 1430Hmm



#### **FEATURES**

Sturdy metal construction and quality enamelled gloss finish. Enclosed "High Volume" electric pump & fully screened pump nousing.

Built-in replaceable pump inlet filter. Chromed flexible metal fluid

Large removable parts cleaning shelf for inspection and drying. Immersion soaking when parts cleaning shelf removed.

Non welded one-piece tank with Quick Close fire safe lid mechanism Suitable for use with aqueous water based cleaning fluids. Replacement parts available



# Parts Washer Brush & Hose

1806 TATRADEQUIP

Long life 70mm synthetic bristles Polypropylene handle Stepped hose fitting suitable for connecting to 13mm and 16mm spouts Suits TradeQuip parts washers 1003T, 1004T & 1050

Stiff bristles are ideal for cleaning automotive and machined parts



**WARNING: ONLY** SUITABLE FOR USE WITH WATER BASED SOLUTIONS



# ENVIRO FRIENDLY

BIODEGRADABLE NON-TOXIC

# FORMULATED FOR USE IN ALL TRADEQUIP PARTS CLEANERS

Code	5083T	5082T
Bottle contents	10 Litres	20 Litres
Creates	50 Litres	100 Litres
Exi. GST	\$88	\$139
Incl. GST	\$96.80	\$152.90



# **Replacement Parts Washer Pump**

1005 TO TRADEQUIP

Power: 230V 50Hz 26W 0.6Amp Cable length: 305mm Head max: 1.8m

Flowrate: 3.15 litres per minute Outlet thread: 1/2" NPT Female 100L x 85H x 65W mm

WARNING: ONLY SUITABLE FOR USE WITH WATER BASED SOLUTIONS



**Excludes GST** Inc. GST \$92.40



#### **FEATURES**

Sturdy polyplastic body. Stainless steel shaft.
Suits parts washers with chromed flexible metal fluid delivery pipes.
Snap off inlet grill for easy cleaning.
Suitable for use with aqueous water based cleaning fluids.
Works with TradeQuip parts washers (Code/s 1003T, 1004T and 1050, sold separately)

# DESIGNED FOR AUTOMOTIVE & INDUSTRIAL APPLICATION

# 6 Litres TATRADEQUIP

Capacity: 6 Litres Ultrasonic power: 150W Ultrasonic frequency: 40KHz Heating power: 300W Heating temperature: 20-80 C

1036T

Timer range: 0-30 Minutes Tank material: 304 Grade 2mm thick Tank size: 300L x 155W x 150Hmm Size: 330L x 180W x 310Hmm

# MADE FOR THE TRADE

#### 13 Litres TATRADEQUIP

Capacity: 13 Litres Ultrasonic power: 300W Ultrasonic frequency: 40KHz Heating power: 400W Heating temperature: 20-80 C Timer range: 0-30 Minutes Tank material: 304 Grade 2mm thick Tank size: 330L x 300W x 150Hmm Size: 360L x 330W x 310Hmm

1037T



\* 30 Minute Timer

\* Adjustable Temp. Control

\* 304 Grade **Stainless** Steel Tank



demonstration DON'T BE FOOLED BY CHEAPER IMITATIONS THAT ARE DESIGNED

1039T



## 27 Litres TRADEQUIP

Capacity: 27 Litres Ultrasonic power: 500W Ultrasonic frequency: 40KHz Heating power: 500W Heating temperature: 20-80 C

Timer range: 0-30 Minutes Tank material: 304 Grade 2mm thick Tank size: 500L x 300W x 200Hmm Size: 550L x 330W x 360Hmm

1038T

# 36 Litres TATRADEQUIP

Capacity: 36 Litres Ultrasonic power: 600W (adjustable) Ultrasonic frequency: 28/40KHz Heating power: 800W
Heating temperature: 20-80 C

Timer range: 0-30 Minutes Tank material: 304 Grade 2mm thick Tank size: 500L x 290W x 250Hmm Size: 570L x 360W x 450Hmm

**Excludes GST** Excludes GS1 Inc. GST \$2330.90 \* 30 Minute Timer Inc. GST \$3848.90 TO TRADEQUIP MADE FOR THE TRADE \* Adjustable TO TRADEQUIP NAME FOR THE ADDRESS OF TRADE Temp. Control \* 304 Grade Stainless Steel Tank FEATURES TradeQuip "Made for the Trade" Ultrasonic Parts Cleaners make it easy to clean items like carbies, calipers, nuts & bolts, most small metal parts - even jewelry. Just fill the cleaner with water, mix with the appropriate ultrasonic cleaning additive (sold separately), set the timer and walk away to get on with another job. The ultrasonic cleaner works with or without heat and provides deep cleaning using ultrasound technology and water. The adjustable temperature and timer gives you a variety of cleaning performance options.

> LARGER SIZES AVAILABLE FOR SPECIAL ORDER. PLEASE ENQUIRE WITH YOUR PREFERRED DISTRIBUTOR

# **Blasting Cabinet 220 Litre Capacity**

3051 TO TRADEQUIP

Cabinet capacity: 220 Litre Working pressure: 60-110psi Maximum media capacity: 20kg 4 Ceramic nozzle tips: 4, 5, 6 & 7mm

With gun & low voltage internal fluorescent light Tempered glass view window: 250 x 525mm External size: 1400H x 890L x 550Wmm

Includes gun and light

Side opening



# 220 LITRE Capacity

#### FEATURES

Freestanding floor model. Complete with gun and low voltage internal fluorescent light. Tempered glass viewing window with protective shields.
Cabinet fitted and ready to be used with a workshop vac as dust collection system. Spare parts available in Australia.





Tempered

glass window

# **Blasting Cabinet 420 Litre Capacity**

3036T TRADEQUIP

Cabinet capacity: 420 Litre Air regulator & gauge panel 4 Ceramic nozzles: 2x5mm, 2x6mm Maximum media capacity: 70kg Maximum air pressure: 125psi Required air supply: 15-25CFM 14 gauge steel legs & 16 gauge panels Sand blasting efficiency: 100cm²/min Optimum operating pressure 60-110psi External size: 1680H x 1180W x 940Dmm



Oversized hinged top door opening

Includes 240V dust extraction system





Includes blasting gun & vinyl blaster gloves

#### FEATURES

PEATURES
Perfect for surface preparation on any type where other forms of preparation are difficult. Ideal for removing paint, rust, scale and oxidation. Large viewing window gives the operator a wide viewing area. Oversized hinged top door opening & large inside work area allows easy maneuverability. Hinged door on hopper allows for easy abrasive changes. Fluorescent light kit and 90CFM dust collector help the operator to maintain a good visual. Rear-mounted dust collector. Replaceable protective window. Foot-pedal-controlled siphon blast gun.





BLASTING MEDIA ABRASIVE

TradeQuip "Made for the Trade" Blasting Media Abrasives are designed for use in conjunction with our TradeQuip Mobile Blasting Kits and Blasting Cabinets. Abrasive blasting has been used for many years to clean and remove rust, paint and corrosion. There are many types of abrasive media available, the most common being Garnet, Steel Grit and Glass Bead. These media have an aggressive cut and can rapidly remove paint and rust. However, they can also generate significant heat, potentially resulting in warped metal and etched surfaces, and they cannot be used on fibreglass. Also, chrome, plastic, rubber, trim, and other parts must be removed from a work surface or masked-off before blasting.

Alternatively, less-aggressive media, such as Walnut Shell, will do a great job at removing paint. Walnut Shell does not generate as much heat as other media, and can be used on sheet metal and fibreglass without damaging the base material. However, Walnut Shell as with any abrasive media, will require more clean-up as it leaves particles in the car body's seams and crevices that can be difficult to completely remove.

Soda blasting media has non abrasive properties which makes it a very universal blasting media which can be applied to lighter materials such as aluminium, plastic, fibreglass, wood etc. Soda Blasting does not damage glass, rubber, chrome items if they are left on a vehicle for blasting.

#### GARNET 25KG MEDIUM 30/60 3020T

Garnet is a gemstone with excellent naturally abrasive properties This hard abrasive is fast-cutting, low-dust producing and low-consuming, excellent for removing tough coatings, paint, rust and mill scale from steel. Garnet also permits precise feathering control. A good general outdoor surface preparation abrasive



#### GARNET 25KG FINE 35/100 3021T (Australian Mined)

Garnet is a gemstone with excellent naturally abrasive properties. This hard abrasive is fast-cutting, low-dust producing and low-consuming, excellent for removing tough coatings, paint, rust and mill scale from steel. Garnet also permits precise feathering control. A good general outdoor surface preparation abrasive.



# **WALNUT SHELLS 20KG 6-100 MICRON**

Walnut Nut shells and other organic materials, don't cause anchor patterns, making them useful for removing dirt, grease, oil, carbon, scale, burrs and paint without changing the underlying substrate. Walnut shells can be an excellent choice for softer surfaces such as - they won't cause etching. Walnut shells are one of less abrasive blasting media you can use and are completely biodegrad able, making them among the most environmentally-friendly



#### GARNET 25KG COARSE 20/40 3023T

Garnet is a gemstone with excellent naturally abrasive properties. This hard abrasive is fast-cutting, low-dust producing and low-consuming, excellent for removing tough coatings, paint, rust and mill scale from steel. Garnet also permits precise feathering control. A good general outdoor surface preparation abrasive



# GLASS BEAD 25KG 106-300MICRON

Glass beads are used for general cleaning, peening and cosmetic finishing of sensitive metal surfaces; removing automotive paint; brightening grout and removing fungus and calcium deposits from tile; polishing cast iron, stainless steel, aluminium, propellers and turbine blades. Glass Beads are environmentally friendly and can be used in many blast applications to provide a finish with no profile. Use while working with metal, plastic or rubber materials to clean,



#### SODA BI CARB 22KG 3028T (Product of America)

Clean tools, strip paint and more with Soda Bi-Carbonate. The medium-sized crystals provide blasting power to smooth and strip paint without damaging other surfaces. Works with aluminum, steel, stainless steel, fibreglass and more...



MADE FOR THE

# **Soda/Sand Blasting Hood**

3053 TRADEQUIP

Durable fabric & synthetic-leather construction Large 110mm x 55mm acrylic viewing plate Adjustable internal helmet for added comfort Reinforced side ventilation panels for increased airflow







Protect eyes and face from "rebounding" abrasive particles by wearing Abrasive Blasting Hood. Ideal for many abrasive-blasting applications.



MADE FOR THE

2102T TATRADEQUIP

Safe working capacity: 360kg Height: 205 - 780mm Platform: 490W x 1345Lmm

Weight: 95kg



360kg capacity

# **Motorcycle Scissor** Lift 500KG

2104T TRADEQUIP

Safe working capacity: 500kg Height: 95 - 420mm Platform dimensions: 450x150mm Weiaht: 13.8ka

Powder coated structural heavy duty steel Powder Coales of Construction.
Rotate lead screw to adjust & raise the lift.
Bolt down lugs to prevent unwanted movement.

Designed to deliver the ideal lift for use with motorcycles, ATV's, tractors, personal watercraft, and snowmobiles.

Lifts back wheel off lift table for tyre/wheel

MADE FOR THE

Inc. GST \$181.50



# **Motorcycle Lifter 450KG**

2101T TRADEQUIP

Safe working capacity: 450kg Height: 175 - 750mm Platform: 680W x 2200Lmm

Features wide lifting stability

Weight: 120kg



**Excludes GST** 

Inc. GST \$1021.90

Excludes GST Inc. GST \$1307.90



#### **FEATURES**

Ideal lift for use with motorcycles, ATV's

treatmit of use with motologiess, At vs, tractors, personal watercraft & snowmobiles. Locking bar for safety. Powder coated structural heavy duty steel. Extra Long Full width loading ramp. Step-less rate of lowering irrespective of load. Oil trap plate for easy drainage.

2 foot pedals for raising & lowering - for easy

hands free operation.

Fitted with 2 position platform locking device

to prevent accidental lowering.

Quality wheels and swivel castors making it easier to position and move around. Lockdown bolts to prevent unwanted movement during use.

Does not include tie down straps





# **Motorcycle Lifter Air Actuated 680KG**

2103T TRADEQUIP

Safe working capacity: 680kg Height: 185 - 825mm Platform dimensions: 710 x 2000mm Required air pressure: 0.75-0.85Mpa

Weight: 169kg





#### **FEATURES**

PEATURES
Designed to deliver the ideal lift for use with motorcycles, ATV's, tractors, personal watercraft, and snowmobiles.
Locking bar for safety.
Extra long full width loading ramp.
Powdercoated structural heavy duty steel.
Stepless rate of lowering irrespective of the load.

the load.

Oil trap plate for easy drainage

Contrap parts of case of support of the contract of the case of th









# CAGLE PRO

# **ABOUT EAGLE PRO HYDRAULICS**

With nearly 3 decades experience of manufacturing hydraulic tools for industrial applications, Eagle Pro Hydraulics has become the trusted partners for applications spanning from offshore plant maintenance to mining, infrastructure, commercial and industrial. Eagle Pro Hydraulics are manufactured to ISO 9001:2018 through international quality assurance programs which involve consistent observation of administration, management, manufacturing and production control. Eagle Pro hydraulic cylinders meet or exceed ANSI B30.1. This results in reliable and dependable high-quality products you can count on every time.

# **ES SERIES**

#### Single Acting General Purpose

Eagle Pro ES series redefines durability for the harshest of industrial environments with its high strength alloy steel construction. Hardened and chromed piston ensures superior product life by reducing wear and corrosion.

Eagle Pro ES series is not only durable, it gets the job done! Heavy-duty, straight pull return springs provide fast retraction. For greater flexibility and easy mounting, the ES series comes with collar, multiple piston threads, and base mounting holes. Hardened and E-coated snap-in type saddle prevents piston jamming and mushrooming, practically eliminating downtime. The female coupler comes with a dust cover – preventing dirt and debris from entering the hydraulic system.

The Eagle Pro ES series also complies with ASME B30.1 standard.



# **EDH SERIES**

#### Double Acting Hydraulic

The Eagle Pro EDH series incorporates a hollow piston design that allows both pushing and pulling forces. The construction of high strength alloy steel maximizes durability. The EDH series' double acting operation ensures fast and controlled piston reaction time.

Accidental over-pressurization is prevented with a built-in safety valve. The collar, piston threads, and base mounting holes enable easy fixturing.



# **ED SERIES**

#### Double Acting General Purpose

The Eagle Pro ED series produces fast and controlled piston contraction thanks to the double acting operation.

A built-in safety valve prevents accidental-over pressurization. Most models include collar, piston threads, and base mounting holes to make fixturing a simple task.

Piston jamming and mushrooming is prevented by the cylinder's hardened, and E-coated snap-in saddle. The ED series enhances durability with a hardened and chromed piston that reduces wear and corrosion. ED series cylinders are easy to move around the job site with the addition of carrying handles (and eyebolts on larger models) that ease positioning and carrying. A durable, anti-corrosive finish is added using an environmentally friendly coating process.





# **EDX SERIES**

#### Double Acting High Tonnage

Eagle Pro EDX series maximizes durability with the use of a high strength alloy steel. The built-in safety valve prevents accidental over-pressurization. The EDX is easy to carry and position with the included eyebolts. Optional tilt saddles are also available. The hardened and chromed piston minimizes wear and corrosion damage. The incorporation of base mounting holes enables easy fixturing. An environmentally friendly coating process provides a highly durable finish.

# EDX-2006T EDX-1006T

FDX-1002T

# **EL SERIES**

#### Single Acting With Locking Collars

The Eagle Pro EL series includes an alloy steel lock nut for mechanical load holding. The EL series is constructed of a high strength alloy steel to maximize durability. The hardened chrome piston reduces damage caused from wear and corrosion. The over flow port functions as a stroke limiter.

The EL series includes hardened grooved replaceable saddles. Composite bearings prevent metal-to-metal contact. Quick reaction times are obtained through with heavy-duty straight pull return springs. An environmentally friendly coating process produces a finish that further increases durability.



# **ESL SERIES**

#### Low Profile And Pancake Style

Featuring a low-profile, or flat design, the Eagle Pro ESL series cylinder is an optimal choice for confined spaces. The hardened and chromed piston is constructed of high strength alloy steel that increases durability by reducing wear and corrosion.

The grooved piston end does not require a saddle and the inclusion of mounting holes permits easy fixturing.

Retraction time is quick thanks to the heavy duty, straight pull return springs. An environmentally friendly coating process is used to provide the durable anti-corrosion finish.



# **ESH SERIES**

#### Single Acting Hollow Piston

The Eagle Pro ESH Series allows for both pushing and pulling by incorporating a hollow piston design. The heavy-duty return spring provides notoriously quick reaction times. Easy fixturing with the inclusion of collar threads.



#### ESH-302



# **EPA SERIES**

#### **Dual Speed Hand Pumps**

The Eagle Pro EPA series hydraulic hand pumps are some of the most durable, powerful and reliable hand pumps in the industry today. The EPA series feature valve blocks that are machined from a single piece of high strength aircraft grade aluminum and high capacity reservoirs made from alloy steel\* that maximizes durability. The EPA series hand pumps are compact and easy to carry around the job site. To get the job done faster, these powerful dual speed pumps offer some of the best flow rates in the industry. All of the EPA series hydraulic hand pumps feature an internal safety valve to prevent system damage.





# TEAGLE PROPERTIES





Miles   Mile	Model	Description	Cylinder Capacity @ 10,000PSI	Stroke	Cylinder Effective	Oil Capacity	Collapsed Height	Extended Height	Price ex GST	Price inc GST
ES-50 SINGLE ACTING RAM 5,000 16 71 11.4 42 58 \$39,00 \$428,90 ES-51 SINGLE ACTING RAM 5,000 25 71 17.8 110 135 \$489,00 \$537,90 ES-55 SINGLE ACTING RAM 5,000 127 71 90.2 215 342 \$618,00 \$680,90 ESL-50 SINGLE ACTING RAM PANCAKE STYLE 5,000 6 71 4 33 39 \$389,00 \$427,90 ES-1010 SINGLE ACTING RAM 10,000 257 14.5 372,65 349 666 \$799,00 \$878,90 ES-1010 SINGLE ACTING RAM 10,000 54 14.5 78.3 121 175 \$489,00 \$537,90 ES-1010 SINGLE ACTING RAM 10,000 156 14.5 26.62 247 403 \$799,00 \$537,90 ES-106 SINGLE ACTING RAM 10,000 156 14.5 26.62 247 403 \$799,00 \$537,90 ES-106 SINGLE ACTING RAM 10,000 156 14.5 15 42 53 \$569,00 \$525,90 ESL-101 SINGLE ACTING RAM PANCAKE STYLE 10,000 10 14.5 15 42 53 \$569,00 \$625,90 ESL-101 SINGLE ACTING RAM PANCAKE STYLE 10,000 38 14.4 55 88 126 \$599,00 \$625,90 ESL-121 SINGLE ACTING RAM PANCAKE STYLE 10,000 42 18.4 77.3 120 162 \$696,00 \$105,500 ES-1510 SINGLE ACTING RAM 10,000 254 212 538,48 373 627 \$1099,00 \$120,90 ES-1510 SINGLE ACTING RAM 15,000 254 212 538,48 373 627 \$1099,00 \$120,90 ES-152 SINGLE ACTING RAM 15,000 356 212 754,72 474 830 \$199,00 \$120,90 ES-152 SINGLE ACTING RAM 15,000 31 212 108,12 149 200 301 \$529,00 \$103,90 ES-154 SINGLE ACTING RAM 15,000 31 212 108,12 149 200 301 \$529,00 \$102,190 ES-152 SINGLE ACTING RAM 15,000 31 212 108,12 149 200 301 \$529,00 \$102,190 ES-152 SINGLE ACTING RAM 15,000 31 212 108,12 149 200 301 \$529,00 \$102,190 ES-152 SINGLE ACTING RAM 15,000 31 212 108,12 149 200 301 \$529,00 \$102,190 ES-152 SINGLE ACTING RAM 15,000 31 32 32 38 161 162 21 \$1749,00 \$192,190 ES-152 SINGLE ACTING RAM 25,000 31 32 32 38 161 162 21 \$1749,00 \$102,190 SINGLE ACTING RAM 25,000 31 32 32 38 161 162 21 \$1749,00 \$102,190 SINGLE EXCING RAM 25,000 30 33 2 33 38 64 215 317 \$179,00 \$102,190 SINGLE ACTING RAM 25,000 30 33 2 33 38 64 215 317 \$179,00 \$102,190 SINGLE ACTING RAM 25,000 30 33 2 33 38 64 215 317 \$109,00 \$116,90 SINGLE EXCING RAM 25,000 30 30 30 30 30 30 30 30 30 30 30 30			(700 BAR)	MM	Area	CM3		В	ex GST	IIIC GS1
ES-51 SINGLE ACTING RAM 5.000 25 7.1 17.8 110 135 \$498.00 \$537.90 ES-55 SINGLE ACTING RAM 5.000 127 7.1 90.2 215 342 \$619.00 \$680.90 ESL-50 SINGLE ACTING RAM 5.000 66 7.1 4 33 3 39 \$389.00 \$4727.90 ES-1010 SINGLE ACTING RAM 10.000 257 14.5 372.65 349 60.6 \$799.00 \$878.90 ES-102 SINGLE ACTING RAM 10.000 54 14.5 78.3 121 175 \$499.00 \$5878.90 ES-102 SINGLE ACTING RAM 10.000 156 14.5 22.62 24.7 4.03 \$799.00 \$5878.90 ES-100 SINGLE ACTING RAM 10.000 156 14.5 22.62 24.7 4.03 \$799.00 \$5878.90 ES-100 SINGLE ACTING RAM PANCAKE STYLE 10.000 10 14.5 15 42 53 \$569.00 \$682.90 ES-1-00 SINGLE ACTING RAM PANCAKE STYLE 10.000 38 14.4 55 88 126 \$589.00 \$682.90 ES-1-10 SINGLE ACTING RAM PANCAKE STYLE 10.000 38 14.4 55 88 126 \$589.00 \$682.90 ES-1-10 SINGLE ACTING RAM PANCAKE STYLE 10.000 38 14.4 55 88 126 \$589.00 \$682.90 ES-1-10 SINGLE ACTING RAM PANCAKE STYLE 10.000 38 14.4 55 88 126 \$589.00 \$682.90 ES-1-10 SINGLE ACTING RAM 15.000 42 18.4 77.3 120 16.2 \$666.00 \$105.90 ES-1-10 SINGLE ACTING RAM 15.000 35.6 12.12 538.48 373 6.27 \$1099.00 \$100.90 ES-1-10 SINGLE ACTING RAM 15.000 254 212 538.48 373 6.27 \$1099.00 \$100.90 ES-1-10 SINGLE ACTING RAM 15.000 35.6 12.12 10.812 149 200 \$759.00 \$100.90 ES-1-10 SINGLE ACTING RAM 15.000 51 21.2 10.812 149 200 \$759.00 \$102.90 ES-1-10 SINGLE ACTING RAM 15.000 51 21.2 10.812 149 200 \$759.00 \$102.90 ES-1-20 SINGLE ACTING RAM 15.000 51 21.2 10.812 149 200 \$759.00 \$102.90 ES-1-20 SINGLE ACTING RAM 15.000 20.000 49 32.8 161 162 21 \$1749.00 \$192.90 ES-1-20 SINGLE ACTING RAM 25.000 20.000 45 28.3 112 10.812 149 200 \$759.00 \$102.90 ES-2-20 SINGLE ACTING RAM 25.000 20.000 45 28.3 1127 98 143 \$769.00 \$102.90 ES-2-20 SINGLE ACTING RAM 25.000 50 33.2 8.6 161 162 21 \$1749.00 \$192.90 ES-2-20 SINGLE ACTING RAM 25.000 50 33.2 8.6 32 139 165 \$999.00 \$100.90 SINGLE ACTING RAM 25.000 50 33.2 8.6 4 215 317 \$119.00 \$102.90 SINGLE ACTING RAM 25.000 50 33.2 50.56 273 431 \$13.00 \$103.90 \$103.90 SINGLE ACTING RAM 25.000 50 50.90 50 50.90 50.90 50.90 50.90 50.90 50.90 50.90 50.90 50.90 50.90 50.90 50.90 50.90 50.90 50.90	ES-50	SINGLE ACTING DAM							\$700.00	\$478.00
ES-55 SINGLE ACTING RAM 5.000 127 7.1 90.2 215 342 \$69.00 \$680.90 ESL-50 SINGLE ACTING RAM PANCAKE STYLE 5.000 6 7.1 4 33 39 \$389.00 \$427.90 ES-1010 SINGLE ACTING RAM 10.000 257 14.5 372.65 349 606 \$79.00 \$878.90 ES-102 SINGLE ACTING RAM 10.000 54 14.5 78.3 121 17.5 \$499.00 \$878.90 ES-106 SINGLE ACTING RAM 10.000 156 14.5 226.2 247 403 \$799.00 \$878.90 ES-106 SINGLE ACTING RAM 10.000 156 14.5 226.2 247 403 \$799.00 \$878.90 ES-100 SINGLE ACTING RAM PANCAKE STYLE 10.000 10 14.5 15 42 53 \$569.00 \$652.90 ESL-101 SINGLE ACTING RAM PANCAKE STYLE 10.000 38 14.4 55 88 126 \$599.00 \$658.90 ESL-101 SINGLE ACTING RAM PANCAKE STYLE 10.000 38 14.4 55 88 126 \$599.00 \$658.90 ESL-101 SINGLE ACTING RAM 15.000 42 18.4 77.5 120 16.2 \$666.00 \$668.90 ESL-101 SINGLE ACTING RAM 15.000 42 18.4 77.5 120 16.2 \$666.00 \$668.90 ESL-101 SINGLE ACTING RAM 15.000 524 21.2 538.48 37.3 627 \$1099.00 \$1058.90 ESL-101 SINGLE ACTING RAM 15.000 5366 21.2 754.72 474 830 \$1199.00 \$1059.90 ESL-101 SINGLE ACTING RAM 15.000 551 21.2 108.12 149 200 \$759.00 \$883.90 ESL-105 SINGLE ACTING RAM 15.000 51 21.2 108.12 149 200 \$759.00 \$883.90 ESL-105 SINGLE ACTING RAM 15.000 51 21.2 108.12 149 200 \$759.00 \$883.90 ESL-200 SINGLE ACTING RAM 15.000 101 21.2 214.12 200 301 \$929.00 \$102.190 ESL-201 SINGLE ACTING RAM 15.000 101 21.2 214.12 200 301 \$929.00 \$102.190 ESL-201 SINGLE ACTING RAM 15.000 101 21.2 214.12 200 301 \$929.00 \$102.190 ESL-201 SINGLE ACTING RAM 10.00 WISTON 20.000 49 32.8 161 162 211 \$1749.00 \$192.90 ESL-201 SINGLE ACTING RAM PANCAKE STYLE 20.000 11 28.3 11 51 6.2 \$699.00 \$768.90 ESL-201 SINGLE ACTING RAM 20.000 100 33.2 166 165 215 \$1099.00 \$108.90 ESL-201 SINGLE ACTING RAM 20.000 102 33.2 166 155 215 \$1099.00 \$108.90 ESL-201 SINGLE ACTING RAM 20.000 102 33.2 166 155 215 \$1099.00 \$108.90 ESL-201 SINGLE ACTING RAM 20.000 102 33.2 166 155 215 \$1099.00 \$108.90 ESL-205 SINGLE ACTING RAM 20.000 102 33.2 166 155 215 \$1099.00 \$108.90 ESL-205 SINGLE ACTING RAM 20.000 102 33.2 166 165 215 \$1099.00 \$108.90 ESL-205 SINGLE ACTING RAM 20.000 102 33.2 166 44 3 300 45			,							
ESI-50 SINGLE ACTING RAM PANCAKE STYLE 5,000 6 71 4 33 39 339,00 542790 ES-1010 SINGLE ACTING RAM 10,000 257 14.5 372.65 349 606 3799.00 3878.90 ES-102 SINGLE ACTING RAM 10,000 54 14.5 78.3 121 175 3489.00 553790 ES-106 SINGLE ACTING RAM 10,000 156 14.5 22.62 247 403 3799.00 3878.90 ESI-100 SINGLE ACTING RAM PANCAKE STYLE 10,000 10 14.5 15 42 53 3569.00 3625.90 ESI-101 SINGLE ACTING RAM PANCAKE STYLE 10,000 38 14.4 55 88 126 5599.00 3658.90 ESI-101 SINGLE ACTING RAM POLLOW PISTON 13,000 42 18.4 77.3 120 162 5696.00 31065.90 ESI-101 SINGLE ACTING RAM 15,000 254 212 538.48 37.3 627 \$1099.00 \$1208.90 ESI-1510 SINGLE ACTING RAM 15,000 254 212 754.72 474 830 \$199.00 \$1208.90 ESI-152 SINGLE ACTING RAM 15,000 356 212 754.72 474 830 \$199.00 \$1208.90 ESI-154 SINGLE ACTING RAM 15,000 356 212 754.72 474 830 \$199.00 \$1208.90 ESI-154 SINGLE ACTING RAM 15,000 356 212 754.72 474 830 \$199.00 \$1208.90 ESI-155 SINGLE ACTING RAM 15,000 101 212 21412 200 301 3929.00 \$1029.90 ESI-150 SINGLE ACTING RAM 15,000 101 212 21412 200 301 3929.00 \$1029.90 ESI-200 SINGLE ACTING RAM 15,000 101 28.3 31 51 62 \$699.00 \$1029.90 ESI-201 SINGLE ACTING RAM 25,000 49 32.8 161 162 211 \$1749.00 \$1923.90 ESI-201 SINGLE ACTING RAM 25,000 45 28.3 127 98 143 3769.00 \$1029.90 ESI-251 SINGLE ACTING RAM 25,000 45 28.3 127 98 143 3769.00 \$108.90 ESI-252 SINGLE ACTING RAM 25,000 50 33.2 166 165 215 \$1079.00 \$108.90 ESI-254 SINGLE ACTING RAM 25,000 102 33.2 338.64 215 317 \$1199.00 \$129.90 ESI-255 SINGLE ACTING RAM 25,000 102 33.2 338.64 215 317 \$1199.00 \$108.90 ESI-256 SINGLE ACTING RAM 25,000 102 33.2 338.64 215 317 \$1199.00 \$108.90 ESI-256 SINGLE ACTING RAM 25,000 102 33.2 336.64 215 317 \$1199.00 \$108.90 ESI-256 SINGLE ACTING RAM 25,000 102 33.2 336.64 215 317 \$1199.00 \$108.90 ESI-256 SINGLE ACTING RAM 25,000 102 33.2 336.64 215 317 \$1199.00 \$108.90 ESI-256 SINGLE ACTING RAM 500.00 105 70.8 106.50 273 431 \$139.90 ESI-300 SINGLE ACTING RAM 500.00 105 70.9 3615.9 179 242 \$188.80 ESI-300 SINGLE ACTING RAM 500.00 105 70.9 1127.31 282 441 \$1699.00 \$108.90 ESI-300 S			<u>'</u>							
ES-1010 SINGLE ACTING RAM 10,000 257 14.5 372.65 349 606 \$799.00 8878.90 ES-102 SINGLE ACTING RAM 10,000 54 14.5 78.3 121 175 3489.00 \$357.90 ES-106 SINGLE ACTING RAM 10,000 156 14.5 226.2 247 40.3 \$799.00 \$878.90 ES-1-100 SINGLE ACTING RAM 10,000 10 14.5 15 42 53 \$569.00 \$625.90 ES-1-101 SINGLE ACTING RAM PANCAKE STYLE 10,000 38 14.4 55 88 126 \$599.00 \$658.90 ES-1-121 SINGLE ACTING RAM PANCAKE STYLE 10,000 42 18.4 77.3 120 162 \$666.00 \$1065.90 ES-1-121 SINGLE ACTING RAM PANCAKE STYLE 10,000 38 14.4 55 88 373 627 \$1099.00 \$1020.90 ES-1-121 SINGLE ACTING RAM 15,000 254 212 \$384.8 373 627 \$1099.00 \$1020.90 ES-1-121 SINGLE ACTING RAM 15,000 356 212 754.72 474 830 \$199.00 \$1018.90 ES-1-122 SINGLE ACTING RAM 15,000 356 212 754.72 474 830 \$199.00 \$1018.90 ES-1-122 SINGLE ACTING RAM 15,000 51 212 1081.2 149 200 \$301 \$359.00 \$1021.90 ES-1-124 SINGLE ACTING RAM 15,000 101 212 2141.2 200 301 \$359.00 \$1021.90 ES-1-124 SINGLE ACTING RAM 15,000 49 32.8 161 162 210 \$1749.00 \$1923.90 ES-1-200 SINGLE ACTING RAM PANCAKE STYLE 20,000 45 28.3 127 98 143 \$769.00 \$1021.90 ES-1-200 SINGLE ACTING RAM PANCAKE STYLE 20,000 45 28.3 127 98 143 \$769.00 \$1029.90 ES-251 SINGLE ACTING RAM 25,000 26 33.2 86.32 139 165 \$999.00 \$1089.90 ES-252 SINGLE ACTING RAM 25,000 50 332 166 165 275 \$1099.00 \$1089.90 ES-254 SINGLE ACTING RAM 25,000 50 332 166 165 275 \$1099.00 \$1089.90 ES-254 SINGLE ACTING RAM 25,000 102 33.2 338.64 215 377 \$1179.00 \$1029.90 ES-255 SINGLE ACTING RAM 25,000 102 33.2 338.64 215 377 \$1179.00 \$1029.90 SINGLE ACTING RAM 25,000 102 33.2 338.64 215 377 \$1179.00 \$1029.90 SINGLE ACTING RAM 350.00 102 33.2 338.64 215 377 \$179.00 \$1029.90 SINGLE ACTING RAM 30.00 166 48 30.00 179 242 SINGLE ACTING RAM 25,000 158 33.2 52.56 273 431 \$1349.00 \$1483.90 SINGLE ACTING RAM 25,000 166 48 30.00 179 242 SINGLE ACTING RAM 25,000 166 48 30.00 179 242 SINGLE ACTING RAM 30.00 166 51.6 102 67 83 SINGLE ACTING RAM 50.00 5100.00 150 70.8 1062 264 414 \$1929.00 \$1299.00 SINGLE ACTING RAM 50.00 160 51.00 70.8 1062 264 414 \$1929.00 \$12199.00 SINGLE ACTING R										
ES-102 SINGLE ACTING RAM 10,000 54 14.5 78.3 121 175 \$489.00 \$537.90 ES-106 SINGLE ACTING RAM 10,000 156 14.5 226.2 247 403 \$799.00 \$878.90 ES-1-00 SINGLE ACTING RAM PANCAKE STYLE 10,000 10 14.5 15 42 53 \$569.00 \$625.90 ES-1-01 SINGLE ACTING RAM PANCAKE STYLE 10,000 38 14.4 55 88 126 \$599.00 \$658.90 ES-1-101 SINGLE ACTING RAM HOLLOW PISTON 13,000 42 18.4 77.3 120 162 \$696.00 \$1065.90 ES-1-101 SINGLE ACTING RAM 15,000 254 212 538.48 37.3 627 \$1099.00 \$1208.90 ES-1-101 SINGLE ACTING RAM 15,000 254 212 538.48 37.3 627 \$1099.00 \$1308.90 ES-1-101 SINGLE ACTING RAM 15,000 356 212 754.72 474 830 \$199.00 \$1318.90 ES-1-101 SINGLE ACTING RAM 15,000 51 212 108.12 149 200 \$758.00 \$834.90 ES-1-101 SINGLE ACTING RAM 15,000 101 212 214.12 200 301 \$929.00 \$1021.90 ES-1-101 SINGLE ACTING RAM 15,000 101 212 214.12 200 301 \$929.00 \$1021.90 ES-1-201 SINGLE ACTING RAM 51,000 11 28.3 31 51 62 \$699.00 \$768.90 ES-2-251 SINGLE ACTING RAM 25,000 45 83.3 127 98 143 \$769.00 \$1923.90 ES-2-251 SINGLE ACTING RAM 25,000 45 83.3 127 98 143 \$769.00 \$1928.90 ES-2-251 SINGLE ACTING RAM 25,000 45 83.3 127 98 143 \$769.00 \$1928.90 ES-2-254 SINGLE ACTING RAM 25,000 45 83.3 127 98 143 \$769.00 \$1928.90 ES-2-254 SINGLE ACTING RAM 25,000 50 33.2 166 165 215 \$1079.00 \$198.90 ES-2-254 SINGLE ACTING RAM 25,000 50 33.2 166 165 215 \$1079.00 \$198.90 ES-2-254 SINGLE ACTING RAM 25,000 102 33.2 33.8 64 215 317 \$1179.00 \$1928.90 ES-2-254 SINGLE ACTING RAM 25,000 158 33.2 52.456 273 413 \$1349.00 \$198.90 ES-2-254 SINGLE ACTING RAM 25,000 158 33.2 52.456 273 \$1099.00 \$198.90 \$1098.90 ES-2-254 SINGLE ACTING RAM 25,000 158 33.2 52.456 273 \$1099.00 \$198.90 \$198.90 \$109.										
ES-106 SINGLE ACTING RAM 10,000 156 14.5 226.2 247 403 \$79,00 \$878,90 ES.1-300 \$INGLE ACTING RAM PANCAKE STYLE 10,000 10 14.5 15 42 53 \$569,00 \$625,90 ES.1-301 \$INGLE ACTING RAM PANCAKE STYLE 10,000 38 14.4 55 88 126 \$599,00 \$658,90 ES.1-301 \$INGLE ACTING RAM HOLLOW PISTON 13,000 42 18.4 77.3 120 162 \$696,00 \$1065,90 ES.1-510 \$INGLE ACTING RAM 15,000 254 21.2 \$38,48 37.3 627 \$109,90 \$1208,90 ES.1-514 \$INGLE ACTING RAM 15,000 356 21.2 754,72 474 83.0 \$199,00 \$1318,90 ES.1-52 \$INGLE ACTING RAM 15,000 51 21.2 108,12 149 200 3759,00 \$834,90 ES.1-52 \$INGLE ACTING RAM 15,000 51 21.2 108,12 149 200 379,90 \$834,90 ES.1-54 \$INGLE ACTING RAM 15,000 101 21.2 214,12 200 301 \$928,00 \$102,190 ES.1-200 \$INGLE ACTING RAM 15,000 11 28.3 31 51 62 \$699,00 \$1768,90 ES.2-52 \$INGLE ACTING RAM PANCAKE STYLE 20,000 11 28.3 31 51 62 \$699,00 \$1768,90 ES.2-52 \$INGLE ACTING RAM 25,000 45 28.3 127 98 143 \$769,00 \$1845,90 ES.2-52 \$INGLE ACTING RAM 25,000 50 33.2 166 165 215 \$1079,00 \$1846,90 ES.2-52 \$INGLE ACTING RAM 25,000 50 33.2 166 165 215 \$1079,00 \$1869,00 ES.2-52 \$INGLE ACTING RAM 25,000 102 33.2 33.8 44 215 317 \$1179,00 \$1926,90 ES.2-52 \$INGLE ACTING RAM 25,000 102 33.2 33.8 44 215 317 \$1179,00 \$1926,90 ES.2-52 \$INGLE ACTING RAM 25,000 102 33.2 33.8 44 215 317 \$1179,00 \$1926,90 ES.2-52 \$INGLE ACTING RAM 25,000 102 33.2 33.8 44 215 317 \$1179,00 \$186,90 ES.2-52 \$INGLE ACTING RAM 25,000 102 33.2 33.8 44 215 317 \$1179,00 \$186,90 \$186			.,							
ESI-100 SINGLE ACTING RAM PANCAKE STYLE 10,000 10 14.5 15 42 53 \$560,00 \$625,90   ESI-101 SINGLE ACTING RAM PANCAKE STYLE 10,000 38 14.4 55 88 126 \$599,00 \$658,90   ESI-121 SINGLE ACTING RAM HOLLOW PISTON 13,000 42 18.4 77.3 120 162 \$696,00 \$1065,90   ESI-1510 SINGLE ACTING RAM HOLLOW PISTON 15,000 254 21.2 538,48 37.3 627 \$1099,00 \$1208,90   ESI-1514 SINGLE ACTING RAM 15,000 356 21.2 75,47.2 474 830 \$1199,00 \$1318,90   ESI-152 SINGLE ACTING RAM 15,000 51 21.2 108,12 149 200 \$759,00 \$834,90   ESI-154 SINGLE ACTING RAM 15,000 101 21.2 214,12 200 301 \$929,00 \$1021,90   ESI-154 SINGLE ACTING RAM 15,000 101 21.2 214,12 200 301 \$929,00 \$1021,90   ESI-154 SINGLE ACTING RAM 15,000 101 21.2 214,12 200 301 \$929,00 \$1021,90   ESI-154 SINGLE ACTING RAM 15,000 101 21.2 214,12 200 301 \$929,00 \$1021,90   ESI-200 SINGLE ACTING RAM PANCAKE STYLE 20,000 11 28.3 31 51 62 \$699,00 \$768,90   ESI-201 SINGLE ACTING RAM PANCAKE STYLE 20,000 11 28.3 127 98 143 \$769,00 \$845,90   ESI-251 SINGLE ACTING RAM 25,000 26 33.2 86.32 139 165 \$999,00 \$1098,90   ESI-252 SINGLE ACTING RAM 25,000 26 33.2 86.32 139 165 \$999,00 \$1098,90   ESI-252 SINGLE ACTING RAM 25,000 50 33.2 166 165 215 \$1079,00 \$186,90   ESI-254 SINGLE ACTING RAM 25,000 50 33.2 166 165 215 \$1079,00 \$186,90   ESI-256 SINGLE ACTING RAM 25,000 102 33.2 338,64 215 317 \$1179,00 \$1296,90   ESI-256 SINGLE ACTING RAM 25,000 102 33.2 338,64 215 317 \$1179,00 \$1296,90   ESI-300 SINGLE ACTING RAM 10LLOW PISTON 30,000 64 48 307 179 242 \$1888,00 \$2076,80   ESI-300 SINGLE ACTING RAM PANCAKE STYLE 30,000 156 48 744 330 485 \$1999,00 \$1076,90   ESI-300 SINGLE ACTING RAM PANCAKE STYLE 30,000 150 70.8 1062 264 414 \$1929,00 \$116,90   ESI-300 SINGLE ACTING RAM PANCAKE STYLE 30,000 150 70.8 1062 264 414 \$1929,00 \$1076,90   ESI-300 SINGLE ACTING RAM PANCAKE STYLE 30,000 150 70.8 1062 264 414 \$1929,00 \$1076,90   ESI-300 SINGLE ACTING RAM PANCAKE STYLE 30,000 150 70.9 112731 282 441 \$1699,00 \$1076,90   ESI-300 SINGLE ACTING RAM PANCAKE STYLE 50,000 16 63.6 102 67 83 \$979,00 \$1076,90   ESI-300 SINGLE ACTIN			·							
ESI-101 SINGLE ACTING RAM PANCAKE STYLE 10,000 38 14.4 55 88 126 \$599.00 \$658.90 ESH-121 SINGLE ACTING RAM HOLLOW PISTON 13,000 42 18.4 77.3 120 162 \$696.00 \$1065.90 ES-1510 SINGLE ACTING RAM 15,000 254 212 538.48 373 627 \$1099.00 \$1208.90 ES-1514 SINGLE ACTING RAM 15,000 356 212 754.72 474 830 \$1199.00 \$1318.90 ES-152 SINGLE ACTING RAM 15,000 51 212 108.12 149 200 \$759.00 \$834.90 ES-154 SINGLE ACTING RAM 15,000 101 212 214.12 200 301 \$929.00 \$1021.90 ESH-206 SINGLE ACTING RAM 15,000 101 212 214.12 200 301 \$929.00 \$1021.90 ESH-206 SINGLE ACTING RAM 15,000 111 28.3 31 51 62 \$699.00 \$768.90 ESL-200 SINGLE ACTING RAM PANCAKE STYLE 20,000 11 28.3 31 51 62 \$699.00 \$768.90 ESL-201 SINGLE ACTING RAM 25,000 45 28.3 127 98 143 \$769.00 \$845.90 ES-251 SINGLE ACTING RAM 25,000 26 33.2 86.32 139 165 \$999.00 \$1098.90 ES-252 SINGLE ACTING RAM 25,000 50 33.2 166 165 215 \$1079.00 \$1808.90 ES-252 SINGLE ACTING RAM 25,000 102 33.2 338.64 215 317 \$1179.00 \$1928.90 ES-256 SINGLE ACTING RAM 25,000 102 33.2 338.64 215 317 \$1179.00 \$1928.90 ES-256 SINGLE ACTING RAM 25,000 102 33.2 338.64 215 317 \$1179.00 \$1928.90 ES-256 SINGLE ACTING RAM 25,000 158 33.2 524.56 273 431 \$1349.00 \$1483.90 ES-3-30 SINGLE ACTING RAM 25,000 156 48 744 330 485 \$1999.00 \$1483.90 ES-3-30 SINGLE ACTING RAM 25,000 156 48 744 330 485 \$1999.00 \$1088.90 ES-3-30 SINGLE ACTING RAM PANCAKE STYLE 30,000 156 48 744 330 485 \$1999.00 \$2188.90 ES-3-30 SINGLE ACTING RAM PANCAKE STYLE 30,000 150 70.8 1062 264 414 \$1929.00 \$2129.00 ES-3-30 SINGLE ACTING RAM 50,000 150 70.8 1062 264 414 \$1929.00 \$2129.00 ES-3-30 SINGLE ACTING RAM 50,000 150 70.8 1062 264 414 \$1929.00 \$2129.00 ES-3-30 SINGLE ACTING RAM 50,000 150 70.8 1062 264 414 \$1929.00 \$2129.00 ES-3-30 SINGLE ACTING RAM 50,000 150 70.8 1062 264 414 \$1929.00 \$2129.00 ES-3-30 SINGLE ACTING RAM 50,000 150 70.8 1062 264 414 \$1929.00 \$2129.00 ES-3-30 SINGLE ACTING RAM 50,000 150 70.8 1062 264 414 \$1929.00 \$2129.00 ES-3-30 SINGLE ACTING RAM 50,000 150 70.8 1062 264 414 \$1929.00 \$2129.00 SINGLE ACTING RAM 50,000 51 70.9 5107.5 50			,							
ESH-121 SINGLE ACTING RAM HOLLOW PISTON 13,000 42 18.4 77.3 120 162 \$696.00 \$1065.90 ES-1510 SINGLE ACTING RAM 15,000 254 212 538.48 373 627 \$1099.00 \$1208.90 ES-1514 SINGLE ACTING RAM 15,000 356 21.2 754.72 474 830 \$1199.00 \$1318.90 ES-152 SINGLE ACTING RAM 15,000 51 21.2 108.12 149 200 \$759.00 \$334.90 ES-154 SINGLE ACTING RAM 15,000 101 21.2 214.12 200 301 \$929.00 \$1021.90 ES-1-206 SINGLE ACTING RAM HOLLOW PISTON 20,000 49 32.8 161 162 211 \$1749.00 \$1923.90 ES-1-200 SINGLE ACTING RAM HOLLOW PISTON 20,000 49 32.8 161 162 211 \$1749.00 \$1923.90 ES-1-201 SINGLE ACTING RAM PANCAKE STYLE 20,000 11 28.3 31 51 62 \$699.00 \$768.90 ES-1-201 SINGLE ACTING RAM PANCAKE STYLE 20,000 45 28.3 127 98 143 \$769.00 \$845.90 ES-251 SINGLE ACTING RAM 25,000 26 33.2 86.32 139 165 \$999.00 \$1098.90 ES-252 SINGLE ACTING RAM 25,000 50 33.2 166 165 215 \$1079.00 \$1186.90 ES-254 SINGLE ACTING RAM 25,000 102 33.2 338.64 215 317 \$1179.00 \$1296.90 ES-254 SINGLE ACTING RAM 25,000 102 33.2 338.64 215 317 \$1179.00 \$1296.90 ES-256 SINGLE ACTING RAM 25,000 162 33.2 \$338.64 215 317 \$1179.00 \$1296.90 ES-256 SINGLE ACTING RAM 25,000 164 48 307 179 242 \$1888.00 \$2076.80 ES-1-300 SINGLE ACTING RAM 10LOW PISTON 30,000 64 48 307 179 242 \$1888.00 \$2076.80 ES-1-300 SINGLE ACTING RAM PANCAKE STYLE 30,000 156 48 744 330 485 \$1999.00 \$1065.90 ES-5-50 SINGLE ACTING RAM PANCAKE STYLE 30,000 150 70.8 1062 264 414 \$1929.00 \$2129.90 ES-5-50 SINGLE ACTING RAM PANCAKE STYLE 30,000 150 70.8 1062 264 414 \$1929.00 \$2129.90 ES-5-50 SINGLE ACTING RAM 50,000 150 70.8 1062 264 414 \$1929.00 \$2129.90 ES-5-50 SINGLE ACTING RAM 50,000 150 70.8 1062 264 414 \$1929.00 \$1076.90 ES-5-50 SINGLE ACTING RAM 50,000 150 70.9 1127.31 282 441 \$1699.00 \$1076.90 ES-5-50 SINGLE ACTING RAM 50,000 150 70.9 1127.31 282 441 \$1699.00 \$1076.90 ES-5-50 SINGLE ACTING RAM 50,000 150 70.9 1127.31 282 441 \$1699.00 \$1076.90 ES-5-50 SINGLE ACTING RAM 50,000 150 70.9 1127.31 282 441 \$1699.00 \$1076.90 ES-5-50 SINGLE ACTING RAM 50,000 150 70.9 1127.31 282 441 \$1699.00 \$1076.90 ES-5-50 SINGLE ACTING RAM 50,00			-,							
ES-1510 SINGLE ACTING RAM 15,000 254 21.2 538.48 373 627 \$1099.00 \$1208.90 ES-1514 SINGLE ACTING RAM 15,000 51 21.2 108.12 149 200 \$759.00 838.49.0 ES-152 SINGLE ACTING RAM 15,000 101 21.2 214.12 200 301 \$929.00 \$1021.90 ES-154 SINGLE ACTING RAM 15,000 101 21.2 214.12 200 301 \$929.00 \$1021.90 ES-154 SINGLE ACTING RAM HOLLOW PISTON 20,000 49 32.8 161 162 211 \$1749.00 \$1923.90 ES-1200 SINGLE ACTING RAM PANCAKE STYLE 20,000 11 28.3 31 51 62 \$699.00 \$768.90 ES-1201 SINGLE ACTING RAM PANCAKE STYLE 20,000 45 28.3 127 98 143 \$769.00 \$834.90 ES-1201 SINGLE ACTING RAM PANCAKE STYLE 20,000 45 28.3 127 98 143 \$769.00 \$80.90 ES-1201 SINGLE ACTING RAM 25,000 26 33.2 86.32 139 165 \$999.00 \$1098.90 ES-1201 SINGLE ACTING RAM 25,000 50 33.2 166 165 215 \$1079.00 \$186.90 ES-1201 SINGLE ACTING RAM 25,000 102 33.2 338.64 215 317 \$1179.00 \$1296.90 ES-1201 SINGLE ACTING RAM 25,000 102 33.2 338.64 215 317 \$1190.00 \$1266.90 ES-1201 SINGLE ACTING RAM 25,000 102 33.2 338.64 215 317 \$1190.00 \$1266.90 ES-1201 SINGLE ACTING RAM 25,000 102 33.2 524.56 273 431 \$1349.00 \$1483.90 ESH-300 SINGLE ACTING RAM 25,000 158 33.2 524.56 273 431 \$1349.00 \$1483.90 ESH-300 SINGLE ACTING RAM 25,000 158 33.2 524.56 273 431 \$1349.00 \$1483.90 ESH-300 SINGLE ACTING RAM 25,000 156 48 744 330 485 \$1999.00 \$2198.90 ESL-300 SINGLE ACTING RAM PANCAKE STYLE 30,000 156 48 744 330 485 \$1999.00 \$2198.90 ESL-300 SINGLE ACTING RAM PANCAKE STYLE 30,000 150 70.8 1062 264 414 \$1929.00 \$2129.90 ESL-300 SINGLE ACTING RAM PANCAKE STYLE 30,000 150 70.8 1062 264 414 \$1929.00 \$2121.90 ES-500 SINGLE ACTING RAM SONO SINGLE ACTING RAM 50,000 150 70.8 1062 264 414 \$1929.00 \$1212.90 ES-500 SINGLE ACTING RAM 50,000 159 70.9 1127.31 282 441 \$1699.00 \$1816.90 ESL-500 SINGLE ACTING RAM 50,000 159 70.9 1127.31 282 441 \$1699.00 \$1816.90 ESL-500 SINGLE ACTING RAM 50,000 159 70.9 1127.31 282 441 \$1699.00 \$1816.90 ESL-500 SINGLE ACTING RAM 50,000 159 70.9 1127.31 282 441 \$1699.00 \$1816.90 ESL-500 SINGLE ACTING RAM 50,000 150 60 63.6 382 112 182 \$1199.00 \$1318.90 ESL-500 SINGLE ACTING RAM 50,000			·							
ES-1514         SINGLE ACTING RAM         15,000         356         21.2         754.72         474         830         \$1199.00         \$1318.90           ES-152         SINGLE ACTING RAM         15,000         51         21.2         108.12         149         200         \$759.00         \$834.90           ES-154         SINGLE ACTING RAM         15,000         101         21.2         214.12         200         301         \$929.00         \$1021.90           ESH-206         SINGLE ACTING RAM HOLLOW PISTON         20,000         49         32.8         161         162         211         \$1749.00         \$1923.90           ESL-200         SINGLE ACTING RAM PANCAKE STYLE         20,000         45         28.3         127         98         143         \$769.00         \$845.90           ES-251         SINGLE ACTING RAM         25,000         26         33.2         86.32         139         165         \$999.00         \$1086.90           ES-252         SINGLE ACTING RAM         25,000         50         33.2         166         165         215         \$1079.00         \$186.90           ES-254         SINGLE ACTING RAM         25,000         158         33.2         242.56         273         431						-				
ES-152         SINGLE ACTING RAM         15,000         51         21.2         108.12         149         200         \$759.00         \$834.90           ES-154         SINGLE ACTING RAM         15,000         101         21.2         214.12         200         301         \$929.00         \$1021.90           ESH-206         SINGLE ACTING RAM HOLLOW PISTON         20,000         49         32.8         161         162         211         \$1749.00         \$1923.90           ESL-200         SINGLE ACTING RAM PANCAKE STYLE         20,000         11         28.3         31         51         62         \$699.00         \$768.90           ESL-201         SINGLE ACTING RAM PANCAKE STYLE         20,000         45         28.3         127         98         143         \$769.00         \$845.90           ES-251         SINGLE ACTING RAM         25,000         26         33.2         86.32         139         165         \$999.00         \$1086.90           ES-252         SINGLE ACTING RAM         25,000         50         33.2         338.64         215         317         \$1179.00         \$1296.90           ES-254         SINGLE ACTING RAM         25,000         158         33.2         24.56         273			,							,
ES-154         SINGLE ACTING RAM         15,000         101         21.2         214.12         200         301         \$929,00         \$1021,90           ESH-206         SINGLE ACTING RAM HOLLOW PISTON         20,000         49         32.8         161         162         211         \$1749,00         \$1923,90           ESL-200         SINGLE ACTING RAM PANCAKE STYLE         20,000         11         28.3         31         51         62         \$699.00         \$768,90           ESL-201         SINGLE ACTING RAM PANCAKE STYLE         20,000         45         28.3         127         98         143         \$769,00         \$845,90           ES-251         SINGLE ACTING RAM         25,000         26         33.2         86.32         139         165         \$999,00         \$1098,90           ES-252         SINGLE ACTING RAM         25,000         50         33.2         166         165         215         \$1079,00         \$1186,90           ES-254         SINGLE ACTING RAM         25,000         158         33.2         524,56         273         431         \$1349,00         \$1483,90           ESH-302         SINGLE ACTING RAM HOLLOW PISTON         30,000         64         48         307         179 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>474</td> <td></td> <td></td> <td></td>							474			
ESH-206 SINGLE ACTING RAM HOLLOW PISTON 20,000 49 32.8 161 162 211 \$1749,00 \$1923,90 ESL-200 SINGLE ACTING RAM PANCAKE STYLE 20,000 11 28.3 31 51 62 \$699,00 \$768,90 ESL-201 SINGLE ACTING RAM PANCAKE STYLE 20,000 45 28.3 127 98 143 \$769,00 \$845,90 ES-251 SINGLE ACTING RAM 25,000 26 33.2 86.32 139 165 \$999,00 \$1098,90 ES-252 SINGLE ACTING RAM 25,000 50 33.2 166 165 215 \$1079,00 \$1866,90 ES-254 SINGLE ACTING RAM 25,000 102 33.2 338.64 215 317 \$1179,00 \$1296,90 ES-256 SINGLE ACTING RAM 25,000 158 33.2 524,56 273 431 \$1349,00 \$1483,90 ESH-302 SINGLE ACTING RAM 25,000 158 33.2 524,56 273 431 \$1349,00 \$1483,90 ESH-302 SINGLE ACTING RAM HOLLOW PISTON 30,000 64 48 307 179 242 \$1888,00 \$2076,80 ESH-306 SINGLE ACTING RAM HOLLOW PISTON 30,000 156 48 744 330 485 \$1999,00 \$2198,90 ESL-300 SINGLE ACTING RAM PANCAKE STYLE 30,000 13 41.8 54 58.5 71 \$1055,00 \$1160,50 ESL-302 SINGLE ACTING RAM PANCAKE STYLE 30,000 150 70.8 1062 264 414 \$1929,00 \$2121,90 ES-502 SINGLE ACTING RAM 50,000 159 70.9 1127,31 282 441 \$1699,00 \$1351,90 ES-500 SINGLE ACTING RAM PANCAKE STYLE 50,000 16 63.6 102 67 83 \$979,00 \$1076,90 ESL-500 SINGLE ACTING RAM PANCAKE STYLE 50,000 16 63.6 102 67 83 \$979,00 \$1076,90 ESL-500 SINGLE ACTING RAM PANCAKE STYLE 50,000 16 63.6 102 67 83 \$979,00 \$1076,90 ESL-500 SINGLE ACTING RAM PANCAKE STYLE 50,000 16 63.6 102 67 83 \$979,00 \$1076,90 ESL-500 SINGLE ACTING RAM PANCAKE STYLE 50,000 16 63.6 102 67 83 \$979,00 \$1076,90 ESL-500 SINGLE ACTING RAM PANCAKE STYLE 50,000 16 63.6 102 67 83 \$979,00 \$1076,90 ESL-500 SINGLE ACTING RAM PANCAKE STYLE 50,000 16 63.6 102 67 83 \$979,00 \$1076,90 SI318,90 ESL-500 SINGLE ACTING RAM PANCAKE STYLE 50,000 16 63.6 382 122 182 \$1199,00 \$1318,90 ESL-500 SINGLE ACTING RAM PANCAKE STYLE 50,000 60 63.6 382 122 182 \$1199,00 \$1318,90 ESL-500 SINGLE ACTING RAM PANCAKE STYLE 50,000 60 63.6 382 122 182 \$1199,00 \$1318,90 ESL-500 SINGLE ACTING RAM PANCAKE STYLE 50,000 60 63.6 382 122 182 \$1199,00 \$1318,90 ESL-500 SINGLE ACTING RAM PANCAKE STYLE 50,000 60 63.6 382 122 182 \$1199,00 \$1318,90 ESL-500 SINGLE	ES-152	SINGLE ACTING RAM	15,000	51	21.2	108.12	149	200	\$759.00	\$834.90
ESI-200         SINGLE ACTING RAM PANCAKE STYLE         20,000         11         28.3         31         51         62         \$699.00         \$768.90           ESI-201         SINGLE ACTING RAM PANCAKE STYLE         20,000         45         28.3         127         98         143         \$769.00         \$845.90           ES-251         SINGLE ACTING RAM         25,000         26         33.2         86.32         139         165         \$999.00         \$1098.90           ES-252         SINGLE ACTING RAM         25,000         50         33.2         166         165         215         \$1079.00         \$1186.90           ES-254         SINGLE ACTING RAM         25,000         102         33.2         338.64         215         317         \$1179.00         \$1296.90           ES-256         SINGLE ACTING RAM         25,000         158         33.2         524.56         273         431         \$1349.00         \$1483.90           ESH-302         SINGLE ACTING RAM HOLLOW PISTON         30,000         64         48         307         179         242         \$1888.00         \$2076.80           ESH-306         SINGLE ACTING RAM PANCAKE STYLE         30,000         13         41.8         54         58.5 </td <td>ES-154</td> <td>SINGLE ACTING RAM</td> <td>15,000</td> <td>101</td> <td>21.2</td> <td>214.12</td> <td>200</td> <td>301</td> <td>\$929.00</td> <td>\$1021.90</td>	ES-154	SINGLE ACTING RAM	15,000	101	21.2	214.12	200	301	\$929.00	\$1021.90
ESL-201         SINGLE ACTING RAM PANCAKE STYLE         20,000         45         28.3         127         98         143         \$769.00         \$845.90           ES-251         SINGLE ACTING RAM         25,000         26         33.2         86.32         139         165         \$999.00         \$1098.90           ES-252         SINGLE ACTING RAM         25,000         50         33.2         166         165         215         \$1079.00         \$1186.90           ES-254         SINGLE ACTING RAM         25,000         102         33.2         338.64         215         317         \$1179.00         \$1296.90           ES-256         SINGLE ACTING RAM         25,000         158         33.2         524.56         273         431         \$1349.00         \$1483.90           ESH-302         SINGLE ACTING RAM HOLLOW PISTON         30,000         64         48         307         179         242         \$1888.00         \$2076.80           ESH-306         SINGLE ACTING RAM HOLLOW PISTON         30,000         156         48         744         330         485         \$1999.00         \$2198.90           ESL-302         SINGLE ACTING RAM PANCAKE STYLE         30,000         13         41.8         54         58	ESH-206	SINGLE ACTING RAM HOLLOW PISTON	20,000	49	32.8	161	162	211	\$1749.00	\$1923.90
ES-251         SINGLE ACTING RAM         25,000         26         33.2         86.32         139         165         \$999.00         \$1098.90           ES-252         SINGLE ACTING RAM         25,000         50         33.2         166         165         215         \$1079.00         \$1186.90           ES-254         SINGLE ACTING RAM         25,000         102         33.2         338.64         215         317         \$1179.00         \$1296.90           ES-256         SINGLE ACTING RAM         25,000         158         33.2         524.56         273         431         \$1349.00         \$1483.90           ESH-302         SINGLE ACTING RAM HOLLOW PISTON         30,000         64         48         307         179         242         \$1888.00         \$2076.80           ESH-306         SINGLE ACTING RAM HOLLOW PISTON         30,000         156         48         744         330         485         \$1999.00         \$2198.90           ESL-300         SINGLE ACTING RAM PANCAKE STYLE         30,000         13         41.8         54         58.5         71         \$1055.00         \$1076.90           EL-506         SINGLE ACTING RAM LOCKING COLLAR         50,000         150         70.8         1062         <	ESL-200	SINGLE ACTING RAM PANCAKE STYLE	20,000	11	28.3	31	51	62	\$699.00	\$768.90
ES-252         SINGLE ACTING RAM         25,000         50         33.2         166         165         215         \$1079.00         \$1186.90           ES-254         SINGLE ACTING RAM         25,000         102         33.2         338.64         215         317         \$1179.00         \$1296.90           ES-256         SINGLE ACTING RAM         25,000         158         33.2         524.56         273         431         \$1349.00         \$1483.90           ESH-302         SINGLE ACTING RAM HOLLOW PISTON         30,000         64         48         307         179         242         \$1888.00         \$2076.80           ESH-306         SINGLE ACTING RAM HOLLOW PISTON         30,000         156         48         744         330         485         \$1999.00         \$2198.90           ESL-300         SINGLE ACTING RAM PANCAKE STYLE         30,000         13         41.8         54         58.5         71         \$1055.00         \$1106.50           EL-506         SINGLE ACTING RAM PANCAKE STYLE         30,000         150         70.8         1062         264         414         \$1929.00         \$2121.90           ES-502         SINGLE ACTING RAM         50,000         51         70.9         361.59	ESL-201	SINGLE ACTING RAM PANCAKE STYLE	20,000	45	28.3	127	98	143	\$769.00	\$845.90
ES-254         SINGLE ACTING RAM         25,000         102         33.2         338.64         215         317         \$1179.00         \$1296.90           ES-256         SINGLE ACTING RAM         25,000         158         33.2         524.56         273         431         \$1349.00         \$1483.90           ESH-302         SINGLE ACTING RAM HOLLOW PISTON         30,000         64         48         307         179         242         \$1888.00         \$2076.80           ESH-306         SINGLE ACTING RAM HOLLOW PISTON         30,000         156         48         744         330         485         \$1999.00         \$2198.90           ESL-300         SINGLE ACTING RAM PANCAKE STYLE         30,000         13         41.8         54         58.5         71         \$1055.00         \$1160.50           ESL-302         SINGLE ACTING RAM PANCAKE STYLE         30,000         62         41.8         259         117         179         \$979.00         \$1076.90           EL-506         SINGLE ACTING RAM LOCKING COLLAR         50,000         150         70.8         1062         264         414         \$1929.00         \$2121.90           ES-502         SINGLE ACTING RAM         50,000         51         70.9         361.5	ES-251	SINGLE ACTING RAM	25,000	26	33.2	86.32	139	165	\$999.00	\$1098.90
ES-256         SINGLE ACTING RAM         25,000         158         33.2         524.56         273         431         \$1349.00         \$1483.90           ESH-302         SINGLE ACTING RAM HOLLOW PISTON         30,000         64         48         307         179         242         \$1888.00         \$2076.80           ESH-306         SINGLE ACTING RAM HOLLOW PISTON         30,000         156         48         744         330         485         \$1999.00         \$2198.90           ESL-300         SINGLE ACTING RAM PANCAKE STYLE         30,000         13         41.8         54         58.5         71         \$1055.00         \$1160.50           ESL-302         SINGLE ACTING RAM PANCAKE STYLE         30,000         62         41.8         259         117         179         \$979.00         \$1076.90           EL-506         SINGLE ACTING RAM LOCKING COLLAR         50,000         150         70.8         1062         264         414         \$1929.00         \$2121.90           ES-502         SINGLE ACTING RAM         50,000         51         70.9         361.59         176         227         \$1229.00         \$1351.90           ES-506         SINGLE ACTING RAM PANCAKE STYLE         50,000         16         63.6	ES-252	SINGLE ACTING RAM	25,000	50	33.2	166	165	215	\$1079.00	\$1186.90
ESH-302         SINGLE ACTING RAM HOLLOW PISTON         30,000         64         48         307         179         242         \$1888.00         \$2076.80           ESH-306         SINGLE ACTING RAM HOLLOW PISTON         30,000         156         48         744         330         485         \$1999.00         \$2198.90           ESL-300         SINGLE ACTING RAM PANCAKE STYLE         30,000         13         41.8         54         58.5         71         \$1055.00         \$1160.50           ESL-302         SINGLE ACTING RAM PANCAKE STYLE         30,000         62         41.8         259         117         179         \$979.00         \$1076.90           EL-506         SINGLE ACTING RAM LOCKING COLLAR         50,000         150         70.8         1062         264         414         \$1929.00         \$2121.90           ES-502         SINGLE ACTING RAM         50,000         51         70.9         361.59         176         227         \$1229.00         \$1351.90           ES-506         SINGLE ACTING RAM         50,000         159         70.9         1127.31         282         441         \$1699.00         \$1868.90           ESL-500         SINGLE ACTING RAM PANCAKE STYLE         50,000         60         63.6	ES-254	SINGLE ACTING RAM	25,000	102	33.2	338.64	215	317	\$1179.00	\$1296.90
ESH-306 SINGLE ACTING RAM HOLLOW PISTON 30,000 156 48 744 330 485 \$1999.00 \$2198.90   ESL-300 SINGLE ACTING RAM PANCAKE STYLE 30,000 13 41.8 54 58.5 71 \$1055.00 \$1160.50   ESL-302 SINGLE ACTING RAM PANCAKE STYLE 30,000 62 41.8 259 117 179 \$979.00 \$1076.90   EL-506 SINGLE ACTING RAM LOCKING COLLAR 50,000 150 70.8 1062 264 414 \$1929.00 \$2121.90   ES-502 SINGLE ACTING RAM 50,000 51 70.9 361.59 176 227 \$1229.00 \$1351.90   ES-506 SINGLE ACTING RAM 50,000 159 70.9 1127.31 282 441 \$1699.00 \$1868.90   ESL-500 SINGLE ACTING RAM PANCAKE STYLE 50,000 16 63.6 102 67 83 \$979.00 \$1076.90   ESL-502 SINGLE ACTING RAM PANCAKE STYLE 50,000 60 63.6 382 122 182 \$1199.00 \$1318.90   ESL-603 SINGLE ACTING RAM HOLLOW PISTON 60,000 76 87.4 664 247 322 \$2549.00 \$2803.90	ES-256	SINGLE ACTING RAM	25,000	158	33.2	524.56	273	431	\$1349.00	\$1483.90
ESL-300         SINGLE ACTING RAM PANCAKE STYLE         30,000         13         41.8         54         58.5         71         \$1055.00         \$1160.50           ESL-302         SINGLE ACTING RAM PANCAKE STYLE         30,000         62         41.8         259         117         179         \$979.00         \$1076.90           EL-506         SINGLE ACTING RAM LOCKING COLLAR         50,000         150         70.8         1062         264         414         \$1929.00         \$2121.90           ES-502         SINGLE ACTING RAM         50,000         51         70.9         361.59         176         227         \$1229.00         \$1351.90           ES-506         SINGLE ACTING RAM         50,000         159         70.9         1127.31         282         441         \$1699.00         \$1868.90           ESL-500         SINGLE ACTING RAM PANCAKE STYLE         50,000         16         63.6         102         67         83         \$979.00         \$1076.90           ESL-502         SINGLE ACTING RAM PANCAKE STYLE         50,000         60         63.6         382         122         182         \$1199.00         \$1318.90           ESH-603         SINGLE ACTING RAM HOLLOW PISTON         60,000         76         87.4	ESH-302	SINGLE ACTING RAM HOLLOW PISTON	30,000	64	48	307	179	242	\$1888.00	\$2076.80
ESL-302         SINGLE ACTING RAM PANCAKE STYLE         30,000         62         41.8         259         117         179         \$979.00         \$1076.90           EL-506         SINGLE ACTING RAM LOCKING COLLAR         50,000         150         70.8         1062         264         414         \$1929.00         \$2121.90           ES-502         SINGLE ACTING RAM         50,000         51         70.9         361.59         176         227         \$1229.00         \$1351.90           ES-506         SINGLE ACTING RAM         50,000         159         70.9         1127.31         282         441         \$1699.00         \$1868.90           ESL-500         SINGLE ACTING RAM PANCAKE STYLE         50,000         16         63.6         102         67         83         \$979.00         \$1076.90           ESL-502         SINGLE ACTING RAM PANCAKE STYLE         50,000         60         63.6         382         122         182         \$1199.00         \$1318.90           ESH-603         SINGLE ACTING RAM HOLLOW PISTON         60,000         76         87.4         664         247         322         \$2549.00         \$2803.90	ESH-306	SINGLE ACTING RAM HOLLOW PISTON	30,000	156	48	744	330	485	\$1999.00	\$2198.90
EL-506         SINGLE ACTING RAM LOCKING COLLAR         50,000         150         70.8         1062         264         414         \$1929.00         \$2121.90           ES-502         SINGLE ACTING RAM         50,000         51         70.9         361.59         176         227         \$1229.00         \$1351.90           ES-506         SINGLE ACTING RAM         50,000         159         70.9         1127.31         282         441         \$1699.00         \$1868.90           ESL-500         SINGLE ACTING RAM PANCAKE STYLE         50,000         16         63.6         102         67         83         \$979.00         \$1076.90           ESL-502         SINGLE ACTING RAM PANCAKE STYLE         50,000         60         63.6         382         122         182         \$1199.00         \$1318.90           ESH-603         SINGLE ACTING RAM HOLLOW PISTON         60,000         76         87.4         664         247         322         \$2549.00         \$2803.90	ESL-300	SINGLE ACTING RAM PANCAKE STYLE	30,000	13	41.8	54	58.5	71	\$1055.00	\$1160.50
ES-502         SINGLE ACTING RAM         50,000         51         70.9         361.59         176         227         \$1229.00         \$1351.90           ES-506         SINGLE ACTING RAM         50,000         159         70.9         1127.31         282         441         \$1699.00         \$1868.90           ESL-500         SINGLE ACTING RAM PANCAKE STYLE         50,000         16         63.6         102         67         83         \$979.00         \$1076.90           ESL-502         SINGLE ACTING RAM PANCAKE STYLE         50,000         60         63.6         382         122         182         \$1199.00         \$1318.90           ESH-603         SINGLE ACTING RAM HOLLOW PISTON         60,000         76         87.4         664         247         322         \$2549.00         \$2803.90	ESL-302	SINGLE ACTING RAM PANCAKE STYLE	30,000	62	41.8	259	117	179	\$979.00	\$1076.90
ES-506         SINGLE ACTING RAM         50,000         159         70.9         1127.31         282         441         \$1699.00         \$1868.90           ESL-500         SINGLE ACTING RAM PANCAKE STYLE         50,000         16         63.6         102         67         83         \$979.00         \$1076.90           ESL-502         SINGLE ACTING RAM PANCAKE STYLE         50,000         60         63.6         382         122         182         \$1199.00         \$1318.90           ESH-603         SINGLE ACTING RAM HOLLOW PISTON         60,000         76         87.4         664         247         322         \$2549.00         \$2803.90	EL-506	SINGLE ACTING RAM LOCKING COLLAR	50,000	150	70.8	1062	264	414	\$1929.00	\$2121.90
ESL-500         SINGLE ACTING RAM PANCAKE STYLE         50,000         16         63.6         102         67         83         \$979.00         \$1076.90           ESL-502         SINGLE ACTING RAM PANCAKE STYLE         50,000         60         63.6         382         122         182         \$1199.00         \$1318.90           ESH-603         SINGLE ACTING RAM HOLLOW PISTON         60,000         76         87.4         664         247         322         \$2549.00         \$2803.90	ES-502	SINGLE ACTING RAM	50,000	51	70.9	361.59	176	227	\$1229.00	\$1351.90
ESL-502         SINGLE ACTING RAM PANCAKE STYLE         50,000         60         63.6         382         122         182         \$1199.00         \$1318.90           ESH-603         SINGLE ACTING RAM HOLLOW PISTON         60,000         76         87.4         664         247         322         \$2549.00         \$2803.90	ES-506	SINGLE ACTING RAM	50,000	159	70.9	1127.31	282	441	\$1699.00	\$1868.90
ESH-603         SINGLE ACTING RAM HOLLOW PISTON         60,000         76         87.4         664         247         322         \$2549.00         \$2803.90	ESL-500	SINGLE ACTING RAM PANCAKE STYLE	50,000	16	63.6	102	67	83	\$979.00	\$1076.90
ESH-603         SINGLE ACTING RAM HOLLOW PISTON         60,000         76         87.4         664         247         322         \$2549.00         \$2803.90	ESL-502	SINGLE ACTING RAM PANCAKE STYLE	50,000	60	63.6	382	122	182	\$1199.00	\$1318.90
		SINGLE ACTING RAM HOLLOW PISTON			87.4		247	322		
EL-1002   SINGLE ACTING RAM LOCKING COLLAR   100,000   50   132.7   663.5   187   237   \$2399.00   \$2638.90	EL-1002	SINGLE ACTING RAM LOCKING COLLAR		50	132.7	663.5	187	237	\$2399.00	\$2638.90



		Cylinder Capacity		Max. Cylin	der Capacity	Cylinder Effe	ctive Area	Oil Ca	pacity			
Mode	Description	@ 10,000PSI (700 BAR)	Stroke	Advance	Retract	Advance	Retract	Advance	Retract	Price ex GST	Price inc GST	
		Metric Kg	MM	METRIC TON	METRIC TON	CM <sup>2</sup>	CM <sup>2</sup>	CM <sup>3</sup>	CM <sup>3</sup>			
EDX-50	6 DOUBLE ACTING RAM	50,000	150	53	26	75.4	36.9	1,131	1,131	\$1799.00	\$1978.90	
EDX-100	DOUBLE ACTING RAM	100,000	150	93	43	132.7	61.9	1,991	928	\$2549.00	\$2803.90	
EDH-30	7 DOUBLE ACTING RAM HOLLOW PISTON	30,000	178	33	22	47.7	32.4	849	577	\$2249.00	\$2473.90	
EDH-60	3 DOUBLE ACTING RAM HOLLOW PISTON	60,000	89	60	39	87.4	56.2	778	481	\$2549.00	\$2803.90	
EDH-60	6 DOUBLE ACTING RAM HOLLOW PISTON	60,000	166	60	39	87.4	56.2	1451	891	\$3199.00	\$3518.90	
ED-101	2 DOUBLE ACTING RAM	10,000	305	10	3	14.5	4.9	443	149.5	\$1799.00	\$1978.90	

				Usable Oil	Pressure	Pressure Rating		ent Per Stroke	Handle		
Model	Description	Cylinder Type	Speed	Volume	1st Stage	2nd stage	1st Stage	2nd Stage	Force	Price ex GST	Price inc GST
				CM <sup>3</sup>	BAR	BAR	CM <sup>3</sup>	CM <sup>3</sup>		6X 031	IIIC G31
EPA-10921A	HAND PUMP, S/A, TWO SPEED, 55 IN3	SINGLE ACTING	TWO	750	25	700	33	3.3	49	\$699.00	\$768.90
EPA-12321A	HAND PUMP, S/A, TWO SPEED, 140 IN3	SINGLE ACTING	TWO	2300	25	700	33	3.3	49	\$1019.00	\$1120.90
EPA-12322A	HAND PUMP, D/A, TWO SPEED, 140 IN3	DOUBLE ACTING	TWO	2300	25	700	33	3.3	49	\$1039.00	\$1142.90

	Model	Description	Internal Diameter	Length	Hose	Working Pressure	ing Pressure Burst Pressure		Configuration	Price	Price
	Model	Description	ММ	MM	Material	PSI	PSI	Pump End	Cylinder End	inder End ex GST	
	EH-8206F	1/4" IDX6' RBR HYDHOSE 3/8" NPT EAB-201B	6	1800	-	10,000	20,000	3/8" NPT	3/8" NPT	\$199.00	\$218.90

	Model	Description	Max. Pressure	Type		Female Coupler	Male Coupler	Price	Price
	Model	Description	PSI	туре		remale Couplei	indle Couplei	ex GST	inc GST
	EAB-201	3/8" MALE/FEMALE HIGH FLOW QUICK	10,000	HIGH FLOW	3/8" - 18NPT	EAB-201A	EAB-201B	\$85.00	\$93.50

Model	Model	Description	Pressure Range		Thread	Gauge Diameter	Price	Price	
	Description	PSI	MPa		IN	ex GST	inc GST		
	EG-2510	2.5 IN. 15,000 PSI PRESSURE GAUGE	0 - 15,000	0 - 100	1/4" - NPT	2.5	\$239.00	\$262.90	

Model	Description	Male Coupler Thread Female Coupler Thread		Gauge Port Thread P		Price	
		IN/D	IN/E	IN/C	ex GST	inc GST	
EGA-005	GAUGE ADAPTOR	3/8" - NPT	3/8" - NPT	1/4" - NPT	\$89.00	\$97.90	

	Model	Description	Cylinder Capacity @ 10,000 PSI (700 BAR)	Oil Capacity	Tip Clearance	Maximum Spread Distance	Cylinder Effective Area	Weight	Price ex GST	Price inc GST
			US TON	CM <sup>3</sup>	MM/A	MM/B	CM <sup>2</sup>	KGS		
	EFS-14	14 TON HYDRAULIC SPREADER	14	78.33	6.09	81.02	14.51	7.17	\$2389.00	\$2627.90



# TRADEQUIP the trusted brand in equipment

**Air/Hydraulic Workshop Press** 45,000KG WIDE

2038T

Safe working capacity: 45,000kg Working range: 159-859mm

Bed outside: 359mm Bed inside: 195mm Bed width: 826mm

Piston ram stroke: 190mm Ram diameter: 90mm

Operating air pressure: 110-125 psi

1707H x 1420W x 800Dmm Bed height settings: 6 Weight: 301kg

AIR OPERATED

#### **FEATURES**

High-grade steel frame.

2 speed pump. 100mm pressure gauge. Bed winch for easy raise and lower adjustment.

Paint is oil, grease and dirt-resistant for easy cleanup.

High quality large diameter hydraulic steel cylinder unit.

Piston-ram is treated, polished.

Includes hand winch.

Integrated overload protection valve prevents overloading.

Extra-long handle included for easy pumping. Double spring ram return for fast ram retraction.











